

3M -- TPA-150 PART A & B #80-6106-1035-6

=====
MSDS Safety Information
=====

FSC: 8040
NIIN: 01-147-9957
MSDS Date: 02/23/1995
MSDS Num: BZLLN
Product ID: TPA-150 PART A & B #80-6106-1035-6
MFN: 01
Kit Part: Y
Responsible Party
Cage: 0F0U5
Name: 3M
Address: 3M CENTER
City: ST. PAUL MN 55144
-1000
Info Phone Number: 612-733-1110
Emergency Phone Number: 612-733-1110
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 04963
Name: 3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV
Address: 3M CTR
City: SAINT PAUL MN 55144-1000
Phone: 800-364-3577/651-737-6501(24 HOURS)
Cage: 0F0U5
Name: PACEBROOK LTD
Address: 15 GOSDITCH ST
City: CIRENCESTER GLOS GL7 2AG NK 00000
Country:
UK
Phone: NONE

=====
Item Description Information
=====

Item Manager: GSA
Item Name: ADHESIVE
Unit of Issue: KT
UI Container Qty: 0

=====
Ingredients
=====

Name: POLYMERIC DIAMINE
% Wt: 80-90
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 67762-90-7
Name: DIMETHYLENE SILOXANE
% Wt: 5-10
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 1332-58-7
RTECS #: GF1670500
Name: KAOLIN
% Wt: 1-5
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 10 MG/M3
ACGIH TLV: 2 MG/M3
=====

Health Hazards Data
=====

Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: CORROSIVE. IRRITATING TO SKIN & TO RESPIRATORY SYSTEM.
Signs And Symptoms Of Overexposure: SKIN:
REDNESS/ITCHING/DRYNESS/SCALY/CRACKING.
First Aid: EYES: IMMEDIATE FLUSH WITH PLENTY WATER. GET IMMEDIATE MEDICAL AID. INHALATION: IF
SIGNS/SYMPTOMS OCCUR, GET FRESH AIR. IF SIGNS/SYMP CONTINUE CALL DR. SKIN:
IMMEDIATE FLUSH WITH LOTS OF WATER >15 MIN IN CHEMICAL SAFETY SHOWER, REMOVING CONTAMINATED
CLOTHES/SHOES. GET IMMEDIATE MEDICAL AID. WASH CONTAMINATED CLOTHES BEFORE REUSE. INGEST:
DON'T INDUCE VOMITING. GIVE 2 GLASSES OF WATER. CALL DR IMMEDIATE. NEVER GIVE
ANYTHING BY MOUTH IF UNCONSCIOUS.
=====

Handling and Disposal
=====

Spill Release Procedures: CALL 612-733-1110/612-733-6100 FOR 24 HOUR SPILL
ASSISTANCE. VENTILATE AREA. EXTINGUISH ALL IGNITION SOURCES. CONTAIN SPILL.
COVER WITH ABSORBENT. COLLECT SPILLED MATERIAL. CLEAN UP RESIDUE WITH WATER. P

LACE IN

C LOSED CONTAINER.

Waste Disposal Methods: INCINERATE UNCURRED WASTE IN INDUSTRIAL/COMMERCIAL INCINERATOR. DISPOSE OF COMPLETELY CURRED OR POLYMERIZED MAT'L IN SANITARY LANDFILL.

Handling And Storage Precautions: STORE IN COOL PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEP IN A WELL-VENTILATED AREA.

Other Precautions: KEEP CONTAINER TIGHTLY CLOSED. KEEP AWAY FORM HEAT, SPARKS, OPEN GLAME, OTHER IGNITION SOURCES.

=====
Fire a
nd Explosion Hazard Information

=====
Flash Point Text: >200F,>93C

Extinguishing Media: WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures: WEAR FULL PROTECT CLOTHES: HELMET, POS PRES/PRESSURE DEMAND SCBA, BUNKER COAT/PANTS, BANDS AROUND ARMS/WAIST/LEGS, FACE-MASK. PROTECT EXPOSED AREAS OF HEAD.

Unusual Fire/Explosion Hazard: NONE KNOWN

=====
Control Measures

=====
Respiratory Protection: AVOID BREATHING VAPORS. USE HALF-MASK ORGANIC VAPOR RESPIRATOR OR FULL-FACE ORGANIC VAPOR RESPIRATOR.

Ventilation: LOCAL EXHAUST OR APPROPRIATE RESPIRATORY PROTECTION.

Protective Gloves: APPROPRIATE GLOVES

Eye Protection: VENTED GOGGLES

Other Protective Equipment: NA

Work Hygienic Practices: DON'T EAT/DRINK/SMOKE. WASH EXPOSED SKIN THOROUGHLY W/SOAP & WATER.

Supplemental Safety and Health: AVOID EYE/SKIN CONTACT. AV
OID PROLONGED
BREATHING OF VAPORS.

=====
Physical/Chemical Properties

=====
B.P. Text: NA

Spec Gravity: 1.26

Viscosity: 60000

Solubility in Water: NIL

Appearance and Odor: BLACK PASTE

Percent Volatiles by Volume: 0

=====
Reactivity Data

=====
Stability Indicator: YES

Hazardous Polymerization Ind

icator: NO

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Informa
tion
=====

=====
Other Information
=====

=====
Transportation Information
=====

Responsible Party Cage: 0F0U5
Trans ID NO: 111050
Product ID: TPA-150 PART A & B #80-6106-1035-6
MSDS Prepared Date: 02/23/1995
Review Date: 05/16/1996
MFN: 1
Multiple
KIT Number: 0
Kit Part IND: Y
Review IND: Y
Unit Of Issue: KT
Container QTY: 0

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED F

OR THIS MODE OF TRANSPORTATION

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
HAZCOM Label
=====

Product ID: TPA-150 PART A & B #80-6106-1035-6

Cage: 0F0U5

Company Name: PACEBROOK LTD

Street: 15 GOSDITCH ST

City: CIRENCESTER GLOS GL7 2AG NK

Zipcode: 00000

Country: UK

Health Emergency Phone: 612-733-1110

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998

Origination Code: G

Hazard And Precautions: CORROSIVE. IRRITATING TO SKIN & TO RESPIRATORY SYSTEM.

SKIN: REDNESS/ITCHING/DRYNESS/SCALY/CRACKING.
=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside

the Department of Defense

nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense

fense or other government situation.