View NSN Online: https://aerobasegroup.com/nsn/8010-01-397-3807

DEVOE COATINGS CO DIV OF GROW GROUP INC -- #138C0927 HEAVY DUTY EPOXY CLEAR CONVERTER -- 8010-01-397-3807

=========== Product Identification ==============

Product ID:#138C0927 HEAVY DUTY EPOXY CLEAR CONVERTER

MSDS Date:09/17/1993

FSC:8010

NIIN:01-397-3807

Kit Part:Y

MSDS Number: BZLRQ === Responsible Party ===

Company Name: DEVOE COATINGS CO DIV OF GROW GROUP INC

Address:4000 DUPONT CIR

Box:7600

City:LOUISVILLE

State:KY

ZIP:40207-4802

Country:US

Info Phone Num:502-897-9861

Emergency Phone Num:800-424-9300 Preparer's Name:LOUIS F. HOLZKNECHT

CAGE:1HK86

=== Contractor Identification ===

Company Name: DEVOE COATINGS CO

Address:4000 DUPONT CIRCLE

Box:7600

City:LOUISVILLE

State:KY

ZIP:40207-4802 Country:US

Phone:502-897-9861

CAGE:1HK86

======= Composition/Information on Ingredients ========

Ingred Name: ALIPHATIC AMINE ADDUCT (SARA 313) (LD50 ORAL RAT >1600

MG/KG)

Fraction by Wt: 30.0%

Oth

er REC Limits:NONE RECOMMENDED

OSHA PEL:5 PPM (SKIN) ACGIH TLV:5 PPM (SKIN)

Ingred Name: AMINE COMPOUND (LD50 ORAL RAT 5 MG/KG)

Fraction by Wt: 45.0%

Other REC Limits: NONE RECOMMENDED

Ingred Name: AMORPHOUS SILICA

CAS:63231-67-4 RTECS #:VV7322000 Fraction by Wt: 10.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:15 MG/M3 TOTAL DUST

ACGIH TLV:NOT EST.

Ingred Name:HIGH FLASH AROMATIC NAPHTHA (VP = 10)(LD50 >5 GM/KG ORAL

RAT, LC50 RAT 8 HRS > 3670 PPM)

CAS:64742-95-6 Fraction by Wt: 15.0%

Other R

EC Limits:NONE RECOMMENDED

OSHA PEL:NOT EST. ACGIH TLV:100 PPM

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA 313) (CERCLA)(VP = 100)(LD50 ORAL RAT 7.5 GM/KG, LC50 64000 PPM RAT 4 HRS)

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 15 MIN. GET MED AID. SKIN:

WASH W/SOAP & WATER. REMOVE CONTAM CLOTHES. GET MED AID IF IRRIT PERSISTS. INGESTION: CALL DR. IMMED. DON'T INDUCE VOMITING. CHEM PNEUMONITIS W/ASPIRATION OF VOMITUS, POSSIBLY FATAL. INHAL: GET FRESH AIR IF TROUBLE BREATHIN

G. IF CONTINUED TROUBLE BREATHING GET
IMMED MED AID. BREATHING STOPPED, RESTORE BREATHING W/CPR. GET
IMMED MED AID.


========= Fire Fighting Measures ==============

Flash Point:128F,53C Lower Limits:1.0

Extinguishing Media: CO2, DRY CHEMICAL, FOAM (CLASS B FIRE).

Fire Fighting Procedures: FULL PROTEC EQUIP W/SCBA. WATER SPRAY MAY BE INEFFECTIVE, FOG NOZZLES PREFERRED. COOL FIRE-HEAT EXPOSED CLSD CNTNRS. PREVENT PRESSURE BUILD-UP/AUTOIGNITION.

Unusual Fire/Expl



===== Exposure Controls/Personal Protection ========

Respiratory Protection:DON'T BREATHE VAPORS/SPRAY MIST/SANDING
DUST.NIOSH/MSHA APPROVED MECHANCL FILTER RESPRTR.IN RESTRICTED
VENTILATION, NIOSH/MSHA APPROVED CHEM/MECHANCL FILTER FOR
PARTICULATES/VAPOR.CONFINED AREAS, NIOS H/MSHA APPROVED AIR-SUPPLY
RESPRTR/HOODS

Ventilation: GEN DILUTION/LOCAL EXHAUST VENT. TO KEEP AIR CONTAM CONC