

DEVOE COATINGS CO DIV OF GROW GROUP INC -- #137C0910 DEVGRIP 137 EPOXY PRIMER,  
NON-SKID CLEAR CONVERTER -- 8010-01-397-3986

===== Product Identification =====

Product ID:#137C0910 DEVGRIP 137 EPOXY PRIMER, NON-SKID CLEAR CONVERTER

MSDS Date:05/17/1994

FSC:8010

NIIN:01-397-3986

Kit Part:Y

MSDS Number: BZLSD

=== Responsible Party ===

Company Name:DEVOE COATINGS CO DIV OF GROW GROUP INC

Address:4000

DUPONT CIR

Box:7600

City:LOUISVILLE

State:KY

ZIP:40207-4802

Country:US

Info Phone Num:502-897-9861

Emergency Phone Num:800-424-9300

Preparer's Name:LOUIS F. HOLZKNECHT

CAGE:1HK86

=== Contractor Identification ===

Company Name:DEVOE COATINGS CO

Address:4000 DUPONT CIRCLE

Box:7600

City:LOUISVILLE

State:KY

ZIP:40207-4802

Country:US

Phone:502-897-9861

CAGE:1HK86

===== Composition/Information on Ingredients =====

Ingred Name:AMINE COMPOUND (LD50 ORAL RAT 5 GM/KG)

Fraction by Wt:

70.0%

Other REC Limits:NONE RECOMMENDED

Ingred Name:N-BUTYL ALCOHOL (SARA 313)(CERCLA)(VP = 4.2 MMHG)(LD50 ORAL  
RAT 2.5 GM/KG, LC50 4HR RAT 8000 PPM)

CAS:71-36-3

RTECS #:EO1400000

Fraction by Wt: 30.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:50 PPMC

ACGIH TLV:50 PPMC

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:VOC = 265.5 GM/L

RTECS #:9999999VO

Fraction by Wt: NA

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT EST.

ACGIH TLV:NOT EST.

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: SKIN/EYES: IRRITATION. MAY BE  
HARMFUL IF ABSORBED THROUGH SKIN. INHAL: RESP TRACT IRRIT,  
HEADACHE, NAUSEA, DIZZINESS, WEAKNESS, FATIGUE.

UNCONSCIOUSNESS/EVEN RESP ARREST W/EXTREME EXPOSURE. ING EST:  
STOMACH/INTESTINAL IRRIT/NAUSEA/VOMITING/DIARRHEA.

Effects of Overexposure:POSSIBLE PERMANENT BRAIN, NS DAMA  
GE W/CHRONIC

EXPOSURE. POSSIBLE LUNG DISEASE W/CHRONIC EXPOSURE SPRAY MIST &/OR  
SANDING DUST. NOTE: INTENTIONAL MISUSE BY DELIBERATELY  
CONCENTRATING/INHALING CONTENTS MAY BE HARMFUL/FATAL.

Medical Cond Aggravated by Exposure:NONE WHEN USED IN ACCORDANCE W/SAFE  
HANDLING & USE OF INFORMATION.

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH IMMED W/LOTS WATER >15 MIN. GET MED AID. SKIN:  
WASH W/SOAP & WATER. REMOVE CONTAM CLOTHES. GET

MED AID IF IRRIT  
PERSISTS. INGESTION: CALL DR. IMMEDIATE. INHALATION: GET FRESH AIR IF  
TROUBLE BREATHING. IF CONTINUED TROUBLE BREATHING GET IMMEDIATE MED  
AID. BREATHING STOPPED, RESTORE BREATHING WITH CPR. GET IMMEDIATE MED AID.

===== Fire Fighting Measures =====

Flash Point: 100F, 38C  
Lower Limits: 1.4  
Extinguishing Media: CO2, DRY CHEMICAL, FOAM (CLASS B FIRE).  
Fire Fighting Procedures: FULL PROTECTIVE EQUIPMENT WITH SCBA. WATER SPRAY MAY BE  
INEFFECTIVE, FOG NOZZLES PREFERRED  
D. COOL FIRE-HEAT EXPOSED CLOSED  
CONTAINERS. PREVENT PRESSURE BUILD-UP/AUTOIGNITION.  
Unusual Fire/Explosion Hazard: KEEP CONTAINERS TIGHTLY CLOSED. KEEP FROM  
HEAT/ELECTRICAL EQUIPMENT/SPARKS/FLAME. CLOSED CONTAINERS MAY EXPLODE IN  
EXTREME HEAT. DON'T CUT/WELD ON/NEAR CONTAINER AS MAY IGNITE.

===== Accidental Release Measures =====

Spill Release Procedures: REMOVE IGNITION SOURCES. AVOID BREATHING VAPORS.  
VENTILATE AREA. BEFORE CLEAN-UP REFER TO HAZARD CAUTION INFO. CONTAIN  
SPILL/  
REMOVE WITH INERT ABSORBENT/NONSPARKING TOOLS. STORE IN CLOSED  
CONTAINER UNTIL PROPERLY DISPOSED OF.

===== Handling and Storage =====

Handling and Storage Precautions: ISOLATE FROM HEAT/SPARKS/FLAMES. DON'T  
SMOKE. PREVENT VAPOR BUILD-UP WITH CONTINUOUS FLOW FRESH AIR. DON'T  
STORE >120F, NEAR FIRE/OPEN FLAME. STORE UPRIGHT\*  
Other Precautions: AMTS IN BUILDINGS TO COMPLY WITH OSHA 1910.106. KEEP  
CONTAINER CLOSED WHEN NOT USING. DON'T TRANSFER TO BOTTLES/UNLABELED  
CONTAINERS. DON'T REUSE EMPTY CONTAINERS. IF MATERIAL PART OF 2 COMPONENT  
PRODUCT, MIXTURE WILL HAVE HAZARDS OF BOTH COMPONENTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: DON'T BREATHE VAPORS/SPRAY MIST/SANDING  
DUST. NIOSH/MSHA APPROVED MECHANICAL FILTER RESPIRATOR. IN RESTRICTED  
VENTILATION, NIOSH/MSHA APPROVED CHEMICAL/MECHANICAL FILTER FOR  
PARTICULATES/VAPOR. CONFINED AREAS, NIOSH/MSHA APPROVED AIR-SUPPLY  
RESPIRATOR/HOODS  
Ventilation: GENERAL DILUTION/LOCAL

CAL EXHAUST VENT. TO KEEP AIR CONTAM CONC