

GENERAL ELECTRIC CO -- F20T12/CW LAMP,FLUORESCENT -- 6240-00-152-2996

===== Product Identification =====

Product ID:F20T12/CW LAMP,FLUORESCENT

MSDS Date:12/18/1992

FSC:6240

NIIN:00-152-2996

MSDS Number: BZNHC

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO

Address:3135 EASTON TURNPIKE

City:FAIRFIELD

State:CT

ZIP:06431

Country:US

Info Phone Num:203-254-5400

Emergency Phone Num:203-254-5

400

Preparer's Name:DGSC-SSH

CAGE:16316

=== Contractor Identification ===

Company Name:GENERAL ELECTRIC CO

Address:3135 EASTON TURNPIKE

Box:City:FAIRFIELD

State:CT

ZIP:06431

Country:US

Phone:203-254-5400

CAGE:16316

Company Name:GENERAL ELECTRIC CO GE LIGHTING

Address:NELA PARK NO 4705

Box:City:CLEVELAND

State:OH

ZIP:44112

Country:US

Phone:800-624-0624/216-266-2121

CAGE:08805

===== Composition/Information on Ingredients =====

Ingred Name:MERCURY (SARA III)

CAS:7439-97-6

RTECS

#:OV4550000
Other REC Limits:NOT KNOWN
OSHA PEL:S, C, 0.1 MG/M3
ACGIH TLV:S, 0.05 MG/M3; 9192
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

===== Hazards Identification =====

LD50 LC50 Mixture:TLV: NOT KNOWN
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE AND CHRONIC- FLUORESCENT LAMPS
ARE FINISHED PRODUCTS AND ARE ARTICLES. THEY DO NOT REPRESENT ANY
HAZARD AS LONG AS
THEY ARE NOT BROKEN. INHALATION OF MERCURY VAPORS
MAY BE HARMFUL. BROKEN GLASS MAY CAUSE INJURY.
Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.
Effects of Overexposure:NONE
Medical Cond Aggravated by Exposure:NONE

===== First Aid Measures =====

First Aid:NONE

===== Fire Fighting Measures =====

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL
FOR SURROUNDING FIRE. USE WATER SP
RAY TO COOL FIRE EXPOSED
CONTAINERS.
Fire Fighting Procedures:WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING
APPARATUS.
Unusual Fire/Explosion Hazard:NOT KNOWN

===== Accidental Release Measures =====

Spill Release Procedures:PICK UP BROKEN GLASS OR LAMP FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP ON ORIGINAL CONTAINERS. AVOID
BREAKING THEM.
Other Precautions:IF LAMPS ARE CRUSHED O

R BROKEN PRIOR TO DISPOSAL,
CERTAIN PRECAUTIONS SHOULD BE TAKEN. PROPER EQUIPMENT SHOULD BE
WORN TO PROTECT THE EYES AND SKIN FROM FLYING GLASS FRAGMENTS.
UNBROKEN LAMPS SHOULD NOT BE THROWN INTO FIRES OR INCINERATED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED IF USED AS INTENDED
Ventilation:NONE REQUIRED IF USED AS INTENDED
Protective Gloves:NONE REQUIRED IF USED AS INTENDED
Eye Protection:NONE REQUIRED IF USED AS INTENDED
Other Protective Equipment:NONE REQUIRED IF USED AS INTENDED
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES.
Supplemental Safety and Health
NO MSDS WAS AVAILABLE FROM MFR. THIS MSDS WAS PREPARED BY THE
PROFESSIONALS OF DGSC-SSH WITHOUT ANY WARRANTY. IT IS THE USER'S
RESPONSIBILITY TO GATHER INFORMATION AND USE THE MATERIAL PROPERLY
TO PROTECT EMPLOYEES AND ENVIRONMENT. MANUFACTURER STATED THAT GE
LAMPS HAVE NO HAZARDOUS MATERIALS & NO MSDS IS REQUIRED.

===== Physical/Chemical Properties =====

HCC:Z2
Appearance and Odor:FLUORESCENT LAMP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NOT KNOWN
Stability Condition to Avoid:FIRE
Hazardous Decomposition Products:NOT KNOWN

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE
AND FEDERAL REGULATIONS. AS IN THE CASE OF ANY PRODUCT CONTAINING
GLASS AND CHEMICALS, REASONABLE CARE SHOULD BE OBSERVED WHEN BURNED
OUT FLOURESCENT LAMPS ARE HANDLED AND DISCARDED.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any

person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.