View NSN Online: https://aerobasegroup.com/nsn/9150-01-387-4469

MOBIL OIL CORP -- MOBIL EAL ARCTIC 68 -- 9150-01-387-4469

=========== Product Identification ===============

Product ID:MOBIL EAL ARCTIC 68

MSDS Date:01/25/1995

FSC:9150

NIIN:01-387-4469

MSDS Number: BZNXC === Responsible Party ===

Company Name: MOBIL OIL CORP

Box:1025

City:PRINCETON

State:NJ ZIP:08540 Country:US

Info Phone Num:800-662-4525

Emergency Phone Num:609-737-4411

CAGE:6A687

=== Contractor Identification

===

Company Name: AV LUBRICANTS, INC (614-492-2000)

Box:UNKNOW CAGE:NO800

Company Name: MOBIL OIL CORP

Address:3225 GALLOWS RD

Box:City:FAIRFAX

State:VA ZIP:22037 Country:US

Phone:800--662-4525

CAGE:51545

Company Name: MOBIL OIL CORP

Box:1025

City:PRINCETON

State:NJ ZIP:08540 Country:US

Phone:609-737-4411

CAGE:6A687

Company Name: MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING

Address:3225 GALLOWS ROAD

Box:City:FAIRFAX

State:VA ZIP:22037 Country:US

Phone:800-662-4525/856-224-4644

CAGE:3U728

Company Name:SALATHE OIL CO INC Address:2226 PETERS RD Box:City:HARVEY State:LA ZIP:70058 Country:US Phone:504-366-4542 CAGE:0T5C6
======= Composition/Information on Ingredients ========
Ingred Name:MANUFACTURER CLAIMS ONLY NON-HAZARDOUS INGREDIENTS W/O SPECIFYING ANY INDIVIDUAL INGREDIENT. Fraction by Wt: 100% Other REC Limits:5.00 MG/M3 OIL MIST
========= Hazards Identification ===========
LD50 LC50 Mixture:LD50 (ORAL RAT) >2000 MG/KG Routes of Entr y: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NO SIGNIFICANT EFFECTS EXPECTED. Explanation of Carcinogenicity:MANUFACTURER GAVE NO INFORMATION ABOUT CARCINOGENICITY. HMIS FOUND NO LISTING & DOES NOT EXPECT IT TO BE CARCINOGENIC. Effects of Overexposure:MFR GAVE NO INFORMATION OF MSDS. Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION OF MSDS.
======================================
First Aid:IF IRRITATION PERSISTS OR IS SEVERE, GET MEDICAL ATTENTION. EYE:FLUSH W/WATER FOR 15 MIN. SKIN:WASH W/SOAP & WATER. INHALED:REMOVE FROM EXPOSURE. AID OR RESTORE BREATHING AS NEEDED. IF SYMPTOMS OCCUR, GET IMMEDIATE MEDICAL ATTENTION. INGESTED:NOT EXPECTED TO BE A PROBLEM WHEN INGESTED. IF UNCOMFORTABLE SEEK MEDICAL ASSISTANCE.
======================================
Flash Point Method:PMCC Flash Point:450F,232C Autoigniti

on Temp:Autoignition Temp Text:NE Lower Limits:NA Upper Limits:NA Extinguishing Media: USE WATER FOG, FOAM, CARBON DIOXIDE OR DRY CHEMICAL. Fire Fighting Procedures: WATER OR FOAM MAY CAUSE FROTHING BUT MAY BE

USED TO COOL CONTAINERS. USE SELF-CONTAINED BREATHING APPARATUS IN **ENCLOSED AREAS.**

Unusual Fire/Explosion Hazard:WATER MAY BE USED TO FLUSH SPILL AWAY FROM EXPOSURE. PREVENT RUNOFF FROM FIRE CONTROL OR DILUTION FROM ENTERING SEWERS, STREAMS OR DRINKING WATER SUPPLY.

_	_	_	_
	_	_	

======= Accidental Release Measures =============

Spill Release Procedures: REPORT SPILL AS REQUIRED TO APPROTPRIATE AUTHORITIES. ABSORB ON FIRE RETARDANT TREATED SAWDUST, DIATOMACEOUS EARTH, ETC. SHOVEL UP & DISOPSE. PREVENT SPILLS FROM ENTERING STORM SEWERS, DRAINS OR CONTA CT W/SOIL.

Neutralizing Agent:MFR GAVE NO INFORMATION OF MSDS.

========== Handling and Storage ===============

Handling and Storage Precautions: DO NOT STORE IN OPEN OR UNLABEL

CONTAINERS. STROE AWA FROM STRONG OXIDIZING AGENTS OR COMBUSTIBLE MATERIAL.

Other Precautions: MATERIAL IS NOT INTENDED FOR USE IN AIR COMPRESSORS FOR BREATHING APPLICATIONS.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND W/ADEQUATE VENTILATION.

Ventilation: USE IN WELL VENTILATED AREA.

Protective Gloves: NO SPECIAL EQUIPMENT REQUIRED.

Eye Protection: NORMAL INDUSTRIAL EYE P

ROTECTION.

Other Protective Equipment: NO SPECIAL EQUIPMENT REQUIRED.

Work Hygienic Practices: ALWAYS FOLLOW GOOD PERSONAL HYGIENE PRACTICES.

Supplemental Safety and Health

NONE

========= Physical/Chemical Properties ===========

HCC:V6 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:>601F,>316C Melt/Freeze Pt:M.P/F.P Text:NE Vapor Pres: