

SCHULLER INTL INC (FORMALLY MANVILLE SALES CORP) -- FIBER GLASS INSULATION (FIBER GLASS WOOL PRODUCT) -- 1560-01-334-9850

===== Product Identification =====

Product ID:FIBER GLASS INSULATION (FIBER GLASS WOOL PRODUCT)

MSDS Date:09/13/1995

FSC:1560

NIIN:01-334-9850

MSDS Number: BZPMM

=== Responsible Party ===

Company Name: SCHULLER INTL INC (FORMALLY MANVILLE SALES CORP)

Address: 717 17TH ST

Box: 510

8

City: LITTLETON (FORMALLY IN DENVER, CO)

State: CO

ZIP: 80127

Country: US

Info Phone Num: 303-978-4900/-2000

Emergency Phone Num: 800-424-9300(CHEMTREC)

Preparer's Name: (MSDS #: 1009-4.3)

CAGE: GO563

=== Contractor Identification ===

Company Name: BARTELS DIAGNOSTICS DIV OF BAXTER

Address: 2005 NW SAMMANISH RD STE 107

City: ISSAQUAH

State: WA

ZIP: 98027

Country: US

Phone: 800-BARTELS

CAGE: BARTE

Company Name: SCHULLER INTERNATIONAL INC.

Address: Box: 5108

City: DENVER

State: CO

ZIP: 80217-5108

Country: US

Phone: 303-

978-4900
CAGE:75165
Company Name: SCHULLER INTL INC
Address: 717 17TH ST
Box: 5108
City: DENVER
State: CO
ZIP: 80202-5000
Country: US
Phone: 303-978-4900
CAGE: GO563

=====
Composition/Information on Ingredients
=====

Ingred Name: FIBERGLASS WOOL
CAS: 65997-17-3
Fraction by Wt: 50-98%
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 5 MG/M3 RESP DUST
ACGIH TLV: 10 MG/M3 (177C/350F) MAY
RELEASE GASES IRRIT EYE/NOSE/THROAT DURING INITIAL HEATUP. IN
TIGHTLY CONFINED/POORLY VENTI AREA SUE AIR
SUPPLIED RESP DURING 1ST
HEATUP CYCLES. REPAIR /MAINT: USE PPE. VACUUM EQPMT BEF REPAIR.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection: NIOSH-APPROVED DUST/MIST RESP PROTECT AGAINST
NUISANCE DUST/FIBERS. (EX: 3M 9900, MOLDEX 2200 RESP). SAW/BLOW/TEAR
OUT/SPRAY REQUIRE HIGHER LEVEL RESP PROT. EXPO EXCEED 10X
EXTABLISHED EXPO LIMITS USE NIOS H APPROVED 1/2 MASK RESP W/HEPA
(SUPPLE)
Ventilation: LOC EXHAU @ CUTTING AREAS. GEN DIL VENTI. NEED FOR
VENTI
EVALUATED BY PROF INDUST HYG, DESIGN OF SPEC VENTI BY PROF ENGINEER
Protective Gloves: LEATHER/COTTON GLVS, BARRIER CREAMS.
Eye Protection: SAF GLASS W/SIDESHIELDS RECOMMENDED.
Other Protective Equipment: PROT EPMT SHOULD BE PROVIDED AS NECESSARY TO
PREVENT IRRIT THROAT/EYE/SKIN/KEEP EXPO BEL APPLICABLE EXPO
LIMITS. (SUPPLE)
Work Hygienic Practices: WASH HANDS BEF EATING/USING RESTROOM.
Supplemental Safety and Health
APPEARANCE: OR W/O NON-WOVEN/VINYL FACINGS; NO SIGNIFICANT ODOR.

STAID:W/SYMPOMATIC TREATMENT AS NECESSARY.

RESP:CARTRIDGES,SURVIVAIR 1/2MASK W/#1090-00 CARTRIDGES. PROT
EQPT:LOOSE-FIT LONG SLEEV CLOT H.WASH CLOTH SEPARAETLY FROM
OTHER.WASHER SHOULD BE RINSED THOROUGHLY-REDUCE FIBER GLASS TRANSF
TO OTHER CLOTH.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:ND

Melt/Freeze Pt:M.P/F.P Text:>1299F,>704

Decomp Temp:Decomp Text:NP

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:VARIABLE

pH:NA

Viscosi

ty:NA

Evaporation Rate & Reference:NA (N-BUTYL ACETATE=1)

Solubility in Water:NIL

Appearance and Odor:GOLD-TO-YELLOW OR BLACK FIBROUS GLASS

BLANKET,BOARD,FORMED SHAPES W/(SUPPLEMENT

Percent Volatiles by Volume:0

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

THIS PRODUCT IS NOT REACTIVE.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:PROD EXPECTED FROM ANY

ORG(CARBON-CONTAINING)MATL.MAINLY DERIVED FRM RESIN

PYRO/BURN.CO2,CL,CARBON PART,HCHO,TRACES HCN.

===== Disposal Considerations =====

Waste Disposal Methods:WASTES NOT HAZ PER RCRA.COMPLY W/STATE/LOCAL REG
FOR DISPOSAL OF FIBER GLASS WOOL PRODUCTS.IF UNSURE OF REGS CONTACT
LOCAL PUBLIC HEALTH DEPT/LOC OFC OF EPA.COMPLY W/STATE/LOC REG FOR
DISPOSAL.NO CHEM REG BY SARA SEC 313,CERCLA,TXCA12(B).

Disclaimer (provided with this information by the

compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.