View NSN Online: https://aerobasegroup.com/nsn/8010-01-285-3041

Product ID:CAT, MIL-C-85285B, 14187, 03GN191CAT

MSDS Date: 10/26/1994

FSC:8010

NIIN:01-285-3041

Kit Part:Y

MSDS Number: BZSXT === Responsible Party ===

Company Name: DEFT INC CHEMICAL COATING DIV

Address:17451 VON KARMAN AVE

City:IRVINE State:CA ZIP:92614 Country:US Info Ph

one Num:949-474-9499

Emergency Phone Num:949-474-9499

Preparer's Name: NORM GAUL

CAGE:KO194

=== Contractor Identification ===

Company Name: DEFT INC CHEMICAL COATING DIV

Address:17451 VON KARMAN AVE

City:IRVINE State:CA ZIP:92614 Country:US

Phone:949-474-9499

CAGE:KO194

Company Name: DEFT, INC.

Address:17451 VON KARMAN AVE

City:IRVINE State:CA ZIP:92614 Country:US

Phone:949-474-0400

CAGE:33461

======= Composition/Information on Ingredients ========

Ingred Name: TOLUENE (SARA III) (V

Fraction by Wt: 15.0% Other REC Limits: NONE SPECIFIED OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name: ALIPHATIC ISOCYANATE (HEXAMETHYLENE DIISOCYANATE [HDI] CAS: 822-06-0; FREE MONOMER AIR Spec Gravity: 0.93397 Viscosity:* Evaporation Rate & Reference: 1.39 X N-BUTYL ACETATE Solubility in Water: INSOLUBLE Appearance and Odor: AMBER LIQUID, VISCOUS ODOR Percent Volatiles by Vo lume:61.2 ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES WATER, AMINES, STRONG BASES, ALCOHOLS, METAL COMPOUNDS AND SURFACE ACTIVE MATERIALS. Stability Condition to Avoid: CONTACT WITH MOISTURE, MATERIAL WHICH REACT WITH ISOCYANATES AND HIGH TEMPERATURES. Hazardous Decomposition Products: BY HIGH HEAT/TEMPERATURE: CARBON MONOXIDE, CARBON DIOXIDE, AND OXIDES OF NITROGEN, TRACES OF HCN AND HDI. Conditions to Avoid Poly merization: CONTACT WITH MOISTURE, MATERIALS WHICH REACT WITH ISOCYANATES AND HIGH TEMPERATURES.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH FEDERAL, STATE & LOCAL ENVIRONMENTAL CONTROL REGULATIONS. EMPTY CONTAINERS MUST BE HANDLED WITH CARE, DUE TO PRODUCT RESIDUE & FLAMMABLE VAPOR. DONT INCINERATE CLOSED CONTAI NER. EPA HZD WASTE #: D001, F003, F005,IGNITABLE.

Disclaimer (provided with this informa

APOR PRESSURE 22 MM HG @ 68F)

CAS:108-88-3

RTECS #:XS5250000

tion by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.