

ECOLAB INC., INSTITUTIONAL PRODUCTS DIVISION -- QUIK FILL 340 -- 7930-01-398-0970

=====
Product Identification
=====

Product ID:QUIK FILL 340

MSDS Date:02/22/1993

FSC:7930

NIIN:01-398-0970

MSDS Number: BZTHP

=== Responsible Party ===

Company Name:ECOLAB INC., INSTITUTIONAL PRODUCTS DIVISION

Address:370 WABASHA STREET

City:ST. PAUL

State:MN

ZIP:55102-1307

Country:US

Info Phone Num:612-293-2233

Eme

rgency Phone Num:612-293-2233

CAGE:DO852

=== Contractor Identification ===

Company Name:ECOLAB INC., INSTITUTIONAL PRODUCTS DIVISION

Address:370 WABASHA STREET

City:ST. PAUL

State:MN

ZIP:55102-1307

Country:US

Phone:612-293-2233

CAGE:DO852

Company Name:ECOLAB PROFESSIONAL PRODUCTS DIVISION OF ECOLAB INC.

Address:ECOLAB CENTER

Box:City:ST PAUL

State:MN

ZIP:55102

Country:US

Phone:800-352-5326

CAGE:85884

=====
Composition/Information on Ingredients
=====

Ingred Name:PHOSPHORIC AC

ID (SARA 313) (CERCLA)
CAS:7664-38-2
RTECS #:TB6300000
Fraction by Wt: 17.0%
Other REC Limits:1 MG/M3
OSHA PEL:1 MG/M3
ACGIH TLV:STEL 3 MG/M3
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:2-BUTOXYETHANOL (SARA 313)
CAS:111-76-2
RTECS #:KJ8575000
Fraction by Wt: 10.0%
Other REC Limits:NOT EST.
OSHA PEL:240 MG/M3
ACGIH TLV:121 MG/M3

Ingred Name:THIS PRODUCT CONTAINS NO OTHER COMPONENT CONSIDERED
HAZARDOUS ACCORDING TO THE CRITERIA OF 29 CFR 1910.1200.
Fraction by Wt: NA
Other REC Lim
its:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN/EYES: CAN CAUSE SEVERE
IRRITATION. POSSIBLE CHEMICAL BURNS. HARMFUL IF SWALLOWED. CAN
CAUSE CHEMICAL BURNS OF MOUTH, THROAT, STOMACH. IF INHALED VAPORS
CAUSE IRRITATION INCLUDING BURNING TASTE. S NEEZING
, CAUGHING,
DIFFICULTY BREATHING. USE SOLUTION MAY BE IRRITANT.
Effects of Overexposure:NK *INHALATION: IMMEDIATELY REMOVE TO FRESH
AIR. IMMEDIATELY CALL A POISON CONTROL CENTER, DR OR ECOLAB 24 HOUR
MEDICAL EMERGENCY NUMBER AT 1-800-328-0026.
Medical Cond Aggravated by Exposure:PEOPLE W/ASTHMA AND LUNG PROBLEMS
MAY BE MORE AFFECTED.

===== First Aid Measures =====

First Aid:EYES: IMMED FLUSH W/PLENTY COOL RUNNING WATER. REMOVE
CONTACTS

, CONTINUE FLUSHING AT LEAST 15 MIN HOLDING EYELIDS APART TO ENSURE RINSING ENTIRE EYE. CALL DR. SKIN: IMMEDIATE FLUSH WITH PLENTY COOL RUNNING WATER >15 MIN REMOVING CONTAMINATED CLOTHES/SHOES. WASH CLOTHES BEFORE REUSE. INGEST: RINSE MOUTH THEN DRINK 1-2 LARGE GLASS WATER/MILK. DON'T INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS. *

===== Fire Fighting Measures =====

Extinguishing Media: PRODUCT DOES NOT SUPPORT COMBUSTION.

Fire Fighting

Procedures: NONE

===== Accidental Release Measures =====

Spill Release Procedures: RINSE SMALL AMOUNTS TO DRAIN WHERE POSSIBLE. DIKE OR DAM LARGE SPILLS. PUMP TO CONTAINERS OR SOAK UP ON INERT ABSORBENT. FLUSH RESIDUE TO SANITARY SEWER. RINSE AREA THOROUGHLY.

===== Handling and Storage =====

Handling and Storage Precautions: USE SOLUTION PH: 2.5

===== Exposure Controls/Personal Protection =====

Respirator

Eye Protection: FOR CONCENTRATE, AVOID BREATHING MISTS OR VAPORS CONTAINING PRODUCT.

Protective Gloves: RUBBER GLOVES PROTECTIVE CUFF/GAUNTLET

Eye Protection: CHEM SPLASH GOGGLES. FACE SHIELD OVER *

Other Protective Equipment: NK *GOGGLES FOR CONTINUED OR SEVERE EXPOSURE.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt: B.P. Text: 212F, 100C

Spec Gravity: 1.1

pH: 1.2

Solubility in Water: COMPLETE

Appearance and Odor: CLEAR BLUE LIQUID

D, CHARACTERISTIC ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

CAN REACT VIOLENTLY W/ALKALINE MAT'LS .. DON'T MIX W/CHLORINATED
DETERGENTS/SANITIZERS - WILL CAUSE HAZARDOUS VAPORS.

Stability Condition to Avoid: MIX ONLY W/WATER.

===== Disposal Considerations =====

Waste Disposal Methods: CONSULT STATE & LOCAL AUTHORITIES FOR
RESTRICTIONS ON DISPOSAL OF CHEMICAL WASTE. UNUSED PRODUCT A
S A

WASTE IS CORROSIVE (D002) BY RCRA CRITERIA.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.