

CATO OIL AND GREASE CO -- 6484B-001 MYSTIK JT-6 MULTI-PURPOSE GREASE

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 01-112-8209
MSDS Date: 01/03/1996
MSDS Num: BZXTK
Product ID: 6484B-001 MYSTIK JT-6 MULTI-PURPOSE GREASE
MFN: 03
Responsible Party
Cage: 3F020
Name: CATO OIL AND GREASE CO
Address: 915 MARTIN LUTHER KIN
G BLVD
Box: 26868
City: OKLAHOMA CITY OK 73126-5000
Info Phone Number: 405-270-6200
Emergency Phone Number: 405-270-6200
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: 3F020
Name: CATO OIL AND GREASE CO INC
Address: 915 MARTIN LUTHER KING
Box: 26868
City: OKLAHOMA CITY OK 73126

=====
Contractor Summary
=====

Cage: 3F020
Name: CATO OIL AND GREASE CO INC
Address: 915 MARTIN LUTHER KING
Box: 26868
City: OKLAHOMA CITY OK 73126
Phone: 405-424-3311

=====
Item Description Information
=====

Item Name: GREASE,AUTOMOTIVE
Type of Container: CARTRIDGE

=====
Ingredients
=====

=====
Name: *** PROPRIETARY ***

=====

Health Hazards Data
=====

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: INHALATION: CAN CAUSE RESPIRATORY IRRITATION & MAY BE HARMFUL. SKIN/EYES: IRRITATION, MAY CAUSE CANCER. INGESTION: MAY CAUSE IRR

ITATION & POSSIBLE ASPIRATION HAZARD.

Explanation Of Carcinogenicity: NONE

Signs And Symptoms Of Overexposure: IRRITATION, DISCOMFORT, NAUSEA, DIARRHEA.

Medical Cond Aggravated By Exposure: PRE-EXISTING SKIN DISORDERS.

First Aid: INHALATION: REMOVE TO FRESH AIR. GIVE CPR IF NEEDED. SKIN: WASH W/SOAP & WATER. EYES: FLUSH W/WATER FOR A MINIMUM OF 15 MINS. INGESTION: DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
Ha

ndling and Disposal
=====

Spill Release Procedures: PICKUP & PLACE IN CONTAINER FOR DISPOSAL.

Waste Disposal Methods: DISPOSE/RECYCLE/INCINERATE IAW/FEDERAL, STATE & LOCAL REGULATIONS. UTILIZE LICENSED/PERMITTED INDUSTRIAL WASTE DISPOSAL SITE.

Handling And Storage Precautions: STORE CLEAN, DRY, BELOW 120F FOR INTENDED USE. DON'T STORE W/STRONG OXIDIZERS. USE W/ADEQUATE VENTILATION. EMPTY CONTAINERS RETAIN RESIDUE.

Other Precautions:

KEEP AWAY FROM CHILDREN. AVOID BREATHING OIL MISTS/OTHER VAPORS. AVOID CONTACT W/SKIN & EYES. DON'T

PRESSURIZE/CUT/WELD/BRAZE/SOLDER/DRILL/GRIND/EXPOSE CONTAINER TO SOURCES OF IGNITION. DON'T ATTEMPT TO CLEAN. (SEE SUPP)

=====
Fire and Explosion Hazard Information
=====

Extinguishing Media: CO2, DRY CHEMICAL/FOAM.

Fire Fighting Procedures: WATER STREAM MAY SPREAD FIRE. USE WATER SPRAY

ONLY TO

COOL CONTAINERS NOT ON FIRE.

Unusual Fire/Explosion Hazard: WILL NOT FLASH SPONTANEOUSLY. MAY IGNITE IF EXPOSED TO OPEN FLAME. BURNING OF ORGANIC ANTIMONY COMPONENT MAY PRODUCE OXIDES OF ANTIMONY, SULFUR & NITROGEN.

=====
Control Measures
=====

Respiratory Protection: UP TO 25 PPM, USE HALF MASK ORGANIC VAPOR RESPIRATOR/UP TO 50 PPM, USE FULL FACE ORGANIC VAPOR RESPIRATOR/FULL FACE SELF CONTAINED

RESPIRATOR/>50 PPM, USE SCBA W/POSITIVE PRESSURE.

Ventilation: MAINTAIN LOCAL/DILUTION TO KEEP AIR CONCENTRATION BELOW PEL/TLV.

Protective Gloves: NITRILE/NEOPRENE

Eye Protection: SAFETY GLASSES/CHEMICAL GOGGLES

Other Protective Equipment: FACESHIELD.

Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health: EMPTY DRUMS SHOULD BE COMPLETELY DRAINED, PROPERLY BUNGED & PROMPTLY RETURNED TO A DRUM RECONDITIONER.

====

=====
Physical/Chemical Properties
=====

Vapor Density: >1

Spec Gravity: 0.89

Evaporation Rate & Reference: SLOWER THAN N-BU AC

Appearance and Odor: AMBER GREASE

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: EXCESSIVE HEAT

Materials To Avoid: STRONG OXIDIZERS

S

Hazardous Decomposition Products: INCOMPLETE COMBUSTION: CARBON (SMOKE), CO, VARIOUS HYDROCARBONS & OXIDES OF ANTIMONY.

Hazardous Polymerization Indicator: NO

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS T

Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party

Party Cage: 3F020

Trans ID NO: 108265

Product ID: 6484B-001 MYSTIK JT-6 MULTI-PURPOSE GREASE

MSDS Prepared Date: 01/03/1996

Review Date: 10/16/1996

MFN: 3

Net Unit Weight: 0.75 LBS

Multiple KIT Number: 0

Review IND: Y

Type Of Container: CARTRIDGE

Additional Data: NONE

Detail DOT Information

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail IMO Information

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

Detail IATA Information

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail AFI Information

=====
AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

HAZCOM Label

=====
Product ID: 6484B-001 MYSTIK JT-6 MULTI-PURPOSE GREASE

Cage: 3F020

Company Name: CATO OIL AND GREASE CO INC

Street: 915 MARTIN LUTHER KING

PO Box: 26868

City: OKLAHOMA CITY OK

Zipcode: 73126

Health Emerge

ncy Phone: 405-270-6200

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998

Origination Code: G

Hazard And Precautions: INHALATION: CAN CAUSE RESPIRATORY IRRITATION & MAY
BE HARMFUL. SKIN/EYES: IRRITATION, MAY CAUSE CANCER. INGESTION: MAY CAUSE
IRRITATION & POSSIBLE ASPIRATION HAZARD.
IRRITATION, DISCOMFORT,
NAUSEA, DIARRHEA.

=====
Disclaimer (provided with this information
by the compiling agencies): This

information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
ut

ilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.