

Product ID:BB639/U BATTERY,DRY MSDS Date:12/01/1994 FSC:6140 NIIN:00-406-2634 MSDS Number: CBQJR === Responsible Party === Company Name: CONCORDE BATTERY CORP Address:2009 SAN BERNARDINO RD **City:WEST COVINA** State:CA ZIP:91790-1006 Country:US Info Phone Num:818-962-4006/FAX 818-338-3549 **Emergency Pho** ne Num:800-255-3924/818-813-1234 CAGE:63017 === Contractor Identification === Company Name: CONCORDE BATTERY CORP Address:2009 SAN BERNARDINO RD Box:City:WEST COVINA State:CA ZIP:91790-1006 Country:US Phone:800-255-3924/818-813-1234 CAGE:63017

Ingred Name:BATTERY PARTS (PLATES, GRIDS, ETC) (DRY LEAD OXIDE PASTE ON METALLIC LEAD FRAME) Other REC Limits:NONE RECOMMENDED

Ingred Name:LEAD OXIDE, (RED LEAD OXIDE) CAS:1314-41-6

RTECS #:OG5425000 Fraction by Wt: 60% Other REC Limits:NONE RECOMMENDED OSHA PEL:SEE 1910.1025 ACGIH TLV:0.15 MG/M3

Ingred Name:LEAD (SARA 313) (CERCLA) CAS:7439-92-1 RTECS #:OF7525000 Fraction by Wt: 38% Other REC Limits:NONE RECOMMENDED OSHA PEL:SEE 1910.1025 ACGIH TLV:0.15MG/M3 DUST; 9495 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:RESULT IN BOTH ACUTE & CHRONIC

OVEREXOSURE BY INGESTION. LEAD AND ITS COMPOUNDS ARE KNOWN TO STATE OF CALIFORNIA TO CAUSE REPRODUCTIVE HARM TO BOTH MALES AND FEMALES AND TO CAUSE BIRTH DEFECTS.

Effects of Overexposure: DUST MAY CAUSE IRRITATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:NONE SPECIFIED BY MANUFACTURER.

Flash Point:NON-FLAMMABLE

Extinguishing Media: PROD ITSELF IS NON-FLAMMABLE. USE CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures: IN CASE OF FIRE USE SELF-CONTAINED BREATHING APPARATUS IS RECOMMENDED FOR FIREFIGHTERS TO PREVENT POT INHAL TOXIC FUMES FROM RX OF OXIDING AGENTS & LEAD OXIDE. Unusual Fire/Explosion Hazard: POTENTIAL OF INHALING TOXIC FUMES PRODUCED BY REACTION OF OX IDIZING AGENTS & LEAD OXIDE.

Spill Release Procedures: PRODUCT IS A DRY BATTERY & CONSIDERED AS NONSPILLABLE. IT IS TO BE PACKAGED ACCORDING TO 49CFR PARA 178.205 SPEC 12B. IN CASE OF AN ACCIDENT & CNTNR IS BROKEN PROTECTIVE GLOVES WILL BE REQUIRED TO HAN DLE THE BATTERY PARTS. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling and Storag e Precautions:NONE SPECIFIED BY MANUFACTURER. Other Precautions:NONE SPECIFIED BY MANUFACTURER.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NOT REQUIRED UDNER NORMAL CONDITIONS. Ventilation:NOT REQUIRED UNDER NORMAL CONDITIONS. Protective Gloves:NOT REQUIRED UNDER NORMAL CONDITIONS. Eye Protection:NOT REQUIRED UNDER NORMAL CONDITIONS. Other Protective Equipment:NOT REQUIRED UNDER NORMAL CONDITIONS. Work Hygienic Practices:WASH HANDS AFTER HANDLING Supplemental Safety and Health FOR A WET BATTERY SEE SAME NSN/CAGE & PNI: A.

HCC:N1 Appearance and Odor:DRY BATTERY

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:TOXIC FUMES PRODUCED BY REACTION OF OXIDIZING AGENTS & LEAD OXIDE.

Waste Disposal Methods:DISPOSE OF BATTERIES IN ACCORDANCE WITH FED/STATE/ LOCAL REGULATIONS FOR LEAD ACID BATTERIES. PROD CONTAINS TOXIC CHEM SUBJECT TO REPORTING REQMTS OF SARA TITT III SEC 313 OF EPCRA OF 1986 & 40CFR372: LEAD OXIDE & LEAD.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States

of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.