

LHB INDUSTRIES -- 722A800 LUBRICATING OIL,GENERAL PURPOSE PRESE

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 00-458-0075
MSDS Date: 11/06/1997
MSDS Num: CBQJZ
Product ID: 722A800 LUBRICATING OIL,GENERAL PURPOSE PRESERVATIVE,(SUPPL)
MFN: 02
Responsible Party
Cage: 0FTT5
Name: LHB INDUSTRIES
Address: 8833 FLEISC
HER PLACE
City: ST. LOUIS MO 63134
Info Phone Number: 314-522-3141
Emergency Phone Number: 314-522-3141
=====

=====
Item Description Information
=====

Item Manager: S9G
Item Name: LUBRICATING OIL,GENERAL PURPOSE
Specification Number: VV-L-800C
Type/Grade/Class: NONE
Unit of Issue: CN
Quantitative Expression: 00000000016OZ
UI Container Qty: B
Type of Container: CAN,AEROSOL
=====

=====
Ingredients
=====

Cas: 8012-95-1
RTECS #: PY8030000
Name: MINERAL OIL, MIST
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 5 MG/M3
ACGIH TLV: 5 MG/M3 (MIST); 9596
=====

=====
Health Hazards Data
=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.
Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
Carcinogenicity

Inhs - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYES: MAY CAUSE MILD IRRITATION & REDNESS. SKIN:MILD TO MODERATE IRRITATION WITH PROLONGED OR REPEATED CONTACT. INHALATION: NO ADVERSE EFFECTS EXPECTED. INGESTION: PRACTICALLY NON-TOXIC. MAY CAUSE SLIGHT IRRITATION TO THE GASTROINTESTINAL TRACT.

Explanation Of Carcinogenicity: NONE SPECIFIED BY MANUFACTURER.

Signs And Symptoms Of Overexposure: REDNESS OR IRRITATION OF EYES. REDNESS OF SKIN.

Medical Cond Aggravated By Exposure: UNKNOWN.

First Aid: SKIN/CLOTHES CONTACT: WASH WITH SOAP & WATER. WASH CLOTHES BEFORE REUSE. EYE CONTACT: FLUSH WITH WATER FOR 15 MINUTES. CONTACT PHYSICIAN OR OPHTHALMOLOGIST IMMEDIATELY. IF SWALLOWED: DO NOT INDUCE VOMITING! GET IMMEDIATE MEDICAL AID. IF INHALED: REMOVE TO FRESH AIR & GIVE ARTIFICIAL RESPIRATION IF NEEDED. GET MEDICAL AID. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.

=====
Handling and Disposal
=====
=====

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION & VENTILATE AREA. AVOID BREATHING VAPORS. PICK UP SPILLAGE WITH INERT ABSORBENT MATERIAL & PLACE IN A CLOSABLE CONTAINER.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE & LOCAL REGULATIONS. DO NOT PUNCTURE, INCINERATE (BURN) OR STORE ABOVE 120F. EXPOSURE TO HEAT OR PROLONGED EXPOSURE TO SUN MAY CAUSE CAN TO BURST.

DISCARD EMPTY CAN IN TRASH PICK-UP. DO NOT PLACE IN HOME TRASH COMPACTOR. KEEP PETROLEUM PRODUCTS OUT OF STREAMS & WATERWAYS.

Handling And Storage Precautions: KEEP OUT OF REACH OF CHILDREN! CAUTION: CONTENTS UNDER PRESSURE. DO NOT STORE WHERE TEMPERATURES MAY EXCEED 120F/48.3C. AVOID BREATHING SPRAY, MIST, OR VAPOR. AVOID CONTACT WITH EYES OR SKIN.

Other Precautions: AVOID CONTACT WITH EYES & SKIN. USE WITH GOOD VENTILATION. READ ENTIRE LABEL BEFORE USING. FOLLOW ALL LABEL DIRECTIONS. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING & INHALING OR SWALLOWING CONTENTS MAY BE HARMFUL OR FATAL. NEVER WEAR OIL SOAKED CLOTHING. DISCARD OIL SOAKED SHOES.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: COC

Flash Point: =160.C, 320.F

Flash Point Text: LIQUID

Lower Limits: 1.0 (LIQUID)

Upper Limits: 7.0 (LIQUID)

)
Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, SAND, WATER SPRAY.
WATER, FOG & FOAM MAY CAUSE FROTHING & SPATTERING.
Fire Fighting Procedures: WATER MAY BE INEFFECTIVE. WATER MAY BE USED TO KEEP
FIRE EXPOSED CONTAINERS COOL. WEAR SELF-CONTAINED BREATHING APPARATUS. USE
SHIELDING TO PROTECT PERSONNEL AGAINST BURSTING, RUPTURING OR VENTING OF
CONTAINERS. USE WATER TO COOL CONTAINERS EXPOSED TO FLAMES.
Unusual Fire/Explosion Hazard: DO NOT SPRAY NEAR OPEN FLAME. A
T ELEVATED TEMP
OVER 120F/48.9C CONTAINERS MAY VENT/RUPTURE/BURST.AEROSOL CONTAINER; DO NOT
EXPOSE TO TEMPERATURE ABOVE 120F/48.9C.

=====
Control Measures
=====

Respiratory Protection: USE NIOSH/MSHA APPROVED MASK ABOVE TLV.
Ventilation: LOCAL EXHAUST PREFERRED. MECAHNICAL (GENERAL):ACCEPTABLE AT POINT
OF MIST, SPRAY RELEASE.
Protective Gloves: OIL IMPERVIOUS GLOVES.
Eye Protection: SAFETY
GLASSES OR SPLASH GOGGLES.
Other Protective Equipment: IMPERVIOUS CLOTHES TO PROTECT SKIN. EYE WASH
STATION.
Work Hygienic Practices: WASH CONTAMINATED CLOTHING BEFORE REUSE. USE GOOD
PERSONAL HYGIENE. DO NOT EAT, DRINK, OR SMOKE WHILE USING PRODUCT.
Supplemental Safety and Health: PRODUCT:AEROSOL, WATER DISPLACING, LOW
TEMPERATURE.

=====
Physical/Chemical Properties
=====

HCC: V2
B.P. Text
: NA
M.P/F.P Text: N/ESTABLISH
Vapor Pres: 45 @20C/68F (PSIG)
Vapor Density: >1
Spec Gravity: 0.884 COMPOUND (WATER=1)
PH: NA
Viscosity: N/E
Solubility in Water: NEGLIGIBLE
Appearance and Odor: LIGHT STRAW COLORED LIQUID, SLIGHT PETORLEUM ODOR.
Corrosion Rate: NA

=====
Reactivity Data
=====

Stability Indicator: YES
Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.
Materials To Avoi

d: STRONG OXIDANTS SUCH AS LIQUID CHLORINE & CONCENTRATED OXYGEN.

Hazardous Decomposition Products: CARBON MONOXIDE FROM THERMAL DECOMPOSITION.

Hazardous Polymerization Indicator: NO

=====
Toxicological Information

=====
Toxicological Information: NONE SPECIFIED BY MANUFACTURER.
=====

=====
Ecological Information

=====
Ecological: NONE SPECIFIED BY MANUFACTURER.
=====

=====
MSDS Transport Information

=====
Transport Information: DOT: COMPRESSED GAS, N.O.S. 2.2 UN1956. IMDG: COMPRESSED GAS, N.O.S. 2.2 UN1956. IATA/AFI: NOT STATED.
=====

=====
Regulatory Information

=====
Sara Title III Information: NONE

SPECIFIED BY MANUFACTURER.

Federal Regulatory Information: NONE SPECIFIED BY MANUFACTURER.

State Regulatory Information: NONE SPECIFIED BY MANUFACTURER.
=====

=====
Other Information

=====
Other Information: VOLITILE ORGANIC CONTENT AS LISTED ON MSDS, 0 G/L FOR VOC
=====

=====
Transportation Information

=====
Responsible Party Cage: 0FTT5

Trans ID NO: 72539

Product ID: 722A800 LUBRICATING OIL,GENERAL PURPOSE PRESERVATIVE,(SUPPL)

MSDS Prepared Date: 11/06/1997

Review Date: 09/25/1999

MFN: 2

Net Unit Weight: 1 LB

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: CN

Container QTY: B

Type Of Container: CAN,AEROSOL

Additional Data: MAY BE ELIGIBLE FOR DOT-GRND ORM-D,CONSUMER COMMODITY IAW 173.306(H). PER SAMMS-CTDF: PROPER SHIPPIN G NAME= CONSUMER COMMODITY, HAZARD CLASS=ORM-D. PER MFR MSDS: PROPE

R SHIPPING NAME DOT/IMDG: COMPRESSED
GASES, N.O.S., 2.2, UN 1956.

=====
Detail DOT Information
=====

DOT PSN Code: XXX
=====

=====
Detail IMO Information
=====

IMO PSN Code: XXX
=====

=====
Detail IATA Information
=====

=====
IATA PSN Code: XXX
=====

=====
Detail AFI Information
=====

AFI PSN Code: XXX
=====

=====
HAZCOM Label
=====

Product ID: 722A800 LUBRICATING OIL,GENERAL PURPOSE PRESERVATIVE,(SUPPL)

Cage: 0FTT5

Company Name: LHB INDUSTRIES

Street: 8833 FLEISCHER PLACE

City: ST. LOUIS MO

Zipcode: 63134

Health Emer

gency Phone: 314-522-3141

Label Required IND: Y

Date Of Label Review: 09/25/1999

Status Code: C

MFG Label NO: UNKNOWN

Label Date: 03/16/1998

Year Procured: 1999

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: EYES-MAY CAUSE MILD IRRITATION & REDNESS. SKIN-MILD
TO MODERATE IRRITATION WITH PROLONGED OR REPEATE

D CONTACT. INHALATION-NO

ADVERSE EFFECTS EXPECTED. INGESTED-PRACTICALLY NON-TOXIC. MAY CAUSE SLIGHT IRRITATION TO THE GASTROINTESTINAL TRACT. TARGET ORGANS: NONE SPECIFIED BY MANUFACTURER.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.