

STERLING LACQUER MFG CO INC -- TT-P-1757 YELLOW, M-2901 -- 8010-01-042-1002

=====
Product Identification
=====

Product ID:TT-P-1757 YELLOW, M-2901

MSDS Date:11/03/1987

FSC:8010

NIIN:01-042-1002

MSDS Number: CBQNV

=== Responsible Party ===

Company Name:STERLING LACQUER MFG CO INC

Address:3150 BRANNON AVE

City:ST LOUIS

State:MO

ZIP:63139

Country:US

Info Phone Num:314-776-4450

Emergency Phone Num:31

4-776-4450

Preparer's Name:P. D. MOORE

CAGE:60003

=== Contractor Identification ===

Company Name:STERLING LACQUER MFG CO

Address:3150 BRANNON AVE

Box:City:ST. LOUIS

State:MO

ZIP:63139-1422

Country:US

Phone:314-776-4450

CAGE:60003

=====
Composition/Information on Ingredients
=====

Ingred Name:CHROMIUM; (CHROMIUM (HEXAVALENT)) (SARA 313) (CERCLA)

CAS:7440-47-3

RTECS #:GB4200000

Fraction by Wt: 6.72%

OSHA PEL:1 MG/M3

ACGIH TLV:0.5 MG/M3

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred

Name:XYLENE VP:9.5 @ 68F
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: 40%
OSHA PEL:100 PPM
ACGIH TLV:100 PPM/150STEL
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:LEAD (SARA 313) (CERCLA)
CAS:7439-92-1
RTECS #:OF7525000
OSHA PEL:SEE 1910.1025
ACGIH TLV:0.15MG/M3 DUST
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:METHANOL
RTECS #:PC1400000
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:VOLATILE ORGANIC CONTENT: 4.1 LB/GL (496 GR/LT).
RTECS #:9999999VO

=====
Hazards Ident
ification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES

Health Hazards Acute and Chronic:INHAL:IRRITATION TO THE RESPIRATORY TRACT (NOSE, THROAT, LUNGS). SKIN & EYE CONTACT:IRRITATING, MAY INJURE EYE TISSUE IF NOT PROPERLY REMOVED. SKIN ABSORP:SLIGHT IRRITATION DUE TO SOLVENTS. INGESTION: CAN RESULT IN LEAD POISONING. MODERATELY TOXIC. MAY CAUSE NAUSEA, VOMITING AND DIARRHEA. CONTAINS LEAD.(EFTS OF OVEREXP)

Explanation of Carcinogenicity:LUNG CARCINOGEN.

Effects of Overexposure:HLTH HAZS:CONSULT MD. DO NOT TAKE INTERNALLY. CNTNS METHANOL-CANNOT BE MADE NON-POIS. NOTE: LEAD APPEARS ON THE NAVY LISTING OF OCCUPATIONAL CHEMICAL REPRODUCTIVE HAZARDS. SEEK CONSULTATION FROM APPRO PRIATE HEALTH PROFESSIONALS CONCERNING LATEST HAZARD LIST INFORMATION AND SAFE HANDLING AND EXPOSURE INFORMATION.

Medical Cond Aggrav

ated by Exposure:RESPIRATORY PROBLEMS CAN BE
INCREASED BY INHALATION OF VAPORS.

=====
First Aid Measures
=====

First Aid:EYES:FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET IMMEDIATE
MEDICAL ATTENTION. SKIN:REMOVE CONTAMINATED CLOTHING. WASH AFFECTED
AREA WITH SOAP AND WATER. INHALATION:MOVE TO FRESH AIR. OBTAIN
MEDICAL ATTENTION IF NEEDED. INGESTION:DO NOT INDUCE VOMITING. GET
IMMEDIATE MEDICAL ATTENTION. CONTAINS LEAD. FOR INDUSTRIAL
USE.
KEEP AWAY FROM CHILDREN.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC
Flash Point:82.0F,27.8C
Lower Limits:1.1%
Upper Limits:5.3%
Extinguishing Media:FOAM, CO*2, DRY CHEMICAL.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL
PROTECTIVE EQUIPMENT . USE WATER FOG NOZZLES TO COOL CLOSED
CONTAINER.
Unusual Fire/Explosion Hazard:DO NOT USE WATER. FLAM LIQ, CAN RELS VAPS
THAT FORM FLAM MIX @ TEMP @/> FL PT. ELIM & ISOLA
TE FROM ALL IGNIT
SOURCES. COMBUST WILL PRDCE CO*2, CO & TOX GASES.

=====
Accidental Release Measures
=====

Spill Release Procedures:WEAR NIOSH/MSHA APPROVED RESPIRATOR, ABSORB
WITH VERMICULITE OR OTHER ABSORBENT MATERIAL. ELIMINATE ALL
IGNITION SOURCES. STOP SPILL AT SOURCE AND PREVENT SPREADING.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE
IN DRY AREA. KEEP CNTNRS TIGHTLY
CLSD. PROT FROM PHYSICAL DMG. EMPTIED CNTNRS RETAIN PROD RESIDUES
(VAP, LIQ &/OR SOLID).
Other Precautions:ALL HAZ PRECS GIVEN IN DATA SHEET MUST BE OBSERVED.
STORE