

KANO LABORATORIES -- SILIKROIL -- 9150-01-247-6313

=====
Product Identification
=====

Product ID:SILIKROIL

MSDS Date:03/14/1995

FSC:9150

NIIN:01-247-6313

MSDS Number: CBQVF

=== Responsible Party ===

Company Name:KANO LABORATORIES

Address:1000 S. THOMPSON LANE

City:NASHVILLE

State:TN

ZIP:37211-2627

Country:US

Info Phone Num:615-833-4101

Emergency Phone Num:615-833-4101

Preparer's Name:P R ZIMMERMA

N

CAGE:13868

=== Contractor Identification ===

Company Name:KANO LABORATORIES, INC.

Address:1000 S. THOMPSON LANE

Box:City:NASHVILLE

State:TN

ZIP:37211-2627

Country:US

Phone:615-833-4101

CAGE:13868

=====
Composition/Information on Ingredients
=====

Ingred Name:HYDROTREATED MIDDLE PETROLEUM DISTILLATE

CAS:64742-46-7

RTECS #:JN9379645

Fraction by Wt: 30-50%

Other REC Limits:NONE RECOMMENDED

Ingred Name:SEC-BUTYL ALCOHOL (SARA 313)

CAS:78-92-2

RTECS #:EO1750000

Fraction by Wt:

1-10%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:150 PPM
ACGIH TLV:100 PPM; 9596

Ingred Name:NAPHTHA, LIGHT AROMATIC (SOLVENT NAPHTHA)
CAS:64742-95-6
RTECS #:WF3400000
Fraction by Wt: 1-10%
Other REC Limits:NONE RECOMMENDED

Ingred Name:2-BUTOXYETHANOL
CAS:111-76-2
RTECS #:KJ8575000
Fraction by Wt: 1-10%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:S, 50 PPM
ACGIH TLV:S, 25 PPM; 9596

Ingred Name:PROPRIETARY MIXTURE(NON-HAZARDOUS)
Fraction by Wt: 1-20%
Other REC Limits:NONE RECOMMENDED

Ingred Name:NAPHTHA
CAS:64742-47-8
RTECS #:OA5504000
Fraction by Wt: 20-40%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 (OIL MIST)
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:DIACETONE ALCOHOL (4-HYDROXY-4-METHYL-2-PENTANONE)
CAS:123-42-2
RTECS #:SA9100000
Fraction by Wt: 1-10%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:50 PPM
ACGIH TLV:50 PPM; 9596

Ingred Name:POLY (DIMETHYLSILOXANE)
CAS:63148-62-9
RTECS #:JJ6484500
Fraction by Wt: 1-10%
Other REC Limits:NONE RECOMMENDED

===== Ha

zards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES:MAY CAUSE IRRITATION.SKIN:MAY
CAUSE IRRITATION AND DRYNESS.INGEST:MAY BE FATAL IF SWALLOWED.MAY
CAUSE GI TRACT IRRITATION.ASPIRATION HAZARD.INHAL:MAY CAUSE
RESPIRATORY IRRITATION. CHRONIC:DERMATI TIS.
Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1%
WHICH ARE IDENTIFIED AS C
ARCINOGENS BY NTP,IARC OR OSHA.
Effects of Overexposure:INHAL:DIZZINESS,HEADACHE,ANESTHESIA,NAUSEA.
INGEST:NAUSEA,VOMITING,DIARRHEA.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND
WATER.APPLY SKIN CREAM.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:
REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF
NEEDED.INGEST: DO N O
T INDUCE VOMITING.GET PROMPT QUALIFIEDMEDICAL
ATTENTION.NOTE:DO NOT ADMINISTER EPINEPHRINE OR ADRENALINE.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:130F,54C
Extinguishing Media:DRY CHEMICAL,CARBON DIOXIDE,FOAM.
Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND
FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER
FOG.
Unusual Fire/Explosion Hazard:COMBUSTIBLE.

===== Accident
al Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION.USE PROPER
RESPIRATORY AND PROTECTIVE EQUIPMENT.VENTILATE AREA.SOAK UP WITH A
NON-COMBUSTIBLE INERT ABSORBANT(CLAY,SAND);PLACE IN PROPER
CONTAINER FOR DISPOSAL.
Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED
PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY

FROM
HEAT, SPARKS, FLAMES AND INCOMPATIBLE MATERIALS.
Other Precautions: FOLLOW LABEL DIRECTIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NOT NEEDED IN NORMAL SERVICE.
Ventilation: USE GENERAL DILUTION VENTILATION.
Protective Gloves: IMPERVIOUS GLOVES.
Eye Protection: SAFETY GLASSES
Other Protective Equipment: PROTECTIVE CLOTHING, AS NEEDED. PROVIDE A
LOCAL EYE WASH STATION AND SAFETY SHOWER.
Work Hygienic Practices: USE REASONABLE CARE IN HANDLING THIS
PRODUCT. WASH HANDS AFTER USE AND BEFORE EATING.
Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC: V3
Boiling Pt: B.P. Text: 255F, 124C
Spec Gravity: 0.88
pH: 6.0
Evaporation Rate & Reference: