View NSN Online: https://aerobasegroup.com/nsn/6850-01-423-1698

Product ID:600 GPH ROW PU KIT (5 PARTS, SEE SUPPLEMENTAL DATA) MSDS Date:08/28/1996 FSC:6850 NIIN:01-423-1698 MSDS Number: CBRFQ === Responsible Party === Company Name: DEFENSE DEPOT RICHMOND, VIRGINIA (DDRV) Address:8000 JEFFERSON-DAVIS HIGHWAY City :RICHMOND State:VA ZIP:23297 Country:US Info Phone Num:804-279-3686 Emergency Phone Num:804-279-3686 Preparer's Name:HMIS-VBA CAGE:02LX8 === Contractor Identification === Company Name: DDRV STOCK MAINTENANCE DIV/DDRV-H Address:8000 JEFFERSON-DAVIS HIGHWAY Box:City:RICHMOND State:VA ZIP:23297 Country:US Phone:804-279-3125 CAGE:02LX8

Ingred Name:SEE INDIVIDUAL KIT PARTS/NSN Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: INHALE-IRRITATION OF UPPER RESPIRATORY TRACT. SKIN-IRRITATION, PROLONGED CONTACT TO WET SKIN CAN CAUSE BURNS. EYE-IRRITATION. INGEST-IRRITATION & BURNS TO MOUTH & STOMACH. CHRONIC: NONE IDENTIF IED.

Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC,

NTP OR OSHA AS A CARCINOGEN. Effects of Overexposure:INGEST: NAUSEA, VOMITING & DIARRHEA. Medical Cond Aggravated by Exposure:NONE IDENTIFIED.

First Aid:INGEST-CALL A PHYSICIAN. IF SWALLOWED, IF CONSCIOUS, IMMEDIATELY INDUCE VOMITING. INHALE-REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE CPR. IF BREATHING IS HARD, GIVE OXYGEN. SKIN-FLUSH SKIN WITH WATER. EYE-IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 1

5 MINUTES.

Flash Point:NONE

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

Spill Release Procedures:WEAR DUST MASK & FULL PROTECTIVE CLOTHING. WITH CLEAN SHOVEL, CAREFULLY PLACE MATERIAL INTO CLEAN, DRY CONTAINER & COVER; REMOVE FROM AREA. FLUSH SPILL AREA WITH WATER.

Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED. SUITABLE FOR ANY GENERAL CHEMICAL STORAGE AREA. Other Precautions: AVOID OVEREXPOSURE.

Respiratory Protection:NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS EXIST. IF AIRBORNE CONCENTRATION IS HIGH, USE AN APPROPRIATE RESPIRATOR OR DUST MASK. Ventilation:USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP FUME OR DUST LEVELS AS LOW POSSIBLE. Protective Gloves:RUBBER Eye Protection:SAFETY GOGGLES Other Protective Equipment:APRONS ARE RECOMMENDED. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health

THIS IS A FIVE PART KIT. CONSISTING OF PART A TO E. NSN FOR EACH PART ARE AS FOLLOWS:- PART A:6810-01-164-3975; PART B:6850-01-163-7635; PART C:6550-01-044-0315; PART D:6850-01-167-5318; PART E:6850-0 1-167-5318.

HCC:N1 Decomp Temp:Decomp Text:N/RNOWN Solubility in Water:SEE EACH PART OF KIT Appearance and Odor:SEE EACH PART OF KIT

Stabil

ity Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, STRONG ALKALIS AND STRONG ACIDS. Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF IGNITION

Hazardous Decomposition Products:OXIDES OF PHOSPHORUS, NITROGEN AND CARBON.

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.