

FISHER SCIENTIFIC, CHEMICAL DIV. -- HYDROFLUORIC ACID,A 146 -- 6810-00-237-2920

=====  
Product Identification  
=====

Product ID:HYDROFLUORIC ACID,A 146

MSDS Date:12/27/1994

FSC:6810

NIIN:00-237-2920

MSDS Number: CBRXH

=== Responsible Party ===

Company Name:FISHER SCIENTIFIC, CHEMICAL DIV.

Address:1 REAGENT LANE

City:FAIR LAWN

State:NJ

ZIP:07410

Country:US

Info Phone Num:201-796-7100 OR 201-796-7523

Emergency Phone Num:201-796-7100/800-424-9300(CHEMTREC)

CAGE:1B464

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address:1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802

Country:US

Phone:201-796-7100

CAGE:1B464

=====  
Composition/Information on Ingredients  
=====

Ingred Na

me:HYDROGEN FLUORIDE (SARA 302/313) (CERCLA)

CAS:7664-39-3

RTECS #:MW7875000

Fraction by Wt: 48 - 50%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:3 PPM (F)

ACGIH TLV:C 3 PPM(F); 9596

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 50 - 52%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT RELEVANT

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.

Route

s of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:KIDNEYS, RESPIRATORY SYSTEM, SKELETAL STRUCTURES. ACUTE- CORROSIVE/TOXIC.

EYES/SKIN:CAUSES SEVERE BURNS, EYE DAMGE, SEVERE IRRITATION.

RAPIDLY ABSORBED THROUGH SKIN. ORAL:CAUSES SEVERE BURNS, TOXIC

EFFECTS ON LIVER, HEART, KIDNEYS. INHALE:SEVERE IRRITATION, PAIN,

INFLAMMATION. CHRONIC- CAUSES BRONCHITIS.

Explanation of Carcin

ogenicity:NONE

Effects of Overexposure:SEVERE IRRITATION, SEVERE BURNS, COUGH, NAUSEA,

NASAL DISCHARGE, RESPIRATORY FAILURE, REDNESS OF EYES, BLURRED

VISION, BURNING SENSATION IN MOUTH AND PHARYNX, SALIVATION,

ABDOMINAL PAIN, VOMITING BLOOD, DIARRHEA, HEMATURIA, DIFFICULTY

BREATHING, SHOCK, RAPID PULSE, HYPOCALCEMIA, DEATH

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN

DISORDERS OR EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE

MORE SUSCEPTIBLE

TO THE EFFECTS OF THE SUBSTANCE.

=====  
First Aid Measures  
=====

First Aid:GET IMMEDIATE MEDICAL HELP FOR ALL CASES OF EXPOSURE.  
EYES/SKIN:FLUSH WITH WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS  
OPEN. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NECESSARY.  
ORAL:DO NOT INDUCE VOMITING. IF CONSCIOUS, DRINK 2-4CUPFULS OF  
MILK/WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.  
IF VOMITING OCCURS SPONTANEOUSLY, KEEP AIRWAY CLEAR.  
EAR.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE  
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL  
FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED  
CONTAINERS.  
Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND  
NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL  
FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.  
Unusual Fire/Explosion Hazard:CORROSIVE HYDROGEN FLUORIDE GAS

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WEAR PROPER PROTECTIVE EQUIPMENT. VENTILATE  
AREA. AVOID RUNOFF INTO STORM SEWERS AND DITCHES WHICH LEAD TO  
WATERWAYS. NEUTRALIZE SPILL WITH SODIUM BICARBONATE. COVER WITH  
INERT ABSORBENT. PLACE IN SUITABLE CONTAINER FOR DISPOSAL.  
Neutralizing Agent:SODIUM BICARBONATE

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN COOL, WELL VENTILATED AREA,  
AWAY FROM INCOMPATIBLE SUBSTANCES.  
Other Precautions:CORROSIVE AND TOXIC. DO NOT TOUCH MATERIAL. KEEP  
CONTAINER TIGHTLY CLOSED. WASH THOROUGHLY AFTER HANDLING. AVOID  
BREATHING VAPORS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. KEEP  
OUT OF REACH OF CHILDREN.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:IF ENGINEERING CONTROLS ARE INADEQUATE TO  
CONTROL VAPOR CONCENTRATIONS TO AN ACCEPTABLE LEVEL, A  
NIOSH-APPROVED SELF-CONTAINED

BREATHING APPARATUS/SUPPLIED-AIR  
RESPIRATOR SHOULD BE WORN.

Ventilation:PROVIDE SUFFICIENT MECHANICAL (GENERAL AND/OR LOCAL  
EXHAUST) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves:PVC

Eye Protection:SPLASH-PROOF SAFETY GOGGLES & FACESHIELD

Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER AND  
IMPERVIOUS CLOTHING

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR  
FOO  
TWEAR.

Supplemental Safety and Health

PERCENTAGE CHANGED. FOR PREVIOUS CONCENTRATIONS, SEE PNI A OR B, SAME  
NSN. NOTE TO PHYSICIAN: DUE TO DELAYED SYPTOMS, OBSERVE PATIENT  
CLOSELY FOR 48 HOURS. TREAT FOR ACID AND TOXIC FLUORIDE IONS.

===== Physical/Chemical Properties =====

HCC:C1

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:151F,66C

Melt/Freeze Pt:M.P/F.P Text:-96F,-71C

Vapor Density:2.21

Spec Gravity:1.2

pH: