View NSN Online: https://aerobasegroup.com/nsn/9150-00-257-5449

## VELSICOL CHEMICAL CORP -- MIL-P-6085B/PQ PREVENTIVE 160 -- 9150-00-257-5449

======== Product Identification ============

Product ID:MIL-P-6085B/PQ PREVENTIVE 160

MSDS Date:04/01/1995

FSC:9150

NIIN:00-257-5449

MSDS Number: CBRXZ === Responsible Party ===

Company Name: VELSICOL CHEMICAL CORP

Address:10400 W HIGGINS SUITE 600

City:ROSEMONT

State:IL

ZIP:60018-3713 Country:US

Info Phone Num:708-298-9000 708-29

8-9014(FAX)

Emergency Phone Num:708-298-9000

Preparer's Name: N.R. NETZEL

**CAGE:VELSI** 

=== Contractor Identification ===

Company Name: AMERICAN INK AND OIL CORP

Address:33 ENDICOTT STREET

Box:City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Phone:781-762-0026 / FAX: 781-762-1617

CAGE:82956

Company Name: VELSICOL CHEMICAL CORPORATION

Address:10400 W HIGGINS ROAD

Box:City:ROSEMONT

State:IL ZIP:60018 Country:US

Phone:847-298-9000

CAGE:0Z6C4

Company Name: VELSICOL CHEMICAL CORPORATION

**CAGE:VELSI** 

========

=== Composition/Information on Ingredients =======
Ingred Name:PETROLEUM SULFONIC ACID SALTS CAS:68608-26-4 Fraction by Wt: 4%
Other REC Limits:NONE RECOMMENDED
========== Hazards Identification ===========
LD50 LC50 Mixture:TLV FOR OIL MIST IS 5MG/M3 Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES:VAPORS FROM HEATING MAY CAUSE IRRITATION.SKIN:VAPORS FROM HEATI NG MAY CAUSE IRRITATION.INGEST:NOT REPORTED.INHAL:VAPORS FROM HEATING MAY CAUSE RESPIRATORY IRRITATION.  Explanation of Carcinogenicity:NONE OF THE INGREDIENTS IN THIS PRODUCT IS LISTED BY NTP, IARC OR OSHA AS A CARCINOGEN.  Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND WAT  ER.EYES:FLUSH WITH WATER FOR 15 MINUTES.CALL PHYSICIAN IF IRRITATION DEVELOPS.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT INDUCE VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.NOTE TO PHYSICIAN:TREAT SYMPTOMATICALLY.
======================================
Flash Point Method:COC Flash Point:440F,227C Extinguishing Media:WATER FOG,DRY CHEMICAL,CARBON DIOXIDE,FOAM.AVOID SPREADING BURNING LIQUID WITH WA TER STREAM. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.HEAT OF FIRE MAY CAUSE CONTAINERS TO BURST.
======================================
Spill Release Procedures:SOAK UP WITH NON-COMBUSTIBLE INERT ADSORBANT(EG.CLA

Y);PLACE COLLECTED MATERIAL IN AN APPROPRIATE CONTAINER FOR DISPOSAL.
============= Handling and Storage =============
Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM STRONG OXIDANTS. KEEP CONTAINERS TIGHTLY CLOSED.
Other Precautions: AVOID EYE AND SKIN CONTACT. DO NOT BREATHE VAPORS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY REQUIRED. NIOSH/MSHA-APPROVED
RESPIRATOR OR SCBA AS APPROPIATE FOR EXPOSURE OF CONCERN. Ventilation:NO SPECIAL REQUIREMENTS. Protective Gloves:IMPERMEABLE GLOVES
Eye Protection:CHEMICAL SPLASH GOGGLES
Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.
Work Hygienic Practices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK AREA.
Supplemental Safety and Health NONE
========== Physical/Chemical Propert ies =========
HCC:V6 Boiling Pt:B.P. Text:>450F,>232C Vapor Pres:1 Spec Gravity: