

LHB INDUSTRIES -- 0872-870 SO-SURE CORRECTION FLUID

=====  
MSDS Safety Information  
=====

FSC: 7510  
NIIN: 01-333-6242  
MSDS Date: 03/01/1995  
MSDS Num: CBSLH  
Product ID: 0872-870 SO-SURE CORRECTION FLUID  
MFN: 02  
Responsible Party  
Cage: 0FTT5  
Name: LHB INDUSTRIES  
Address: 8833 FLEISCHER PLACE  
City: SAINT LOUIS  
MO 63134  
Info Phone Number: 314-522-3141  
Emergency Phone Number: 314-522-3141 OR 800-424-9300  
Preparer's Name: GREGORY M. MCGOWAN  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 0FTT5  
Name: LHB INDUSTRIES  
Address: 8833 FLEISCHER PLACE  
City: ST. LOUIS MO 63134  
Phone: 314-522-3141

=====  
Item Description Information  
=====

Item Manager: GSA  
Item Name: CORRECTION FLUID, OPAQUE COATING  
Specification Number: A-A-212B  
Type/Grade/Class: TYPE III  
Unit of Issue: DZ  
UI Container Qty: 0

=====  
Ingredients  
=====

Cas: 142-82-5  
RTECS #: MI7700000  
Name: N-HEPTANE  
% Wt: 30  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: 500 PPM  
ACGIH TLV: 400 PPM/500STEL;9596

-----  
Cas

: 64742-89-8

Name: VM & P NAPHTHA (LIGHT ALIPHATIC PETROLEUM SOLVENT NAPHTHA)

% Wt: 15

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED

ACGIH TLV: NOT ESTABLISHED

-----  
Cas: 61788-76-9

Name: CHLORINATED PARAFFIN

% Wt: <5

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED

ACGIH TLV: NOT ESTABLISHED

=====  
Health Hazards Data  
=====

LD50 LC50 Mixt

ure: UNKNOWN

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: INHALATION MAY CAUSE RESPIRATORY IRRITATION & CNS EFFECTS. EYE CONTACT AND PPROLONGED SKIN CONTACT MAY CAUSE IRRITATION. INGESTION MAY CAUSE IRRITATION OF MOUTH/THROAT/STOMACH. ASPIRATION MAY CAUSE LUNG INFLAMMATION AND/OR DAMAGE.

Explanation Of Carcinogenicity: NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Signs And Symptoms Of Overexposure: INHALED-IRRITATION OF NOSE/THROAT, DIZZINESS, DROWSINESS, EUPHORIA, LOSS OF COORDINATION, DISORIENTATION, HEADACHE, NAUSEA, VOMITING. SKIN-IRRITATION. DISCOMFORT. EYES-IRRITATION. INGESTED-NAUSEA, ABDOMINAL & CHEST DISCOMFORT, DIARRHEA, WEAKNESS.

Medical Cond Aggravated By Exposure: PRE-EXISTING SKIN DISORDERS MAY INCREASE SENSITIVITY. PRE-EXISTING LUNG DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS MATERIAL.

First Aid:

IN ALL CASES GET MEDICAL ATTENTION. EYES-FLUSH WITH WATER FOR 15 MINUTES. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH MILD SOAP & WATER. INHALED-REMOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. INGESTED-DO NOT INDUCE VOMITING! GET IMMEDIATE EMERGENCY MEDICAL ATTENTION.

=====  
Handling and Disposal  
=====

Spill Release Procedures: ELIMINATE ALL SOURCES OF IGNITION

TION AND VENTILATE AREA.

PICK UP SPILLS WITH ABSORBENT MATERIAL. AVOID CONTACT WITH SKIN AND EYES.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATIONS.

Handling And Storage Precautions: KEEP OUT OF REACH OF CHILDREN. USE WITH ADEQUATE VENTILATION. AVOID CONTACT WITH AND PROLONGED CONTACT WITH SKIN. DO NOT INGEST.

Other Precautions: DO NOT SMOKE OR EAT WHEN USING THIS PRODUCT. DO NOT USE NEAR

OPEN FLAMES, SPARKS OR OTHER IGNITION SOURCES.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Text: 14F,-10C

Autoignition Temp Text: 399F

Lower Limits: 1.0

Upper Limits: 7.0

Extinguishing Media: WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE FIGHTER'S PROTECTIVE GEAR. USE WATER TO COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard: CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME. DURING EMERGENCY CONDITIONS, OVEREXPOSURE TO DECOMPOSITION PRODUCTS MAY POSE A HEALTH HAZARD.

=====  
Control Measures  
=====

Respiratory Protection: IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE OR AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR 1910.134.

Ventilation: USE ADEQUATE EXPLOSION-PROOF MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves: NITRILE.

Eye Protection: CHEMICAL SPLASH GOGGLES.

Other Protective Equipment: EYE WASH STATION.

Work Hygienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health: CONTRACT NUMBER

=====  
Physical/Chemical Properties  
=====

HCC: F2

Boiling Point: =85.C, 185.F

M.P/F.P Text: UNKNOWN

Decomp Text: UNKNOWN

Vapor Pres: 53

Vapor Density: 3.3

Spec Gravity: 1.190

Viscosity: UNKNOWN

Evaporation Rate & Reference: >1 (N-BUTYL ACETATE=1)

Solubility in Water: NEGLIGIBLE

Appearance and Odor: OPAQUE WHITE LIQUID; MILD ODOR.

Percent Volatiles by Volume: 44

Corrosion Rate:

UNKNOWN

=====  
Reactivity Data  
=====

Stability Indicator: YES

Stability Condition To Avoid: EXTREME HEAT AND IGNITION SOURCES.

Materials To Avoid: STRONG OXIDIZING AGENTS, STRONG ACIDS, STRONG ALKALIS.

Hazardous Decomposition Products: CARBON MONOXIDE AND CARBON DIOXIDE,  
IRRITATING ALDEHYDES AND KETONES.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: EXTREME TEMPERAT  
URES.

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information

=====  
=====  
Other Information  
=====  
=====

=====  
=====  
Transportation Information  
=====

Responsible Party Cage: 0FTT5  
Trans ID NO: 126350  
Product ID: 0872-870 SO-SURE CORRECTION FLUID  
MSDS Prepared Date: 03/01/1995  
Review Date: 09/30/1996  
MFN: 2  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: DZ  
Container QTY: 0  
Additional Data: PSN IS PER MFR MSDS.

=====  
=====  
Detail DOT Information  
=====

DOT PSN Code: DTJ  
Symbols: D  
DOT Proper Shipping Name: CONSUMER COMMODITY  
Hazard Class: ORM-D  
Label: NONE  
Non Bulk Pack: 156,306  
Bulk Pack: NONE  
Max Qty Pass: 30KGGROSS  
Max Qty Cargo: 30KGGROSS  
Vessel Stow Req: A

=====  
=====  
Detail IMO Information  
=====

IMO PSN Code: HXF  
IMO Proper Shipping Name: HEPTANES  
IMDG Page Number: 3235  
UN Number: 1206  
UN Hazard Class: 3.2  
IMO Packaging Group: II  
Subsidiary Risk Label: -  
EMS Number: 3-07  
MED First Aid Guide NUM: 310

=====  
=====  
Detail IATA Information  
=====

IATA PSN Code: NDD  
IATA UN ID Num: 1206  
IATA Proper Shipping Name: HEPTANE

S

IATA UN Class: 3

IATA Label: FLAMMABLE LIQUID

UN Packing Group: II

Packing Note Passenger: 305

Max Quant Pass: 5L

Max Quant Cargo: 60L

Packaging Note Cargo: 307

=====  
Detail AFI Information  
=====

AFI PSN Code: NDD

AFI Proper Shipping Name: HEPTANES

AFI Hazard Class: 3

AFI UN ID NUM: UN1206

AFI Packing Group: II

Special Provisions: P5

Back Pack Reference: A7.3  
=====

=====  
HAZCOM Label  
=====

Product ID: 0872-870 SO-SURE CORRECTION FLUID

Cage: 0FTT5

Company Name: LHB INDUSTRIES

Street: 8833 FLEISCHER PLACE

City: ST. LOUIS MO

Zipcode: 63134

Health Emergency Phone: 314-522-3141 OR 800-424-9300

Label Required IND: Y

Date Of Label Review: 09/30/1996

Status Code: C

Label Date: 09/30/1996

Year Procured: 1996

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: DANGER

Res

piratory Protection IND: YES

Health Hazard: Moderate

Contact Hazard: Slight

Fire Hazard: Severe

Reactivity Hazard: None

Hazard And Precautions: INHALATION MAY CAUSE RESPIRATORY IRRITATION & CNS EFFECTS. EYE CONTACT AND PPROLONGED SKIN CONTACT MAY CAUSE IRRITATION. INGESTION MAY CAUSE IRRITATION OF MOUTH/THROAT/STOMACH. ASPIRATION MAY CAUSE LU NG INFLAMMATION AND/OR DAMAGE. FIRST AID: IN ALL CASES GET MEDICAL ATTENTION. EYES-FLUSH WITH WATER FOR 15 MINUTES. SKIN-REMOVE CONTAMINATED

CLOTHES. WASH WITH MILD SOAP & WATER. INHALED-REMOVE TO FRESH AIR.  
ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. INGESTED-DO NOT INDUCE  
VOMITING! GET IMMEDIATE EMERGENCY MEDICAL ATTENTION.

=====  
Disclaimer (provided with this information by the compiling agencies): This  
information is formulated for use by elements of the Department of Defense.  
The United States of America in no manner whatsoever expressly or implied  
warrants, states, or intends said information to have any application, use or  
viability by or to any person or persons outside the Department of Defense  
nor any person or persons contracting with any instrumentality of the United  
States of America and disclaims all liability for such use. Any person  
utilizing this instruction who is not a military or civilian employee of the  
United States of America should seek competent professional advice to verify  
the reliability of this information to their  
particular situation regardless of similarity to a corresponding Department  
of Defense or other government situation.