View NSN Online: https://aerobasegroup.com/nsn/9150-01-391-7054

Product ID:BALLISTOL-LUBE

MSDS Date:11/01/1995

FSC:9150

NIIN:01-391-7054

MSDS Number: CBSPP === Responsible Party ===

Company Name: WASHINGTON TRADING CO., INC

Address: ONE CYPRESS KNEE TRAIL

City:KITTY HAWK

State:NC ZIP:27949 Country:US

Info Phone Num:919-261-6181

Emergency Phone Num:919-261-6181

С

AGE:0ZKM2

=== Contractor Identification ===

Company Name: MEHRTRONICS INC

Address:134 E WILLIAMS AVE

Box:City:BARRINGTON

State:NJ ZIP:08007 Country:US

Phone:856-672-0663

CAGE:01NQ2

Company Name: WASHINGTON TRADING CO, INC. (IMPORTER) BALLISTOL USA

Address: 1 CYPRESS KNEE TRAIL

Box:City:KITTY HAWK

State:NC

ZIP:27949-9223 Country:US

Phone:252-261-6181

CAGE:0ZKM2

====== Composition/Information on Ingredients ========

Ingred Name: ISOBUTYL ALCOHOL (CERCLA)

CAS:78-83-1

RTECS #:NP9625000

0

ther REC Limits:NONE RECOMMENDED OSHA PEL:100 PPM ACGIH TLV:50 PPM; 9596 EPA Rpt Qty:5000 LBS

LD50 LC50 Mixture:NO LD50 ORAL RATS/RABBITS COULD BE DETER

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MANUFACTURER CLASSIFIES PRODUCT AS NON-TOXIC.PRODUCT DOES NOT CONTAIN BENZENE,KEROSEN,PETROLEUM.

Explanation of

DOT Rpt Qty:5000 LBS

Carcinogenicity:PER MSDS:NO NTP/IARC PUBLICATION.PROD
BASED ON MED GRADE NON-CHLORINATED PARAFFIN AIRC CLASS3.PROD
CONTAINS NO KNOWN CAR

Effects of Overexposure: NONE KNOWN.

Medical Cond Aggravated by Exposure: NONE KNOWN.

First Aid:IN THE EVENT OF CONTACT W/EYES FLUSH W/LARGET QUANTITIES OF WATER. IF INGESTED CONSULT W/PHYSICIAN.

========== Fire Fighting Measures ===============

Flash Point:12

6F.52C

Autoignition Temp:Autoignition Temp Text:NP

Lower Limits:NA Upper Limits:NA

Extinguishing Media: FOAM, CARBON DIOXIDE, WATER.

Fire Fighting Procedures:DO NOT USE DRYP POWDER AS EXTINGUISHING MEDIUM. WEAR PROTECTIVE GEAR & SELF-CONTAINED BREATHING APPARATUS AS NECESSARY UNDER CONDITIONS.

Unusual Fire/Explosion Hazard:SHOULD BE TREATED AS FLAMM AEROSOL ALTHOUGH PRODUCT HAS NOT BEEN TESTED AS SUCH TO ASTM STDS.BUTANE,PROPANE & COMPRESSED AIR USED AS PROPELLANTS.

==== Accidental Release Measures ========= Spill Release Procedures: WIPE UP W/ABSORBENT RAGS. USE OIL ABSORBENT MATL. SWEEP UP & PLACE IN CONTAINER. WASH AREA W/WARM WATER & DETERGENT TO ELIMINATE SPILLERINESS. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. =========== Handling and Storage ============================ Handling and Storage Precautions: AVOID EYE CONTACT. USE IN VENTILATED AREA.DO NOT USE AROUND FLAME/HOT SURFACE.DO NOT SPRAY INTO OPEN FLAME. DO NOT PUNCTURE AEROSOL CONTAINER. Other Precautions:STORE IN COOL DRY PALCES OUT OF SUNLIGHT. DO NOT STORE IN AREAS EXPO TO TEMP >49C(120F). STORE/USE IN VENTILATED ROOM. KEEP AWAY FROM HOT SURFACES. KEEP OUT OF REACH CHILDREN. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NOT REQUIRED. Ventilation:LOCALLY AS NEEDED. MECHANICAL AS NEEDED. Protective Gloves: NOT REQUIRED. Eye Protection: NOT NORMALLY REQUIRED. Other Protective Equipment: NOT NO RMALLY REQUIRED. Work Hygienic Practices: AVOID EYE CONTACT. Supplemental Safety and Health SPEC GRAV:OIL 0.865G/CM3;SPRAY 0.775G/CM3. ======== Physical/Chemical Properties =============== HCC:V3 Boiling Pt:B.P. Text:262F,128C Melt/Freeze Pt:M.P/F.P Text:NP Decomp Temp:Decomp Text:NP Vapor Pres:NP Vapor Density:NP

Spec Gravity: SUPPLEMENTAL

pH:NP

Viscosity:NP

Evaporation Rate & Evaporation R

Solubility in Water: EMULSIFIES

Appearance and Odor:YELLOWISH OIL, S

Percent Volatiles by Volume:NP Corrosion Rate:NP
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NONE KNOWN. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. HMIS:AVOID ALL SOURCES OF IGNITION. Hazardous Decomposition Products:NONE KNOWN.
Disposal Considerations

LIGHTLY SWEET OR FRAGRANT ODOR LIKE

LICORICE.

Waste Disposal Methods:FOLLOW APPLICABLE FED/LOCAL REGULATIO NS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular si tuation.