View NSN Online: https://aerobasegroup.com/nsn/8040-01-197-9773

DEXTER HYSOL AEROSPACE DIV OF -- AS9234015 HYSOL EA 9309NA PT SYSTEM PART A

MSDS Safety Information
FSC: 8040 NIIN: 01-197-9773 MSDS Date: 03/01/1992 MSDS Num: CBTFW Product ID: AS9234015 HYSOL EA 9309NA PT SYSTEM PART A MFN: 05 Kit Part: Y Responsible Party Cage: 33564 Name: DEXTER HYSOL AEROSPACE INC DIV OF EXTER C ORP Address: 2850 WILLOW PASS ROAD Box: 312 City: PITTSBURG CA 94565-3237 Info Phone Number: 510-458-8000 Emergency Phone Number: 800-424-9300 CHEMTREC Preparer's Name: UNKNOWN Proprietary Ind: Y Review Ind: Y Published: Y
Contractor Summary
Cage: 33564 Name: DEXTER CORPORATION ADHESIVE & amp; COATING SYSTEMS Address: 2850 WILLOW PASS ROAD Box: 312 City: BAY POINT CA 94565-3299 Phone: 202-483-7616 Cage: 03355 Name: RESIN FORMULATORS CO Address: 8500 STELLER DR City: CALVER CITY CA 90232 Phone: 213-870-9561
Item Description Information
Item Manager: GSA Item Name: ADHESIVE Specification Number: NONE Type/Grade/Class: NONE Unit of Issue: KT UI Container Qty: 0 Type of Container: UNKNOWN
Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data _____ LD50 LC50 Mixture: ORAL LD50 (RAT) IS 11400 MG/KG Route Of Entry Inds - Inhalation: YES Skin: YES Ingestion: NO Carcinogenicity Inds - NTP: NO IARC: NO OSHA: NO Effects of Exposure: ACUTE: BRIEF CONTACT MAY IRRITATE SKIN OR CAUSE A RASH. CHRONIC: REPEATED OR PROLO NGED SKIN CONTACT MAY RESULT IN ALLERGIC SENSITIZATION. Explanation Of Carcinogenicity: NEITHER THIS MATERIAL NOR ITS COMPONENTS IS CONSIDERED A CARCINOGEN. Signs And Symptions Of Overexposure: SKIN-IRRITATION, RASH. Medical Cond Aggravated By Exposure: SKIN SENSITIZATION. First Aid: EYES-FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. SKIN-WASH WITH MILD SOAP & amp; WATER. GET MEDIAL ATTENTION IF IRRITATION PERSISTS. INHALED-REMOVE TO FRESH AIR. GET MEDI CA L ATTENTION IF SYMPTOMS PERSIST. INGESTED-IF CONSCIOUS, DRINK PLENTY OF WATER. GET IMMEDIATE MEDICAL ATTENTION. ______ Handling and Disposal _____ Spill Release Procedures: WEAR PROTECTIVE CLOTHING, GLOVES AND SAFETY GLASSES. SCRAPE UP OR SHOVEL INTO DOT APPROVED WASTE CONTAINER. Waste Disposal Methods: THIS MATERIAL, AS A WASTE, IS NOT CONSIDERED A RCRA HAZARDOUS WASTE. HOWEVER, INCINERATI ON IN AN EPA-APPROVED INCINERATOR IS A PREFERRED DISPOSAL PRACTICE. STATE & amp; LOCAL REQUIREMENTS MAY BE MORE RESTR ICTIVE, CONSULT WITH STATE & amp; LOCAL OFFICIALS. Handling And Storage Precautions: REFRIGERATE STORAGE IS RECOMMENDED TO MAINTAIN PRODUCT QUALITY. PRODUCT MAY BE STORED AT ROOM TEMPERATURE (77F) FOR UP TO 12 MONTHS. Other Precautions: FOLLOW CURING SCHEDULE AS RECOMMENDED IN PRODUCT LITERATURE. DO NOT CUT, GRIND, WELD, OR DRILL ON OR NEAR PRODUCT CONTAINER.

Fire and Explosion Hazard Information

_____ Flash Point Text: UNTESTED Lower Limits: UNTESTED Upper Limits: UNTESTED Extinguishing Media: HALON, WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM. Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE FIGHTER'S PROTECTIVE GEAR. CARTRIDGE RESPIRATORS DO NOT PROVIDE PROTECTION FOR FIREFIGHTERS. Unusual Fire/Explosion Hazard: MAY L IBERATE LARGE QUANTITIES OF DENSE, FOUL-SMELLING SMOKE WHICH MAY CONTAIN UNIDENTIFIED TOXIC GASES. ______ **Control Measures** _____ Respiratory Protection: NONE NORMALLY REQUIRED. IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE OR AN AIR-SUPPLIED RESPIRATOR OR SCB A, AS REQUIRED. USE IAW 29 CFR 1910.13 4. Ventilation: LOCAL EXHAUST VENTILATION AT POINT OF USE. Protective Gloves: BUTYL RUBBER, PVC, NITRILE. Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES. Other Protective Equipment: EYE WASH STATION & SAFETY SHOWER SHOULD BE NEARBY & READY FOR USE. Work Hygienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health: KEY1=N1. PART A OF 2 PART ADHESIVE KIT. _____ _____ **Physical/Chemical Properties** HCC: B2 **B.P. Text: UNKNOWN** M.P/F.P Text: UNKNOWN Decomp Text: UNKNOWN Vapor Pres: NIL Vapor Density: NIL Spec Gravity: 1.22 Viscosity: 1500-1600 P Evaporation Rate & amp; Reference: UNKNOWN Solubility in Water: NEGLIGIBLE Appearance and Odor: PEARLESCENT PASTE; PUNGENT ODOR. Corrosion Rate: UNKNOWN ______ Reactivity Data

Stability Indicator: YES Stability Condition To Avoid: AVOID MIXING RESIN (PART A) & CURING AGENT (PART B) IN BATCHES GREATER THAN 1 POUND UNLESS FOR IMMEDIATE USE. Materials To Avoid: STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL ACIDS. Hazardous Decomposition Products: CARBON MONOXIDE, OXIDES OF NITROGEN, ALDEHYDES, ACIDS AND UNDETERMINED ORGANICS. Hazardous Polymerization Indicator: YES Conditions To Avoid Polymerization: MAY OCCUR. DO NOT HEAT MIX ED ADHESIVE ABOVE 77F UNLESS CURING SURFACES TO BE BONDED; MAY CAUSE EXOTHERMIC REACTION.
Toxicological Information
Ecological Information
======================================
Regulatory Information
Other Information
======================================
Responsible Party Cage: 33564 Trans ID NO: 114469 Product ID: AS9234015 HYSOL EA 9309N A PT SYSTEM PART A MSDS Prepared Date: 03/01/1992 Review Date: 10/17/1996 MFN: 5 Net Unit Weight: 2.5 LBS Multiple KIT Number: 0 Kit Part IND: Y Review IND: Y Unit Of Issue: KT Container QTY: 0 Type Of Container: UNKNOWN Additional Data: PER MFR DO NOT SHIP VIA US POSTAL SERVICE.
Detail DOT Information
DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORT

ATION

Detail IMO Information _____ IMO PSN Code: ZZZ IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION _____ **Detail IATA Information** IATA PSN Code: ZZZ IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION _____ _____ Detail AFI Information _____ AFI PSN Code: ZZZ AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION _____ HAZCOM Label _____ Product ID: AS9234015 HYSOL EA 9309NA PT SYSTEM PART A Cage: 33564 Company Name: DEXTER CORPORATION ADHESIVE & amp; COATING SYSTEMS Street: 2850 WILLOW PASS ROAD PO Box: 312 City: BAY POINT CA Zipcode: 94565-3299 Health Emergency Phone: 213-870-9561 Label Required IND: Y Date Of Label Review: 10/17/1996 Status Code: C Label Date: 10/17/1996 Origination Code: F Skin Protection IND: YES Signal Word: CAUTION **Respiratory Protection IND: YES** Health Hazard: None Contact Hazard: Slight Fire Hazard: None Reactivity Hazard: None Hazard And Precautions: SENSITIZER! BRIEF CONTACT MAY IRRITATE SKIN OR CAUSE A RASH. REPEATED OR PROLONGED SKIN CONTACT MAY RESULT IN ALLERGIC SENSITIZATION. TA

RGET ORGANS: SKIN. IN CASE OF SPILL: WEAR PROTECTIVE

CLOTHING, G LOVES AND SAFETY GLASSES. SCRAPE UP OR SHOVEL INTO DOT APPROVED WASTE CONTAINER. FIRST AID: EYES-FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. SKIN-WASH WITH MILD SOAP & amp; WATER. GET MEDIAL ATTENTION IF IRRITATION PERSISTS. INHALED-REMOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. INGESTED-IF CONSCIOUS, DRINK PLENTY OF WATER. GET IMMEDIATE MEDICAL ATTEN TION.

==========

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United

States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.