View NSN Online: https://aerobasegroup.com/nsn/6135-01-366-7476

DURACELL USA (ALIAS BATTERY TECHNOLOGY COMPANY) -- LITHIUM/MANGANESE DIOXIDE BATTERY,8410-3480 -- 6135-01-366-7476

============ Product Identification ==============

Product ID:LITHIUM/MANGANESE DIOXIDE BATTERY,8410-3480

MSDS Date:01/13/1992

FSC:6135

NIIN:01-366-7476

MSDS Number: CBTJJ

=== Responsible Party ===

Company Name: DURACELL USA (ALIAS BATTERY TECHNOLOGY COMPANY)

Address:305 NEW HIGHWAY 64 EAST

City:LEXI NGTON State:NC

ZIP:27292-2037

Country:US

Info Phone Num:203-796-4292

Emergency Phone Num:617-449-7600

CAGE:2A917

=== Contractor Identification ===

Company Name: AVED ELECTRONICS (508-688-3800)

Box:UNKNOW CAGE:0GXY4

Company Name: DURACELL USA (ALIAS BATTERY TECHNOLOGY COMPANY)

Address:305 NEW HIGHWAY 64 EAST

Box:City:LEXINGTON

State:NC

ZIP:27292-2037 Country:US

Phone:617-449-7600

CAGE:2A917

Company Name: QUADTECH INC

Address:45 MAIN ST Box:City:BOLTON

State:MA

ZIP:01740-1107 Country:US Phone:800-253 -1230 CAGE:0PK96

======= Composition/Information on Ingredients ========

Ingred Name:LITHIUM METAL

CAS:7439-93-2

RTECS #:OJ5540000 Fraction by Wt: 0.5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: MANGANESE DIOXIDE

CAS:1313-13-9

RTECS #:OP0350000 Fraction by Wt: 5.6%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:5 MG MN/M3 CEILING

ACGIH TLV:5 MG MN/M3

Ingred Name: CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000 Fraction by Wt: 0.4%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:3.5 MG/M3

ACGIH TLV:3.5 MG/M3; 9596

Ingred Name:TEFLON Fraction by Wt: 0.2%

Other REC Limits: NONE RECOMMENDED

Ingred Name:PROPYLENE CARBONATE

CAS:108-32-7

RTECS #:FF9650000 Fraction by Wt: 0.73%

Other REC Limits: NONE RECOMMENDED

Ingred Name: ETHYLENE CARBONATE

Fraction by Wt: 0.25%

Other REC Limits:NONE RECOMMENDED

Ingred Name: DIMETHOXY ETHER

Fraction by Wt: 1.2%

Other REC Limits: NONE RECOMMENDED

Ingred Name:LITHIUM TRIFLUOROMETHANE SULFONATE

CAS:33454-82-9
Fraction by Wt: 0.1%
Other REC Limits:NONE R

ECOMMENDED
========== Hazards Identification ============
LD50 LC50 Mixture:NOT RELEVANT Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:RISK OF EXPOSURE OCCURS ONLY IF CELL IS MECHANICALLY, PHYSICALLY/ELECTRICALLY ABUSED. TARGET ORGANS:EYE SKIN, LUNG. ACUTE- CONTACT WITH AN OPEN BATTERY WOULD BE HARMFUL. HARMFUL IF INGESTED/INHALED. MAY CAUSE CNS EFFECTS. FUMES MAY
IRRITATE EYES, SKIN & RESPIRATORY TRACT. LITHIUM MAY CAUSE CHEMICAL BURNS. CHRONIC- UNK Explanation of Carcinogenicity:NONE Effects of Overexposure:RISK OF EXPOSURE OCCURS ONLY IF CELL IS MECHANICALLY, PHYSICALLY OR ELECTRICALLY ABUSED. IF CELL IS

LEAKING/IN FIRE: SEVERE IRRITATION, TEARING, DIZZINESS, HEADACHE, NAUSEA, BURNS, PAIN

Medical Cond Aggravated by Exposure: AN ACUTE EXPOSURE WILL NOT GENERALLY AGGRAVATE ANY MEDICAL CONDITION.

=====		First Aid	Me
asures	=======================================	=====	

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:IF CONTENTS OF BATTERY CONTACT SKIN, WASH WITH SOAP & WATER AT ONCE, OR AL:IF BATTERY/OPEN BATTERY IS INGESTED, DO NOT INDUCE VOMITING OR GIVE FOOD/DRINK, SEEK IMMEDIATE MEDICAL ATTENTION, CALL NATIONAL BATTERY INGESTION HOTLINE FOR ADVICE & FOLLOWUP (202-625-3333).

======	=======================================	Fire	Fightin	g
Measures	=========	====	====	

Flash Point: NOT RELEVANT

Extinguishing Media: USE WATER. WATER SPRAY MAY BE USED TO RAPIDLY COOL FIRE EXPOSED CONTAINERS AND BATTERIES.

Fire Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OPERATED IN THE POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard: CELLS CAN VENT.

	Accidental	Release	Measures	
--	------------	---------	----------	--

Spill Release Procedures: IF CELL IS PUNCTURED, VENTILATE ARE

A WELL. WEAR EYE AND SKIN PROTECTION. RESPIRATORY PROTECTION MAY BE NECESSARY IN CONFINED SPACES. ABSORB LIQUID WITH SUITABLE MATERIAL SUCH AS SAND OR CLAY. TRANSFER TO CONTAINER FOR LATER DISPOSAL. Neutralizing Agent: NOT RELEVANT
========== Handling and Storage ===========
Handling and Storage Precautions:STORE IN COOL, DRY PLACE. AVOID TEMPERATURES ABOVE 77F. NEVER CUT INTO CELL. DO NOT USE IN AIRTIGHT CONTAINERS. DO NOT INSTALL WITH INCORRECT POL ARITY
Other Precautions:DO NOT INCINERATE. DO NOT TOUCH BROKEN OR LEAKING BATTERIES. AVOID MECHANICAL OR ELECTRICAL ABUSE. DO NOT ATTEMPT TO RECHARGE. AVOID SHORT CIRCUITS. DO NOT CARRY BATTERIES LOOSE IN POCKET OR BAG. KEEP BATTERIES AWAY FROM SMALL CHILDREN.
====== Exposure Controls/Personal Protection ========
Respiratory Protection: USE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS WHEN CELLS ARE INVOLVED IN A FIRE OR LEAKING IN CONFINED SPACES.
Ventil
ation:ADEQUATE
Protective Gloves:NEOPRENE, RUBBER IF HANDLING LEAKERS Eye Protection:SAFETY GLASSES WHEN HANDLING LEAKERS Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health
========= Physical/Chemical Properties ==========
HCC:N1 NRC/State Lic Num:NOT RELEVANT Spec Gravity:NOT RELEVANT Viscosity:NOT RELEVANT Evaporation Rate & Description Rate & Description Reference:NOT RELEVANT Solubility in Water:NOT RELEVANT Appearance and Odor:SEALED BATTERY
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:HEAT, SHORT CIRCUIT, RECHARGE Hazardous Decomposition Products:MAY FORM LITHIUM OXIDE, MANGANESE DIOXIDE, CARBON MONOXIDE, CARBON DIOXIDE.
======= Disposal Considerations ==========

Waste Disposal Methods:DISCHARGED CELLS MAY CONTAIN SIGNIFI

## **CANT AMOUNT**

OF ENERGY AND SHOULD BE HANDLED WITH CARE. THEY SHOULD BE ELECTRICALLY ISOLATED AND PACKED FOR DISPOSAL. DO NOT COMPACT. DISPOSE OF IN SANITARY LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL LAWS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be ac curate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.