View NSN Online: https://aerobasegroup.com/nsn/8030-00-281-2337

Product ID:SEALING COMPOUND MSDS Date:08/20/1993 FSC:8030 NIIN:00-281-2337 MSDS Number: CBTMJ === Responsible Party === Company Name: RUS INDUSTRIES, INC. Address:3255 LOCKPORT RD. City:NIAGRA FALLS State:NY ZIP:14305 Country:US Info Phone Num:800-336-7007 Emergency Phone Num:800-336-7007/800-424-9300 С AGE:85111 === Contractor Identification === Company Name: RUS INDUSTRIES, INC. Address:3255 LOCKPORT ROAD City:NIAGARA FALLS State:NY ZIP:14305 Phone:(716) 284-7828 CAGE:85111

Ingred Name:NOT HAZARDOUS UNDER THE CRITERIA OF OSHA 29 CFR 1910.1200. NO ASBESTOS OR PHTHALATES ARE CONTAINED. Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

Ingred Name:VOC = 0.03 LB/GL RTECS #:9999999VO Other REC L imits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NONE ESTABLISHED. INHALATION: NO ADVERSE HEALTH SYMPTOMS EXPECTED AS RESULT OF INHALATION. EYES: IF INTRODUCED MECHANICAL IRRITATION MAY OCCUR. SKIN: NO DATA INDICATES ADVERSE EFFECTS. INGESTION: HEAL TH HAZAR DS MAY EXIST FOR LARGE AMOUNT.

Effects of Overexposure: EFFECTS OF OVEREXPOSURE: CONDITIONS TO AVOID UNKNOWN UNDER NORMAL CONDITIONS. HOWEVER GASES/FUMES EVOLVED DURING DECOMPOSITION OF MATERIAL MAY IRRITATE EYES, SKIN, RESPIRATORY TRACTRESPIRATORY TRACT.

First Aid:INHALATION: NOT NORMALLY A PROBLEM. IF BREATHING DIFFICULTIES OCCUR REMOVE TO FRESH AIR. EYES: FLUSH W/WATER AT LEAST 15 MINUTES. SEEK MEDIC

AL AID IF NECESSARY. SKIN: AVOID PROLONGED/REPEATED CONTACT. WASH W/SOAP & WATER AFTER EXPOSURE. INGESTION: NOT NORMAL ROUTE OF EXPOSURE. GET MEDICAL AID, SUPPORTIVE CARE.

Flash Point:>450F,>232C Autoignition Temp:Autoignition Temp Text:NA Lower Limits:NA Upper Limits:NA Extinguishing Media:FOAM, DRY CHEMICAL, WATER SPRAY, CO2. Fire Fighting Procedures:WEAR SCBA FOR FIRE FIGHTING & CLEAN-UP.

Spill Release Procedures:CONTAIN SPILL. IF MATERIAL NOT CONTAMINATED RETURN TO ORIGINAL CONTAINER. IF CONTAMINATED, DISPOSE IN ACCORDANCE W/LOCAL, STATE, FEDERAL GUIDELINES.

Handling and Storage Precautions: AVOID HEAT SOURCES & OPEN FLAMES. AVOID DIRECT SUNLIGHT.

Respiratory Protection: USE STANDARD IND

USTRIAL FLOW FOR VENTILATION. IF WELDING OR IN HIGH TEMPERATURE APPLICATIONS, NIOSH APPROVED RESPIRATORY PROTECTION MAY BE REQUIRED. Protective Gloves:NOT NORMALLY REQUIRED. Eye Protection:* Other Protective Equipment:*NOT REQUIRED; SAFETY GLASSES IF EXPOSURE IS POSSIBLE. Work Hygienic Practices: IF STANDARD INDUSTRIAL HYGIENE IS IGNORED, SKIN IRRITATION MAY RESULT IN PERSON W/SKIN SENSITIVITY. Supplemental Safety and Health NK =================== Physical/Chemical Properties == _____ Boiling Pt:B.P. Text:NA Vapor Pres:NA Vapor Density:NA Spec Gravity:2+-0.1 pH:NA Solubility in Water:NEGLIGIBLE Appearance and Odor: GRAY, SEMI-SOLID PUDDY-LIKE MATERIAL.

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS, ACIDS. Hazardous Decomposition Products:OXIDES OF CARBON, TRACE AMOUNTS OF AROMATIC & ALIPHATIC HYDROCARBONS, SMOKE, FUMES.

====== Disposal Considerations =====

===================

Waste Disposal Methods:DISPOSE IN ACCORDANCE W/LOCAL, STATE, FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice t o verify and assume responsibility for the suitability of this information to their particular situation.