

FLAMEMASTER CORP -- CS 2725 PART B -- 8030-00-670-8556

=====
Product Identification
=====

Product ID:CS 2725 PART B
MSDS Date:03/24/1993
FSC:8030
NIIN:00-670-8556
Kit Part:Y
MSDS Number: CBTQL
=== Responsible Party ===
Company Name:FLAMEMASTER CORP
Address:11120 SHERMAN WAY
City:SUN VALLEY
State:CA
ZIP:91352
Country:US
Info Phone Num:818-982-1650
Emergency Phone Num:800-424-9300(CHEMTREC)
Prepare
r's Name:HERBERT H. MOORE
CAGE:14439
=== Contractor Identification ===
Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV
Address:11120 SHERMAN WAY
Box:City:SUN VALLEY
State:CA
ZIP:91352-4949
Country:US
Phone:818-982-1650
CAGE:14439

=====
Composition/Information on Ingredients
=====

Ingred Name:TRIETHYLENE PENTAMINE
CAS:68822-50-4
RTECS #:TQ0525000
Fraction by Wt: 0.5%
Other REC Limits:5 PPM (SKIN)

Ingred Name:VOC - 1 GM/LITER
Other REC Limits:NONE SPECIFIED

=====

=== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:VAPOR/MIST CAN IRRITATE THE NOSE AND THROAT. SEVERELY IRRITATING TO EYES AND SKIN. MATERIAL CAN CAUSE SKIN SENSITIZATION AND DERMATITIS.
Effects of Overexposure:HEADACHE, DIZZINESS, TEARING OF EYES AND NOSE IRRITATION. ITCHING OF SKIN WITH SIGN OF REDNESS.
Medical Cond Aggravated by Exposure:
ASTHMA, LIVER

===== First Aid Measures =====

First Aid:EYE AND SKIN CONTACT-FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. CONSULT PHYSICIAN. WASH SKIN WITH SOAP AND WATER.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:>200F,>93C
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER SPRAY
Fire Fighting Procedures:IN CONFINED AREAS WEAR SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:OXIDES OF NITROGEN, MAY BE PRODUCTS OF COMBUSTION.

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP AND RETURN TO CONTAINER. WASH AREA WITH SOAP AND WATER.
Neutralizing Agent:ACID

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AREAS AWAY FROM DIRECT SUNLIGHT. KEEP IN CLOSED CONTAINERS.
Other Precautions:AVOID CONTACT

WITH SKIN, EYES AND CLOTHING. WASH
CONTAMINATED CLOTHING BEFORE RE-USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED RESPIRATOR WITH ORGANIC VAPOR
CANISTER.

Ventilation:LOCAL EXHAUST-YES. MECHANICAL (GENERAL) FAN.

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES

Other Protective Equipment:APRON AND SAFETY SHOES.

Work Hygienic Practices:DO NOT SMOKE, DRINK OR EAT IN WORK AREAS.

Supplemental Safety and Health

KEY1:C4.

=

===== Physical/Chemical Properties =====

HCC:B3

Boiling Pt:B.P. Text:550F,288C

Melt/Freeze Pt:M.P/F.P Text:ROOM TEMP

Decomp Temp:Decomp Text:NA

Vapor Pres: