View NSN Online: https://aerobasegroup.com/nsn/8040-00-776-9601 SYON CORPORATION -- 39-80055-030, PART B -- 8040-00-776-9601 ============= Product Identification ======================== Product ID:39-80055-030, PART B MSDS Date:01/01/1993 FSC:8040 NIIN:00-776-9601 Kit Part:Y MSDS Number: CBTRB === Responsible Party === Company Name: SYON CORPORATION Address:280 ELIOT STREET City: ASHLAND State:MA ZIP:01721 Country:US Info Phone Num:508-881-8852 Emergency Phone Num:508-881-8852 CAGE:0SJM === Contractor Identification === Company Name: SYON CORPORATION Address:280 ELLIOT STREET Box:City:ASHLAND State:MA ZIP:01721 Country:US Phone:508-881-8852 CAGE:0SJM5 ======= Composition/Information on Ingredients ======== Ingred Name: POLYAMIDE RESIN (100% IRRITANT SKIN/EYE) CAS:68410-23-1 RTECS #:IE1225000 Fraction by Wt: 1% Other REC Limits: NONE SPECIFIED ACGIH TLV:1 PPM ========== Hazards Identification ===========================

Routes of Entry: Inhalation:UNKNOWN

Skin:YES Ingestion:YES Health Hazards Acute and Chronic:CAUSES SEVERE EYE AND SKIN IRRITATION OR BURNS. MAY BE HARMFUL IF SWALLOWED.
======================================
First Aid:GET MEDICAL ATTENTION IMMEDIATELY. SKIN OR EYE CONTACT: REMOVE CONTAMINATED CLOTHING. FLUSH SKIN OR EYES WITH PLENTY OF WATER FOR 15 MINUTES. INGESTION: DO NOT INDUCE VOMITING UNTIL AFTER CONSULTING A PHYSICIAN. IF CONSCIOUSDILUTE WITH MILK OR WATER.
======== Fire Fighting Measures ====================================
Flash Point Method:COC Flash Point:>500F,>260C Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER. Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:NONE.
========= Accidental Release Measures ==========
Spill Release Procedures:WEAR APPROPRIATE PROTECTIVE CLOTHING AND RESPIRATOR. SCOOP UP EXCESS AND REMOVE. RESIDUAL CAN BE REMOVE WITH
NONFLAMMABLE SOLVENT.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NIOSH APPROVED ORGANIC VAPOR RESPIRATOR. Ventilation:LOCAL & MECHANICAL EXHAUST. Protective Gloves:IMPERVIOUS GLOVES. Eye Protection:SPLASH-PROOF GOGGLES. Other Protective Equipment:SAFETY SHOWER AND EYE WASH FACILITIES. Supplemental Safety and Health KEY1:C4.
========== Physical/Chemical Properties ==========
HCC:B3 Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M P/

Melt/Freeze Pt:M.P/

F.P Text:NA Vapor Pres:NA Vapor Density:NA Spec Gravity:0.97 Evaporation Rate & Department Reference: NA

Solubility in Water:NIL

Appearance and Odor: VISCOUS AMBER LIQUID.

Percent Volatiles by Volume: NONE

======== Stability and Reactivity Data ===========

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:STORAGE AT ELEVATED TEMPERATURES OVER LONG PERIODS OF TIME.

Hazardous Decomposition Products: CO, ALDEHYDES AND ACIDS.

Conditions to Avoid Polymerization: EXCES

SIVE EXOTHERMS WHEN CURED.

======= Disposal Considerations ============

Waste Disposal Methods: INCINERATE IN ACCORDANCE WITH LOCAL POLLUTION REGULATIONS AND ORDINANCES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liabilit

y for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.