

THE DEXTER CORP. DEXTER ELECTRONIC MATERIALS DIV. -- EA 9430 PART B, #AB9231 --
8040-01-124-2842

===== Product Identification =====

Product ID:EA 9430 PART B, #AB9231

MSDS Date:05/02/1994

FSC:8040

NIIN:01-124-2842

Kit Part:Y

MSDS Number: CBTTJ

=== Responsible Party ===

Company Name:THE DEXTER CORP. DEXTER ELECTRONIC MATERIALS DIV.

Address:211 FRANKLIN ST.

City:OLEAN

State:NY

ZIP:14760-1297

Countr

y:US

Info Phone Num:716-372-6300

Emergency Phone Num:716-372-6309

Preparer's Name:KEN DECOSTA

CAGE:DO846

=== Contractor Identification ===

Company Name:DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV

Address:211 FRANKLIN ST.

Box:City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Phone:716-372-6300/6309

CAGE:04347

Company Name:THE DEXTER CORP. WATER MANAGEMENT SYSTEMS DIVISION

Box:200

City:CHAGRIN FALLS

State:OH

ZIP:44022

Country:US

Phone:216-247-5000

CAGE:DO846

Company Name:WATKINS AND ASSOCIATES INC

Address:5395 WEBB PKY
Box:City:LILBURN
State:GA
ZIP:30047
Country:US
Phone:770-279-9200
CAGE:3D523

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYOXYPROPYLENEDIAMINE
Fraction by Wt: 90-95%
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:CORROSIVE. CAN CAUSE SEVE
RE EYE
IRRITATION. CHRONIC CONTACT CAN CAUSE SEVERE SKIN IRRITATION.
SEVERE RESPIRATORY TRACT IRRITATION. MAY CAUSE SKIN SENSITIZATION.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH W/WATER 15 MINUTES HOLDING LIDS OPEN. GET MEDICAL
AID. SKIN: FLUSH AFFECTED AREA W/WATER 15 MINUTES. REMOVE
CONTAMINATED CLOTHES. THEN WASH W/SOAP & WATER. INGESTION: IF
CONSCIOUS GIVE LAR GE AMOUNTS WATER. GET MEDICAL AID.

=====
Fir
e Fighting Measures
=====

Flash Point Method:PMCC
Flash Point:261F,127C
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL.
Fire Fighting Procedures:USE SCBA WHEN FIGHTING FIRES IN CONFINED
AREAS.
Unusual Fire/Explosion Hazard:TOXIC FUMES MAY BE EVOLVED WHEN THIS
MATERIAL IS INVOLVED IN A FIRE. SCBA SHOULD BE AVAILABLE. COOL
FIRE-EXPOSED CONTAINERS W/WATER.

=====
Accidental Release Measures
=====

Spil

I Release Procedures:AVOID CONTACT. KEEP UNPROTECTED PERSONS AWAY.
STOP SPILL AT SOURCE. DIKE TO CONTAIN. PUMP LIQUID TO SALVAGE TANK.
REMAINING LIQUID MAY BE TAKEN UP ON CLAY/DIATOMACEOUS EARTH/OTHER
ABSORBENT & SHOVELED INTO DISPOSAL CONTAINERS.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED WHEN NOT
IN USE. STORE IN A DRY LOCATION.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH APPROVED RESPIRATOR REQUIRED IN ABSENCE OF
PROPER ENVIRONMENTAL CONTROL. AVOID BREATHING VAPORS.

Ventilation:SUFFICIENT TO CONTROL VAPORS. MATERIAL SHOULD BE CONFINED
AS FAR AS POSSIBLE W/IN SEALED/COVERED EQUIPMENT-IF THIS IS*

Protective Gloves:IMPERVIOUS, NEOPRENE, RUBBER

Eye Protection:CHEM SAFETY GLASSES/SIDE SHIELDS/GOGGLES

Other Protective Equipment:CLEAN, BODY-COVERING CLOTHING/FOOTWARE. USE
FURTHER SAFETY EQUIPMENT AS NECESSARY TO PREVE

NT CONTACT
W/MATERIAL.

Supplemental Safety and Health

NK *DONE NORMAL VENTILATION ADEQUATE. LOCAL VENTILATION SHOULD BE USED
IN AREAS WHERE VAPORS ARE EXPECTED TO BE VENTED.

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:NA

Vapor Pres:NA

Vapor Density:8.45 LB/GL

Spec Gravity:1.02

Evaporation Rate & Reference:NA

Solubility in Water:NA

Appearance and Odor:LOW VISCOSITY COLORLESS LIQUID

Percent Volatiles by Volume:NA

=====
Stabi
lity and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, MINERAL ACIDS, (HZSO4, HCL), EPOXY RESINS
UNDER UNCONTROLLABLE CONDITIONS.

Stability Condition to Avoid:NA

Hazardous Decomposition Products:CO, CO2, NOX.

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE W/FEDERAL, STATE,
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling ag

encies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.