

CALJEN SALES CO. -- GLEEM -- 7930-01-360-8050

=====  
Product Identification  
=====

Product ID:GLEEM  
MSDS Date:06/23/1994  
FSC:7930  
NIIN:01-360-8050  
MSDS Number: CBTXN  
=== Responsible Party ===  
Company Name:CALJEN SALES CO.  
Address:1041 BIA CORDOVA  
City:SAN PEDRO  
State:CA  
ZIP:90732  
Country:US  
Info Phone Num:310-547-2977  
Emergency Phone Num:310-547-2977  
CAGE:NO502

==== Contractor Identification ===

Com  
pany Name:CALJEN SALES CO.  
Address:1041 BIA CORDOVA  
Box:City:SAN PEDRO  
State:CA  
ZIP:90732  
Country:US  
Phone:310-547-2977  
CAGE:NO502  
Company Name:CALJEN SALES COMPANY  
Address:1041 VIA CORDOVA  
Box:City:SAN PEDRO  
State:CA  
ZIP:90732  
Country:US  
Phone:213-547-2977  
CAGE:57788

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ALIPHATIC PETROLEUM DISTILLATES  
CAS:64741-44-2  
RTECS #:LX3296000  
Fraction by Wt: 16-20%  
Other REC Limits:ACGIH STEL 400 PPM  
OSHA PEL:5 MG/M3 MIST  
AC

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Effects of Overexposure:EYES: MAY CAUSE IRRITATION/TEARING/REDNESS.  
SKIN: MAY CAUSE IRRIT/REDNESS/DRYING/CRACKING. INHAL: MAY CAUSE  
IRRIT TO NOSE/THROAT. DROWSINESS/DIZZINESS/INCOORDINATION/FATIGUE.  
INGESTION: IRRIT OF DIGES TIVE  
TRACT/DROWSINESS/DIZZINESS/INCOORDINATION/FATIGUE.  
ASPIRATION INTO  
LUNGS CAN CAUSE CHEMICAL PNEUMONITIS.  
Medical Cond Aggravated by Exposure:PREEXISTING SKIN DISORDERS MAY BE  
AGGRAVATED.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH COOL RUNNING WATER FOR 15MIN WHILE HOLDING  
EYELIDS APART. OBTAIN MEDICAL ATTENTION IF IRRITATION PERSISTS  
SKIN: WASH THOROUGHLY WITH SOAP AND WATER. REMOVE CONTAMINATED  
CLOTHING AND LAUNDRER BEFORE REUSE.INHAL: REMOVE TO FRESH AIR.  
OBTAIN ME  
DICAL ATTENTION IF SYMPTOMS PERSIST. INGEST: DO NOT INDUCE  
VOMITING. DO NOT GIVE ANYTHING TO DRINK. OBTAIN IMMEDIATE MEDICAL  
ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point Method:PMCC  
Flash Point:255F,124C  
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG  
Fire Fighting Procedures:USE MEDIA PROPER FOR SOURCE OF FIRE. USE SCBA.  
AVOID SPREADING BURNING.  
Unusual Fire/Explosion Hazard:CONTAINERS MAY RUPTURE OR MELT FROM HEAT  
OF FIRE.  
MAY FORM COMBUSTIBLE MIXTURE W/AIR WHEN HEATED.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:LARGE: ABSORB ONTO FLOOR ABSORBENT  
(VERMICULITE/PAPER/SAND/CLAY/EARTH). SHOVEL INTO CONTAINERS. KEEP  
OUT OF DRAINS/SEWERS/WATERWAYS. SMALL: MOP UP & RINSE.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED WHEN NOT IN  
USE. FOR INDUSTRIAL & INSTITUTIONAL USE ONLY. KEEP

AWAY FROM

CHILDREN. KEEP AWAY FROM HEAT/IGNIT SOURCES.

Other Precautions:KEEP FROM FREEZING. WASH CONTAMINATED CLOTHES BEFORE REUSE.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:GENERALLY NOT NEEDED UNDER NORMAL USE  
CONDITIONS. USE NIOSH APPROVED RESPIRATOR IF TWA IS EXCEEDED.

Ventilation:LOCAL, GENERAL.

Protective Gloves:POLYEUREOTHANE/NITRILE TO PREVENT CONTACT

Eye Protection:CHEMICAL SPLASH GLASSES

Supplemental Safety and Health

NK \*

PH = 8.8 +/- 0.2

=====  
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:ABOUT 215F

Vapor Pres:NA

Vapor Density:8 (AIR=1)

Spec Gravity:0.97

pH:\*

Evaporation Rate & Reference: