

CALJEN SALES CO. -- GLEEM -- 7930-01-360-8050

=====
===== Product Identification =====

Product ID:GLEEM
MSDS Date:06/23/1994
FSC:7930
NIIN:01-360-8050
MSDS Number: CBTXN
=== Responsible Party ===
Company Name:CALJEN SALES CO.
Address:1041 BIA CORDOVA
City:SAN PEDRO
State:CA
ZIP:90732
Country:US
Info Phone Num:310-547-2977
Emergency Phone Num:310-547-2977
CAGE:NO502

==== Contractor Identification ===

Com
pany Name:CALJEN SALES CO.
Address:1041 BIA CORDOVA
Box:City:SAN PEDRO
State:CA
ZIP:90732
Country:US
Phone:310-547-2977
CAGE:NO502
Company Name:CALJEN SALES COMPANY
Address:1041 VIA CORDOVA
Box:City:SAN PEDRO
State:CA
ZIP:90732
Country:US
Phone:213-547-2977
CAGE:57788

=====
===== Composition/Information on Ingredients =====

Ingred Name:ALIPHATIC PETROLEUM DISTILLATES
CAS:64741-44-2
RTECS #:LX3296000
Fraction by Wt: 16-20%
Other REC Limits:ACGIH STEL 400 PPM
OSHA PEL:5 MG/M3 MIST
AC

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Effects of Overexposure:EYES: MAY CAUSE IRRITATION/TEARING/REDNESS.
SKIN: MAY CAUSE IRRIT/REDNESS/DRYING/CRACKING. INHAL: MAY CAUSE
IRRIT TO NOSE/THROAT. DROWSINESS/DIZZINESS/INCOORDINATION/FATIGUE.
INGESTION: IRRIT OF DIGES TIVE
TRACT/DROWSINESS/DIZZINESS/INCOORDINATION/FATIGUE.
ASPIRATION INTO
LUNGS CAN CAUSE CHEMICAL PNEUMONITIS.
Medical Cond Aggravated by Exposure:PREEXISTING SKIN DISORDERS MAY BE
AGGRAVATED.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH COOL RUNNING WATER FOR 15MIN WHILE HOLDING
EYELIDS APART. OBTAIN MEDICAL ATTENTION IF IRRITATION PERSISTS
SKIN: WASH THOROUGHLY WITH SOAP AND WATER. REMOVE CONTAMINATED
CLOTHING AND LAUNDRER BEFORE REUSE.INHAL: REMOVE TO FRESH AIR.
OBTAIN ME
DICAL ATTENTION IF SYMPTOMS PERSIST. INGEST: DO NOT INDUCE
VOMITING. DO NOT GIVE ANYTHING TO DRINK. OBTAIN IMMEDIATE MEDICAL
ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:255F,124C
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG
Fire Fighting Procedures:USE MEDIA PROPER FOR SOURCE OF FIRE. USE SCBA.
AVOID SPREADING BURNING.
Unusual Fire/Explosion Hazard:CONTAINERS MAY RUPTURE OR MELT FROM HEAT
OF FIRE.
MAY FORM COMBUSTIBLE MIXTURE W/AIR WHEN HEATED.

=====
===== Accidental Release Measures =====

Spill Release Procedures:LARGE: ABSORB ONTO FLOOR ABSORBENT
(VERMICULITE/PAPER/SAND/CLAY/EARTH). SHOVEL INTO CONTAINERS. KEEP
OUT OF DRAINS/SEWERS/WATERWAYS. SMALL: MOP UP & RINSE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED WHEN NOT IN
USE. FOR INDUSTRIAL & INSTITUTIONAL USE ONLY. KEEP

AWAY FROM

CHILDREN. KEEP AWAY FROM HEAT/IGNIT SOURCES.

Other Precautions:KEEP FROM FREEZING. WASH CONTAMINATED CLOTHES BEFORE REUSE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:GENERALLY NOT NEEDED UNDER NORMAL USE
CONDITIONS. USE NIOSH APPROVED RESPIRATOR IF TWA IS EXCEEDED.

Ventilation:LOCAL, GENERAL.

Protective Gloves:POLYEUROTHANE/NITRILE TO PREVENT CONTACT

Eye Protection:CHEMICAL SPLASH GLASSES

Supplemental Safety and Health

NK *

PH = 8.8 +/- 0.2

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:ABOUT 215F

Vapor Pres:NA

Vapor Density:8 (AIR=1)

Spec Gravity:0.97

pH:*

Evaporation Rate & Reference: