

NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC -- CHASE LOW FOAM NEUTRAL CLEANER #0930 -- 7930-01-381-3373

=====
Product Identification
=====

Product ID:CHASE LOW FOAM NEUTRAL CLEANER #0930

MSDS Date:01/01/1991

FSC:7930

NIIN:01-381-3373

MSDS Number: CBTYX

=== Responsible Party ===

Company Name:NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST

City:PHILADELPHIA

State:PA

ZIP:19123-3803

Country:US

Info Phone Num:215-922-1200

Emergency Phone Num:215-922-1200

Preparer's Name:F.C.

CAGE:93607

=== Contractor Identification ===

Company Name:NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST

Box:City:PHILADELPHIA

State:PA

ZIP:19123-3803

Country:US

Phone:215-922-1200

CAGE:93607

=====
Composition/Information on Ingredients
=====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: PROP

Other REC Limits:NONE RECOMMENDE

D

Ingred Name:XYLENE SULFONIC ACID SODIUM SALT

CAS:1300-72-7

Fraction by Wt: PROP

Other REC Limits:NONE RECOMMENDED

Ingred Name:BLOCK COPOLYMER OF PROPYLENE OXIDE (LD50 ORAL 5000 MG/KG)

CAS:9003-11-6

RTECS #:MD0911050

Fraction by Wt: PROP

Other REC Limits:NONE RECOMMENDED

Ingred Name:ISOPROPYL ALCOHOL (SARA 313)

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: PROP

Other REC Limits:NONE RECOMMENDED

OSHA PEL:400 PPM

ACGIH TLV:400 PPM

016-45-9
RTECS #:MD0900000
Fraction by Wt: PROP
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MAY CAUSE MINOR SKIN/EYE IRRITATION.
MAY BE HARMFUL IF SWALLOWED.
Medical Cond Aggravated by Exposure:NONE

=====
First Aid Measures
=====

First Aid:EYES: FLUSH W/
WATER AT LEAST 15 MINUTES. GET MEDICAL AID.
SKIN: FLUSH THOROUGHLY W/WATER. IF IRRITATION PERSISTS GET MEDICAL
AID. INGESTION: DO NOT INDUCE VOMITING. GIVE MILK, EGG WHITE,
GELATIN. IF THESE NOT AVAILABLE GIVE LARGE AMOUNTS WATER. GET
MEDICAL AID.

=====
Fire Fighting Measures
=====

Flash Point Method:TOC
Flash Point:NONE TO BOILING
Lower Limits:NOT EST.
Upper Limits:NOT EST.
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:RECONTAINERIZE BY MOPPING, WET VACUUM, OR
USING SUITABLE ABSORBENT. RINSE REMAINING MATERIAL TO DRAINS. BE
CAUTIOUS OF SLIPPERY FLOORS.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE BETWEEN 40 AND 140F.
Other Precautions:KEEP OUT OF REACH OF CHILDREN. FOR SALE/USE/STORAGE
BY SERVICE PERSONNEL ONLY.

=====
Exposure Controls/Personal Protection
=====

====

Respiratory Protection:NOT REQUIRED
Ventilation:NOT REQUIRED
Protective Gloves:LATEX GLOVES RECOMMENDED
Eye Protection:GOGGLES RECOMMENDED
Other Protective Equipment:NONE
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>212F,>100C
Vapor Pres:AS WATER
Vapor Density:AS WATER
Spec Gravity:1.035
pH:7.4
Evaporation Rate & Reference:AS WATER
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR, THIN, PALE-GREEN LIQUID, CITRUS ODOR
Percent Volatiles by Volume:90.8

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS, OXIDIZERS
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:CARBON OXIDES

===== Disposal Considerations =====

Waste Disposal Methods:FOLLOW LOCAL, STATE, FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.