View NSN Online: https://aerobasegroup.com/nsn/7930-01-393-6717

Product ID:SUN-SPRAY RTU CITRUS FOAMING DEGREASER #1085 MSDS Date:08/23/1993 FSC:7930 NIIN:01-393-6717 MSDS Number: CBVCL === Responsible Party === Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC Address:401 N 10TH ST City:PHILAD **ELPHIA** State:PA ZIP:19123-3803 Country:US Info Phone Num:215-922-1200 Emergency Phone Num:215-922-1200 Preparer's Name:F.C. CAGE:93607 === Contractor Identification === Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC Address:401 N 10TH ST Box:City:PHILADELPHIA State:PA ZIP:19123-3803 Country:US Phone:215-922-1200 CAGE:93607

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: PROP Other REC Limits :NONE RECOMMENDED

Ingred Name:COCOAMPHODIPROPIONATE CAS:68815-45-2 Fraction by Wt: PROP Other REC Limits:NONE RECOMMENDED OSHA PEL:200 PPM ACGIH TLV:200 PPM

Ingred Name:SODIUM TRIPOLYPHOSPHATE CAS:7758-29-4 RTECS #:YK4570000 Fraction by Wt: PROP Other REC Limits:NONE RECOMMENDED EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:2-(2-BUTOXYETHOXY)ETHANOL CAS:112-34-5 RTECS #:KJ9100000 Fraction by Wt: PROP Other REC Limits:NONE RECOMMENDED

Ingred Name:ALKYLPHENOL ETHOXYLATE CAS:9016-45-9 R TECS #:MD0900000 Fraction by Wt: PROP Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY CAUSE SKIN/EYE IRRITATION. MAY BE HARMFUL IF SWALLOWED. Medical Cond Aggravated by Exposure:NONE

First Aid:SKIN: FLUSH THOROUGHLY W/WATER

. IF IRRITATION PERSISTS GET MEDICAL AID. EYES: WASH THOROUGHLY W/WATER AT LEAST 15 MINUTES. GET MEDICAL AID. INGESTION: DO NOT INDUCE VOMITING. GIVE MILK, EGG WHITE, GEL ATIN, OR IF NOT AVAILABLE LARGE AMOUNTSWATER. GET MEDICAL AID.

Flash Point Method:TOC Flash Point:NONE TO BOILING Lower Limits:NONE Upper Limits:NONE Unusual Fire/Explosion Hazard:NONE

	Accidental Release Measures	
==========		

Spill Release Procedures: RECONTAINERIZE BY MOPPING, WET VACUUM, OR SUITABLE ABSORBENT. RINSE REMAINING MATERIAL TO DRAINS. BE CAUTIOUS OF SLIPPERY FLOORS.

Handling and Storage Precautions:STORE BETWEEN 40 & 140F. Other Precautions:KEEP OUT OF REACH OF CHILDREN. FOR SALE TO, USE & STORAGE BY SERVICE PERSONNEL ONLY.

======= Exposure Controls/Personal Protection ==========

Respiratory Protect ion:NOT REQUIRED Ventilation:NOT REQUIRED Protective Gloves:RUBBER Eye Protection:NOT REQUIRED Other Protective Equipment:NONE Supplemental Safety and Health NK

Boiling Pt:B.P. Text:212F,100C Vapor Pres:AS WATER Vapor Density:AS WATER Spec Gravity:1.016 pH:8.5 Evaporation Rate & amp; Reference:AS WATER Solubility in Water:COMPLETE Appearance and Odor:STRAW COLORED LIQUID, CITRUS ODOR Percent Volatiles by Volume:92.0

\_\_\_\_\_

Stability Indicator/Materials to Avoid:YES STRONG ACIDS, OXIDIZERS Stability Condition to Avoid:NONE Hazardous Decomposition Products:CARBON OXIDES

Waste Disposal Methods: FOLLOW LOCAL, STATE, FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.