View NSN Online: https://aerobasegroup.com/nsn/4210-00-831-1629

KIDDE INC WALTER KIDDE DIV AEROSPACE OPNS -- BROMOTRIFLUOROMETHANE (HALON 1301) -- 1680-00-831-1629

Product ID:BROMOTRIFLUOROMETHANE (HALON 1301) MSDS Date:04/08/1986 FSC:1680 NIIN:00-831-1629 Kit Part:Y **MSDS Number: CCCCF** === Responsible Party === Company Name: KIDDE INC WALTER KIDDE DIV AEROSPACE OPNS Address:2500 AIRPORT DRIVE City:WILSON State:NC ZIP:27893-96 04 Country:US Info Phone Num:919-237-7004 Emergency Phone Num:919-237-7004 CAGE:61423 === Contractor Identification === Company Name: KIDDE INC WALTER KIDDE DIV AEROSPACE OPNS Address:2500 AIRPORT DRIVE Box:City:WILSON State:NC ZIP:27893-9604 Country:US Phone:252-237-7004 CAGE:61423

Ingred Name:BROMOTRIFLUOROMETHANE CAS:75-63-8 Fraction by Wt: >99% Other REC Limits:NONE RECOMMENDED Ozone Depleting Chemical:1

LD50 LC50 Mixture: LD50 ORAL RAT IS NOT APPLICABLE. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: BROMOTRIFLUOROMETHANE IS SLIGHTLY TOXIC BY INHALATION.AT XONCENTRATIONS OF 10% OR HIGHER, MAY CAUSE ARRYTHMIAS OR NARCOSIS.HMIS WARNS THAT THE DECOMPOSITION PRODUCTS ARE QUITE TOXIC. Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS **PRODUCT IS** LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN. Effects of Overexposure: INHALATION: DIZZINESS, LIGHTHEADEDNESS, GIDDINESS, SHORTNESS OF BREATH. Medical Cond Aggravated by Exposure: UNLIKELY TO AGGRIVATE EXISTING MEDICAL CONDITIONS UNDER NORMAL CONDITIONS OF USE. First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES. INHAL: REMOVE TO FRESH AIR. GIVE OXYGEN OR ARTI FICIAL RESPIRATION IF NEEDED.INGEST: UNLIKELY TO OCCUR; THIS ITEM IS A GAS.NOTE:DO NOT GIVE EPINEPHRINE OR SIMILAR DRUGS. Flash Point:NONE Extinguishing Media: NON-FLAMMABLE. HALON 1301 IS A FIRE EXTINGUISHANT. Fire Fighting Procedures: EVACUATE PERSONNEL. IMMEDIATELY DELUGE CONTAINERS WITH WATER SPRAY FROM MAXIMUM DISTANCE UNTIL COOL, THEN MOVE CONTAINERS AWAY FROM FIRE AREA IF WITHOUT RISK. Unusual Fire/Explosion H azard:FIRE CONDITIONS MAY EVOLVE TOXIC FUMES. Spill Release Procedures: VENTILATE AREA, ESPECIALLY LOW AREAS WHEN VAPORS MAY ACCUMULATE. Handling and Storage Precautions: STORE CONTAINERS BELOW 125F IN A CLEAN, DRY AREA. Other Precautions:NONE SPECIFIED BY MANUFACTURER. **Respiratory Pro**

tection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A SELF-CONTAINED BREATHING APPARATUS.
Ventilation:MECHANICAL (GENERAL) VENTILATION AND/OR LOCAL EXHAUST AS NECESSARY(ESP.LOW AREAS WHERE VAPORS MAY ACCUMULATE).
Protective Gloves:PVA OR PVC
Eye Protection:CHEMICAL WORK GOGGLES
Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.
Work Hygienic Practices:GOOD HYGENIC PRACTICES.
Supplemental Safety and Health KEY1;G3.THIS RECORD GOES WIT
H PNIND-A UNDER THIS NSN/CAGE.

HCC:G3 Boiling Pt:B.P. Text:-72F,-58C Vapor Pres:12152@-72F Vapor Density:8.71 Spec Gravity:1.538 Solubility in Water:NEGLIGIBLE Appearance and Odor:COLORLESS GAS AND LIQUID,SLIGHTLY ETHEREAL ODOR.

Stability Indicator/Materials to Avoid:YES ALKALI,ALKALINE EARTH METALS,POWDERED ALUMINUM,ZINC,BERYLLIUM. Stability Condition to A void:HIGH HEAT ABOVE 1000F,SOURCES OF IGNITION. Hazardous Decomposition Products:BROMINE,FLUORINE,HALOGEN ACIDS AND CARBONYL HALIDES.

Waste Disposal Methods: EVAPORATE OUT OF DOORS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants th is information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.