

ACCUMETRIC INC. -- BOSS RTV SILICONE ADHESIVE/SEALANT -- 8040-00-851-0211

=====
Product Identification
=====

Product ID:BOSS RTV SILICONE ADHESIVE/SEALANT

MSDS Date:11/07/1994

FSC:8040

NIIN:00-851-0211

Kit Part:Y

MSDS Number: CCCCJ

=== Responsible Party ===

Company Name:ACCUMETRIC INC.

Address:350 RING ROAD

Box:843

City:ELIZABETHTOWN

State:KY

ZIP:42701

Country:US

Info Phone Num:502-769-3385

Emerg

ency Phone Num:502-769-3385

CAGE:58149

=== Contractor Identification ===

Company Name:ACCUMETRIC INC

Address:350 RING RD

Box:843

City:ELIZABETHTOWN

State:KY

ZIP:42701

Country:US

Phone:502-769-3385

CAGE:58149

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYLTRACETOXYSILANE (MFR MSDS HAS CAGE 4153-34-3-INVALID
BY BASE 10 CHECK)

CAS:4253-34-3

RTECS #:VV4500000

Fraction by Wt: 2%

Other REC Limits:NONE RECOMMENDED

Ingred Name:ETHYLTRACETOXYSILANE

CAS:176

89-77-9

Fraction by Wt: 2%

Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICA GEL

CAS:112945-52-5

RTECS #:VV7310000

Fraction by Wt: 9%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:6 MG/M3

ACGIH TLV:10 MG/M3

Ingred Name:POLYDIMETHYLSILOXANE

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: ING

ESTION MAY CAUSE STOMACH

DISCOMFORT. CONTACT MAY IRRITATE LIPS, GUMS, TONGUE & SKIN; EYES.

NO DATA FOUND IN INHALATION. CHRONIC: NONE SPECIFIED BY

MANUFACTURER.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%

OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:INGESTION: STOMACH DISCOMFORT. EYES-IRRITATION.

SKIN-IRRITATION.

Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures ==

=====

First Aid:EYES-FLUSH WITH WATER FOR 15 MINUTES. OBTAIN MEDICAL

ATTENTION. SKIN-WIPE OFF AND FLUSH WITH WATER. INHALATION-REMOVE TO

FRESH AIR. OBTAIN MEDICAL ATTENTION. INGESTED-OBTAIN MEDICAL

ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:OC

Flash Point:>212F,>100C

Extinguishing Media:WATER, WATER FOG, CARBON DIOXIDE, DRY CHEMICAL,

FOAM.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AN

D

FULL FIRE FIGHTER'S PROTECTIVE GEAR. USE WATER TO COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:NONE KNOWN.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE PRODUCT AND USE ABSORBENT MATERIAL TO TAKE CARE OF ANY OIL/OLIQUE RESIDUES.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 90F. USE REASONABLE CARE AND CAUTION.

Other Precautions:GROSS AMOUNTS OF MATERIAL SHOULD BE REMOVED FROM THE SKIN AS SOON AS PRACTICAL; ESPECIALLY BEFORE EATING OR SMOKING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR WITH ORGANIC VAPOR/ACID MIST CARTRIDGE OR AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED . USE IAW 29 CFR 1910.134.

Ventilation:NONE SPECIFIED BY MANUFACTURER. DLA-HMIS: USE SUFFICIENT VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves:PVC, RUBBER.

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES.

Other Protective Equipment:NONE. DLA-HMIS: EYE WASH.

Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

THIS MSDS ADDED DUE TO FIELD REQUEST. HOWEVER, DLA-HMIS STAFF HAS DOUBTS THA

T THIS MSDS "BELONGS" TO THIS NSN.

===== Physical/Chemical Properties =====

HCC:V7

Vapor Pres: