

EASTMAN KODAK CO -- 809 0532 FLEXICOLOR STABILIZER AND REPLENISHER LF, CONC --
6750-01-285-1770

===== Product Identification =====

Product ID:809 0532 FLEXICOLOR STABILIZER AND REPLENISHER LF, CONC

MSDS Date:12/19/1997

FSC:6750

NIIN:01-285-1770

MSDS Number: CCCGV

=== Responsible Party ===

Company Name:EASTMAN KODAK CO

Address:343 STATE ST

City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Info Pho

ne Num:800-242-2424

Emergency Phone Num:716-722-5151/716-724-4501

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

===== Composition/Information

on Ingredients =====

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 65-70%
Other REC Limits:NONE RECOMMENDED

Ingred Name:HEXAMINE; (HEXAMETHYLENETETRAMINE)
CAS:100-97-0
RTECS #:MN4725000
Fraction by Wt: 20-25%
Other REC Limits:NONE RECOMMENDED

Ingred Name:DIETHANOLAMINE (SARA 313) (CERCLA)
CAS:111-42-2
RTECS #:KL2975000
Fraction by Wt: 5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:3 PPM
ACGIH TLV:0.46 PPM; 9596
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:POLY(1-VINYL-2-PYRROLIDINONE)
CAS:9003-39-8
RTECS #:TR8160000
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED

Ingred Name:PROPYLENE GLYCOL
CAS:57-55-6
RTECS #:TY2000000
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED

Ingred Name:1,2-BENZISOTHIAZOL-3(2H)-ONE
CAS:2634-33-5
RTECS #:DE4620000
Fraction by Wt: 212F,>100C
Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN
Decomp Temp:Decomp Text:NOT GIVEN
Vapor Pres:18
Vapor Density:0.6
Spec Gravity:1.078
pH:8.4
Viscosity:NP
Evaporation Rate & Referenc

e:NOT GIVEN

Solubility in Water:COMPLETE

Appearance and Odor:AMBER LIQUID, SLIGHT AMINE ODOR

Percent Volatiles by Volume:65-70%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, ACIDS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE,
OXIDES OF NITROGEN.

===== Disposal Considerations =====

Waste

Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT
TO NATIONAL, STATE OR LOCAL LAWS. MAY REQUIRE NEUTRALIZATION IF PH
< 2.0 OR PH > 12.5. DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE
FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.