View NSN Online: https://aerobasegroup.com/nsn/8030-00-281-2337 RUS INDUSTRIES INC -- SEALING COMPOUND -- 8030-00-281-2337 ============= Product Identification ======================== Product ID:SEALING COMPOUND MSDS Date:08/20/1993 FSC:8030 NIIN:00-281-2337 MSDS Number: CCGFB === Responsible Party === Company Name: RUS INDUSTRIES INC Address:3255 LOCKPORT RD Box:226 City:NIAGARA FALLS State:NY ZIP:14305-2266 Country:US Info Phone Num:716-284-7828/800-336-7007 Emergency Phone Num:716-2 84-7828/800-336-7007 CAGE:8S111 === Contractor Identification === Company Name: RUS INDUSTRIES INC Address:3255 LOCKPORT RD Box:City:NIAGARA FALLS State:NY ZIP:14305 Country:US Phone:716-284-7828 CAGE:8S111 ======= Composition/Information on Ingredients ======== Ingred Name: NON-HAZARDOUS INGREDIENTS Ingred Name: VOLATILE ORGANIC CONTENT: 0.03 LB/GAL RTECS #:9999999VO

========= Hazards Identification ==============

Routes of Entry: Inhalation:NO Skin:NO Inges

tion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:GASES & FUMES EVOLVED DURING THE DECOMPOSITION OF THIS MATERIAL MAY IRRITATE THE EYES, SKIN & RESPIRATORY TRACT. Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION.
======================================
First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH W/SOAP & WATER AFTER EXPOSURE. INGESTION: SUPPO
RTIVE CARE. OBTAIN MEDICAL ATTENTION IN ALL CASES.
======================================
Flash Point:>450F Extinguishing Media:FOAM, DRY CHEMICAL, WATER SPRAY/CO2. Fire Fighting Procedures:WEAR SCBA.
========= Accidental Release Measures ===========
Spill Release Procedures:CONTAIN: IF MATERIAL ISN'T CONTAMINATED, RETURN TO ORIGINAL CONTAINER. IF CONTAMINATED, DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.
========== H andling and Storage ============================
Handling and Storage Precautions: AVOID HEAT SOURCES & OPEN FLAME. AVOID DIRECT SUNLIGHT.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:IF WELDING/HIGH TEMP APPLICATIONS, USE NIOSH APPROVED RESPIRATORY PROTECTION. Ventilation:USE STANDARD INDUSTRIAL FLOW Protective Gloves:NOT NORMALLY REQUIRED Eye Protection:SAFETY GLASSES Supplemental Safety and Health
======== Physical/Chemical Proper

Spec Gravity:1.9-2.1 Solubility in Water:NEGLIGIBLE Appearance and Odor:GREY SOLID W/NEGLIGIBLE ODOR. Percent Volatiles by Volume:99.8
========= Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS & ACIDS. Stability Condition to Avoid:HEAT SOURCES, OPEN FLAME, DIRECT SUNLIGHT Hazardous Decomposition Products:OXIDES OF CARBON, TRACE AMOUNTS OF AROMATIC & ALIPHATIC HYDROCARBONS, SMOKE & FUMES.

ties =========

===== Disposal Considerations ============

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document shoul

d seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.