View NSN Online: https://aerobasegroup.com/nsn/9150-00-961-8995

DUPONT E I DE NEMOURS & CO INC CHEM & PIGM DEPT -- 5660PP KRYTOX 240 AC SERIES & GPL FLUORINATED GREASE -- 9150-00-961-8995

============= Product Identification =============

Product ID:5660PP KRYTOX 240 AC SERIES & GPL FLUORINATED GREASE

MSDS Date:06/11/1986

FSC:9150

NIIN:00-961-8995

MSDS Number: CCGGR === Responsible Party ===

Company Name: DUPONT E I DE NEMOURS & CO INC CHEM & PIGM DEPT

Address:1007 MARKET ST

City:WILMINGTON

State:DE

ZIP:19898-5000 Country:US

Info Phone Num:302-999-2161/800-441-3637

Emergency Phone Num:800-441-3637/800-345-9999

Preparer's Name: J J GRAHAM

CAGE:23027

=== Contractor Identification ===

Company Name: DU PONT E I NEMOURS & CO CHEMICALS & PIGMENTS DEPT

Address:1007 MARKET ST Box:City:WILMINGTON

State:DE ZIP:19898 Country:US

Phone:800-441-7515

CAGE:23037

Company Name: TETRA MFG CORP (CAGE CANCELLED)

Address:CAGE CANCELLED

City:WESTBURY

State:NY ZIP:11590 Country:US Phone:NONE CAGE:23027

======= Composition/Information on Ingredients ========

Ingred Name: KRYTOX 240

Fraction by Wt: 85%

Ingred Name: TELOMER OF TETRAFLUOROETHANE

Fraction by Wt: 15%

============ Hazards Identification =========================

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN/EYES: MAY CAUSE MILD IRRITATION. INHALATION: SMOKE/FUMES MAY CAUSE POLYMER FUME FEVER, A FLU

-LIKE CONDITION WHICH OCCURS SEVERAL HOURS AFTER EXPOSURE & SUBSIDES W/IN 24 HOURS. OVEREXPOSURE MAY CA USE LUNG IRRITATION. **Explanation of Carcinogenicity:NONE** Effects of Overexposure: IRRITATION, FEVER, REDNESS, INFLAMMATION OF THE HAIR FOLLICLES First Aid: INHALATION: REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NECESSARY. SKIN: FLUSH W/WATER. EYES: IMMEDIATELY FLUSH W/PLENTY OF WATER FOR 15 MINS. INGESTION: D ON'T INDUCE VOMITING. IMMEDIATELY GIVE 2 GLASSES OF WATER/ACTIVATED CHARCOAL SLURRY. NEVER GIVE ANYTHING BY MOUTH IF UNCONSCIOUS. OBTAIN MEDICAL ATTENTION IN ALL CASES. (SEE SUPP) =========== Fire Fighting Measures ========================== Flash Point Method:PMCC Extinguishing Media: AS APPROPRIATE FOR COMBUSTIBLES IN AREA. Fire Fighting Procedures: DOES NOT IGNITE. EVACUATE PERSONNEL TO A SAFE AREA. AVOID BREATHING DECOMPOSITION PRODUCTS. Unusual Fire/Explosion Hazard: **DECOMPOSITION AT FLAME TEMPERATURES MAY** FORM TOXIC FLUORINE COMPOUNDS. =========== Accidental Release Measures =============== Spill Release Procedures: USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT DURING CLEANUP. REMOVE SOURCE OF HEAT & FLAME. PLACE IN CONTAINER FOR DISPOSAL. ============= Handling and Storage ========================== Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED. DON'T STORE/CONSUME FOOD, DRINK/TOBACCO IN AREA WHERE THEY

MAY BECOME

CONTAMINATED W/THIS MATERIAL.

Other Precautions: KEEP AWAY FROM HEAT & FLAMES. AVOID CONTACT W/EYES & SKIN. AVOID BREATHING DECOMPOSITION PRODUCTS.

====== Exposure Controls/Personal Protection ========

Protective Gloves: IMPERMEABLE

Eve Protection: GOGGLES/GLASSES W/SIDE SHIELDS

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

FIRST AID CONT'D: INSTRUCTIONS TO PHYSICIANS: TO PREPARE ACTIVATED

CHARCOAL SLURRY, SUSPEND 50G

ACTIVATED CHARCOAL IN 400 ML WATER IN PLASTIC BOTTLE & SHAKE WELL. ADMINISTER 5 ML/KG OR 350 ML FOR AN A VERAGE ADULT.

======== Physical/Chemical Properties ==========

Melt/Freeze Pt:M.P/F.P Text:608F

Spec Gravity: 1.89-1.93

pH:7

Solubility in Water: