

NATIONAL LABORATORIES L & F PRODUCTS -- PROFESSIONAL LYSOL BRAND DISINFECTANT  
SPRAY -- 6840-01-065-3662

===== Product Identification =====

Product ID:PROFESSIONAL LYSOL BRAND DISINFECTANT SPRAY

MSDS Date:01/14/1992

FSC:6840

NIIN:01-065-3662

MSDS Number: CCGJG

=== Responsible Party ===

Company Name:NATIONAL LABORATORIES L & F PRODUCTS

Address:225 SUMMIT AVE

City:MONTVALE

State:NJ

ZIP:07645-1523

Co

untry:US

Info Phone Num:201-573-5700/201-573-2569

Emergency Phone Num:201-573-5700/201-573-5269

CAGE:63180

=== Contractor Identification ===

Company Name:RECKITT AND COLMAN INC

Address:1655 VALLEY ROAD

Box:City:WAYNE

State:NJ

ZIP:07474

Country:US

Phone:800-338-6167

CAGE:63180

===== Composition/Information on Ingredients =====

Ingred Name:CARBON DIOXIDE \*96-1\*

CAS:124-38-9

RTECS #:FF6400000

Fraction by Wt: 4%

Other REC Limits:10000 PPM

OSHA PEL:5000 PPM

ACGIH TLV:9000 MG/CUM

Ingred Name:ETHANOL (ETHYL ALCOHOL), TECSOL, ALCOHOL, SYNASOL  
CAS:64-17-5  
RTECS #:KQ6300000  
Fraction by Wt: 79%  
Other REC Limits:1900 MG/CUM  
OSHA PEL:1000 PPM  
ACGIH TLV:1000 PPM

Ingred Name:O-PHENYL PHENOL  
CAS:90-43-7  
RTECS #:DV5775000  
Fraction by Wt: 0.1%

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES: MAY CAUSE MILD TEMPORA  
RY  
IRRITATION.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:DIZZINESS, DROWSINESS, NAUSEA, VOMITING,  
IRRITATION

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: IMMEDIATELY FLUSH  
W/PLENTY OF LOW PRESSURE WATER. REMOVE CONTACT LENSES & CONTINUE TO  
FLUSH W/WATER FOR 15 MINS. INGESTION: ADMINISTER WATER TO DILUTE.  
DON'T GIV E LIQUIDS IF UNCONSCIOUS. OBTAIN MEDICAL ATTENTION IN ALL  
CASES.

=  
===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:70F  
Extinguishing Media:WATER SPRAY, FOAM, DRY CHEMICAL/CO2. USE MEDIA  
SUITABLE FOR SURROUNDING FIRE.  
Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE EXPOSED  
CONTAINERS. WEAR SCBA & PROTECTIVE EQUIPMENT APPROPRIATE FOR  
CHEMICAL FIRE. MOVE CONTAINERS FROM FIRE SAFELY.  
Unusual Fire/Explosion Hazard:DON'T PUNCTURE/INCINERATE CONTAINER.  
EXPOSURE TO TEMPERATURES >120F MAY CAUS

E BURSTING.

===== Accidental Release Measures =====

Spill Release Procedures:LARGE: VENTILATE AREA. COLLECT LIQUID & STORE IN SUITABLE CONTAINERS FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY LOCATION AWAY FROM HOT SURFACES, SPARKS/FLAMES. CONTENTS UNDER PRESSURE. DON'T USE NEAR FIRE.

Other Precautions:KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT OF PRODUCT W/ FOOD. AVOID SPRAYING PRODUCT IN EYES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED  
Ventilation:NONE REQUIRED  
Protective Gloves:NONE REQUIRED  
Eye Protection:NONE REQUIRED  
Supplemental Safety and Health  
VAPOR DENSITY & SOLUBILITY IN WATER IS FOR CONCENTRATE.

===== Physical/Chemical Properties =====

Vapor Density:>1  
Spec Gravity:0.835  
Solubility in Water:MISCIBLE  
Appearance and Odor:AEROSOL CONTAINER

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS  
Stability Condition to Avoid:TEMPERATURES >120F, HEAT, SPARK/OPEN FLAME  
Hazardous Decomposition Products:CO<sub>2</sub>, CO, UNIDENTIFIED ORGANIC COMPOUNDS

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling

agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.