

LOCTITE CORP -- 62040 RETAINING COMPOUND 620 HIGH TEMPERATURE

=====  
MSDS Safety Information  
=====

FSC: 8040  
NIIN: 01-129-7171  
MSDS Date: 05/15/1996  
MSDS Num: CCGKG  
Product ID: 62040 RETAINING COMPOUND 620 HIGH TEMPERATURE  
MFN: 04  
Responsible Party  
Cage: 7K128  
Name: LOCTITE CORP  
Address: 1001 TROUT BROOK CROSSING  
Ci  
ty: ROCKY HILL CT 06067-3910  
Info Phone Number: 203-571-5100  
Emergency Phone Number: 203-571-5100  
Preparer's Name: STEPHEN REPETTO  
Review Ind: Y  
Published: Y

=====  
Preparer Co. when other than Responsible Party Co.  
=====

Cage: 7K128  
Name: LOCTITE CORP  
Address: 705 N MT RD  
City: NEWINGTON CT 06111

=====  
Contractor Summary  
=====

Cage: 7K128  
Name: LOCTITE CORP  
Address: 705 N MT RD  
City: NEWINGTON CT 06111  
Phone: 312-689-6200  
Cage: 05972  
Name: LOCTITE CORPORATION  
Address: 1001 TROUT BROOK CROSSING  
City: ROCKY HILL CT 06067-3910  
Phone: 860-571-5100

=====  
Item Description Information  
=====

Item Manager: S9I  
Item Name: ADHESIVE  
Unit of Issue: BT  
Quantitative Expression: 20000000169OZ  
UI Containe

r Qty: 1

=====  
Ingredients  
=====

Cas: 24448-20-2

Name: AROMATIC DIMETHACRYLATE ESTER \*96-2\*

% Wt: 75-80  
-----

Cas: 3006-93-7

RTECS #: ON6125000

Name: MALEIMIDE, N,N'-M-PHENYLENEDI

% Wt: 10-15  
-----

Cas: 80-15-9

RTECS #: MX2450000

Name: CUMENE HYDROPEROXIDE

% Wt: 1-3

EPA Rpt Qty: 10 LBS

DOT Rpt Qty: 10 LBS  
-----

Cas:

27813-02-1

Name: HYDROXYPROPYLMETHACRYLATE \*96-2\*

% Wt: 1-3  
-----

Cas: 67-56-1

RTECS #: PC1400000

Name: METHANOL (METHYL ALCOHOL), COLUMBIAN SPIRITS \*96-2\*

% Wt: 1-3

Other REC Limits: 200 PPM

OSHA PEL: 200 PPM

ACGIH TLV: 200 PPM

EPA Rpt Qty: 5000 LBS

DOT Rpt Qty: 5000 LBS  
-----

Cas: 112945-52-5

RTECS #: VV7310000

Name: AMORPHOUS FUMED SILICA, COLLOIDAL SILICON DIOXIDE, AMORPHOUS SILICA DUST  
(IARC CARCINOGEN-GROUP 3) \*96-2\*

% Wt: 1-3

Oth

er REC Limits: 20 MPPCF DUST IN AIR

-----  
Cas: 114-83-0  
RTECS #: AJ2900000  
Name: 2-PHENYLHYDRAZINE ACETIC ACID, ACETYLPHENYLHYDRAZINE  
% Wt: 0.1-1  
-----

Cas: 613-48-9  
Name: N,N-DIALKYL TOLUIDINE  
% Wt: 0.1-1  
-----

Cas: 110-16-7  
RTECS #: OM9625000  
Name: MALEIC ACID  
% Wt: 0.1-1  
EPA Rpt Qty: 5000 LBS  
DOT Rpt Qty: 5000 LBS  
-----

Cas: 81-07-2  
RTECS #: DE4200000  
Name: SACCHARIN (ANIMAL CARCINOGEN BY IARC -  
GROUP 2B) \*96-2\*  
% Wt: 0.1-1  
EPA Rpt Qty: 100 LBS  
DOT Rpt Qty: 100 LBS  
-----

RTECS #: 9999999VO  
Name: VOLATILE ORGANIC CONTENT: 8.3%; 91.3 GM/L  
=====

Health Hazards Data  
=====

LD50 LC50 Mixture: ORAL LD50(LAB ANIMAL): >5000 MG/KG  
Route Of Entry Inds - Inhalation: NO  
Skin: NO  
Ingestion: NO  
Carcinogenicity Inds - NTP: NO  
IARC: YES  
OSHA: NO  
Effects of Exposure: EYES: IRR  
ITANT. SKIN: MAY CAUSE DERMATITIS ON PROLONGED  
CONTACT IN SENSITIVE INDIVIDUALS. MAY AFFECT THE CNS.  
Explanation Of Carcinogenicity: SEE INGREDIENTS.  
Signs And Symptoms Of Overexposure: IRRITATION  
Medical Cond Aggravated By Exposure: PERSONS W/PRE-EXISTING DERMATITIS  
CONDITIONS.  
First Aid: INGESTION: DON'T INDUCE VOMITING. KEEP INDIVIDUAL CALM. SKIN: WASH  
W/SOAP & WATER. EYES: FLUSH W/WATER FOR 15 MINS. OBTAIN MEDICAL ATTENTION  
IN ALL CASES.  
=====

=====

Handling and Disposal

=====

Spill Release Procedures: SOAK UP IN AN INERT ABSORBENT. PLACE IN PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

Waste Disposal Methods: INCINERATE/DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Handling And Storage Precautions: STORE <100F. STORE IN PARTLY FILLED, CLOSED CONTAINER.

Other Precautions: AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM EYES.

=====

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: TCC

Flash Point Text: >200F

Lower Limits: 6% METHANOL

Upper Limits: 36% METHANOL

Extinguishing Media: CO2, FOAM, DRY CHEMICAL

Unusual Fire/Explosion Hazard: NONE

=====

Control Measures

=====

Protective Gloves: RUBBER/PLASTIC

Eye Protection: SAFETY

GLASSES/GOGGLES

=====

Physical/Chemical Properties

=====

B.P. Text: >300F

Vapor Pres: <5

Spec Gravity: 1.1

Solubility in Water: SLIGHT

Appearance and Odor: GREEN LIQUID W/MILD ODOR

=====

Reactivity Data

=====

Stability Indicator: YES

Materials To Avoid: NONE

Hazardous Decomposition Products:

BY FIRE/THERMAL DECOMPOSITION: IRRITATING  
ORGANIC VAPORS

Hazardous Polymerization Indicator: NO

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
HAZCOM Label  
=====

Product ID: 62040 RETAINING COMPOUND 620 HIGH TEMPERATURE

Cage: 7K128

Company Name: LOCTITE C

ORP

Street: 705 N MT RD

City: NEWINGTON CT

Zipcode: 06111

Health Emergency Phone: 203-571-5100

Label Required IND: Y

Date Of Label Review: 10/12/1999

Status Code: A

Origination Code: G

Hazard And Precautions: EYES: IRRITANT. SKIN: MAY CAUSE DERMATITIS ON PROLONGED  
CONTACT IN SENSITIVE INDIVIDUALS. MAY AFFECT THE CNS.

=====  
Disclaimer (provided with this information by the compiling agencies): This  
information is formulated for use by elements  
of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied  
warrants, states, or intends said information to have any application, use or  
viability by or to any person or persons outside the Department of Defense  
nor any person or persons contracting with any instrumentality of the United  
States of America and disclaims all liability for such use. Any person  
utilizing this instruction who is not a military or civilian employee of the  
Uni

ted States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.