

LITTON INDUSTRIES INC ELECTRON DEVICES DIV -- L-4736 -- 5960-00-410-3499

=====
Product Identification
=====

Product ID:L-4736

MSDS Date:02/13/1996

FSC:5960

NIIN:00-410-3499

MSDS Number: CCHSY

=== Responsible Party ===

Company Name:LITTON INDUSTRIES INC ELECTRON DEVICES DIV

Address:1035 WESTMINSTER DRIVE

City:WILLIAMSPORT

State:PA

ZIP:17701

Country:US

Info Phone Num:717-326-3561

Emergency Phone Nu

m:717-326-3561

Preparer's Name:MELISSA A. WITHEROW

CAGE:89146

=== Contractor Identification ===

Company Name:LITTON SYSTEMS INC, ELECTRON DEVICES DIV

Address:1035 WESTMINSTER DR

Box:City:WILLIAMSPORT

State:PA

ZIP:17701-3911

Country:US

Phone:717-326-3561

CAGE:89146

=====
Composition/Information on Ingredients
=====

Ingred Name:MAGNETIZED MATERIAL

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 Mixture:NOT RELEV

ANT

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NOT RELEVANT
Explanation of Carcinogenicity:NONE
Effects of Overexposure:NOT RELEVANT
Medical Cond Aggravated by Exposure:NOT RELEVANT

=====
First Aid Measures
=====

First Aid:NOT RELEVANT

=====
Fire Fighting Measures
=====

Flash Point:NONE
Extinguishing Media:NOT RELEVANT
Fire Fighting Procedures:NOT RELEVANT
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:IF BROKEN, SWEEP UP CAREFULLY AND TRANSFER INTO A SEALABLE WASTE CONTAINER. WEAR GLOVES.
Neutralizing Agent:NOT RELEVANT

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN ORIGINAL CONTAINER. KEEP OUT OF REACH OF CHILDREN. PROTECT TUBES AGAINST PHYSICAL DAMAGE.
Other Precautions:DO NOT CRUSH, GRIND, CUT, FILE, SAW OR OTHERWISE CREATE DUST FROM MAGNETIC MATERIAL USED AS A PART OF ELECTRON TUBES.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT RELEVANT
Ventilation:NOT RELEVANT
Protective Gloves:NOT RELEVANT
Eye Protection:NOT RELEVANT
Other Protective Equipment:NOT RELEVANT
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.
Supplemental Safety and Health
THIS IT

EM IS CONSIDERED AN ARTICLE UNDER OSHA 29 CFR 1910, 1200(C).

TUBES WITH MAGNETIC MATERIAL HAVING A MAGNETIC FIELD IN EXCESS OF 0.00525 GAUSS MEASURED AT 15 FEET (4.6 METERS) FROM ANY SURFACE OF THE PACKAGE MUST NOT BE SHIPPED ON AIRCRAFT. THE MAGNETIC FIELD STRENGTH OF THIS PRODUCT IS 0.00035 GAUSS AT 15 FEET.

===== Physical/Chemical Properties =====

HCC:M1

NRC/State Lic Num:NOT RELEVANT

Spec Gravity:NOT RELEVANT

Viscosity:NOT RELEVANT

Evaporation R

ate & Reference:NOT RELEVANT

Solubility in Water:NOT RELEVANT

Appearance and Odor:SOLID FORM, ELECTRON TUBE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NOT RELEVANT

Stability Condition to Avoid:NOT RELEVANT

Hazardous Decomposition Products:NOT RELEVANT

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. RECYCLING OF MAGNETS USED IN ELECTRON TUBES IS RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.