

MARVEL OIL COMPANY, INC. -- MARVEL AIR TOOL OIL -- 9150-01-126-4459

=====
Product Identification
=====

Product ID:MARVEL AIR TOOL OIL

MSDS Date:11/25/1985

FSC:9150

NIIN:01-126-4459

MSDS Number: CCHZR

=== Responsible Party ===

Company Name:MARVEL OIL COMPANY, INC.

Address:331 NORTH MAIN STREET

City:PORT CHESTER

State:NY

ZIP:10573

Country:US

Info Phone Num:(914) 937-4000

Emergency Phone Num:(914) 9

37-4000

CAGE:DO882

=== Contractor Identification ===

Company Name:MARVEL OIL CO INC

Address:331 NORTH MAIN ST

Box:City:PORT CHESTER

State:NY

ZIP:10573

Country:US

Phone:914-937-4000

CAGE:95015

Company Name:MARVEL OIL COMPANY

Address:331 NORTH MAIN STREET

City:PORT CHESTER

State:NY

ZIP:10573

Country:US

Phone:914-937-4000

CAGE:DO882

Company Name:NAPA, A DIVISION OF LINCOLN AUTOMOTIVE

Address:ONE LINCOLN WAY

Box:City:ST. LOUIS

State:MO

ZIP:63120-1578

Country:US

Phone:414-255-5520

CAGE:050Q3

=====

=====
Composition/Information on Ingredients
=====

Ingred Name:SOLVENT NAPHTHA (PETROLEUM) MEDIUM ALIPHATIC

CAS:64742-88-7

Fraction by Wt: 30%

Other REC Limits:NONE RECOMMENDED

Ingred Name:NAPHTHENIC MINERAL OIL

CAS:64742-34-3

Fraction by Wt: 67% %

Other REC Limits:NONE RECOMMENDED

Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by Wt: BALANCE

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 Mixture:NOT GIVEN

Routes o

f Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE CONTACT CAUSES MILD IRRITATION.

PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE IRRITATION. ASPIRATION HAZARD.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:EYES: MILD IRRITATION. SKIN: REDNESS, BURNING, DRYING, CRACK

ING OF SKIN. INGESTION: PULMONARY ASPIRATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH WATERUNTIL IRRITATION STOPS. SKIN: WASH WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING. GIVE MILK OR WATER TO DILUTE STOMACH CONTENTS.

=====
Fire Fighting Measures
=====

Flash Point:140F,60C

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY,
WATER FOG

Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF CONTAINED
BREATHING APPARATUS AND FULL PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard:DO NOT STORE OR MIX WITH STRONG OXIDANTS.
COMBUSTIBLE LIQUID.

===== Accidental Release Measures =====

Spill Release Procedures:RECOVER FREE LIQUID, ADD ABSORBENT TO SPILL
AREA.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FORM HEAT/OPEN FLAME,
CONTAINS REFINED PETROLEUM DISTILLATES.

Other Precautions:AVOID CONTACT W/SKIN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.

Ventilation:MECHANICAL VENTILATION AS NEEDED

Protective Gloves:CHEMICAL RESISTANT

Eye Protection:SAFETY GLASSES

Other Protective Equipment:CHEMICAL RESISTANT CL

OTHING AS NECESSARY TO

PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE
AVAILABLE.

Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER
BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:NOT GIVEN

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Decomp Temp:Decomp Text:NOT GIVEN

Vapor Pres:2

Vapor

Density:NOT GIVEN

Spec Gravity:0.9

Evaporation Rate & Reference:NOT GIVEN

Solubility in Water:NEGLIGIBLE

Appearance and Odor:RED COLOR LIQUID, MILD ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING AGENTS

Stability Condition to Avoid:HEAT & OPEN FLAME

Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods:KEEP PRO

DUCT OUT OF SEWERS & WATERCOURSES.

DISPOSAL SHOULD BE IN COMPLIANCE WITH FEDERAL, STATE & LOCAL LAWS.

COMBUSTIBLE LIQUID.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.