

LOCTITE CORP -- PST PIPE SEALANT WITH TEFLON(R) 567 THREAD

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 01-166-0675
MSDS Date: 07/18/1996
MSDS Num: CCJBB
Product ID: PST PIPE SEALANT WITH TEFLON(R) 567 THREAD
MFN: 01
Responsible Party
Cage: 7K128
Name: LOCTITE CORP
Address: 705 NORTH MOUNTAIN RD
City: NEW
INGTON CT 06111-1411
Info Phone Number: 203-278-1280
Emergency Phone Number: 203-278-1280
Preparer's Name: STEPHEN REPETTO
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MT RD
City: NEWINGTON CT 06111
Phone: 312-689-6200
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-51
00

=====
Item Description Information
=====

Item Manager: GSA
Item Name: SEALING COMPOUND
Specification Number: UNKNOWN
Unit of Issue: TU
Quantitative Expression: 00000000050ML
UI Container Qty: 0
Type of Container: TUBE

=====
Ingredients
=====

Cas: 39382-25-7
Name: BISPHENOL A FUMARATE RESIN
% Wt

: 30-35
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 25852-47-5
Name: POLYGLYCOL DIMETHACRYLATE
% Wt: 20-25
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 13463-67-7
RTECS #: XR2275000
Name: TITANIUM DIOXIDE
% Wt: 3-5
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 15 MG/M3 TDUST
ACGIH TLV: 10 MG/M3 TDUST; 9293

Cas
: 9004-81-3
RTECS #: TQ8701000
Name: POLYGLYCOL LAURATE
% Wt: 20-25
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 9002-88-4
RTECS #: TQ3325000
Name: POLYETHYLENE
% Wt: 5-10
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 116-14-3
RTECS #: KX4025000
Name: POLYTETRAFLUOROETHYLENE
% Wt: 5-10
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED

SHED
ACGIH TLV: NOT ESTABLISHED

Cas: 80-15-9
RTECS #: MX2450000
Name: 1-METHYL-1-PHENYLETHYL HYDROPEROXIDE (CUMENE HYDROPEROXIDE) (SARA 313)
(CERCLA)
% Wt: 1-3
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
EPA Rpt Qty: 10 LBS
DOT Rpt Qty: 10 LBS

Cas: 613-48-9
Name: N,N-DIALKYL TOLUIDINE
% Wt: 1-3
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 81-07-2
RTECS #: DE4200000
Name: SACCHARIN (SARA 313) (CERCLA)
% Wt: 1-3
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
EPA Rpt Qty: 100 LBS
DOT Rpt Qty: 100 LBS

Cas: 112945-52-5
RTECS #: VV7310000
Name: SILICA, AMORPHOUS (FUMED)
% Wt: 1-3
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 6 MG/M3
ACGIH TLV: 10 MG/M3

Cas: 25068-38-6
RTECS #: SL6475000
Name: BISPENOL A-EPIC

HLOROHYDRIN COPOLYMER

% Wt: .1-1

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED

ACGIH TLV: NOT ESTABLISHED

Health Hazards Data

LD50 LC50 Mixture: ORAL LD50 (RAT) IS >10,000 MG/KG.

Route Of Entry Inds - Inhalation: NO

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: MODERATE EYE IRRITANT.

Explanation Of Carcinogenicity: NONE

SPECIFIED BY MANUFACTURER.

Signs And Symptions Of Overexposure: MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS.

Medical Cond Aggravated By Exposure: NONE KNOWN.

First Aid: INGESTION-DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION. INHALATION-DOES NOT APPLY. SKIN-WASH WITH WATER. EYE-FLUSH AT LEAST 15 MINUTES WITH WATER. OBTAIN MEDICAL ATTENTION.

Handling and Disposal

Spill Release Procedures: SOAK UP IN AN INERT ADSORBENT. STORE IN A PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: INCINERATE FOLLOWING EPA AND LOCAL REGULATIONS.

Handling And Storage Precautions: STORE BELOW 100F. AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM EYES.

Other Precautions: SERVICE 1-800-243-4874 FOR SHELF LIFE INFORMATION.

Fire and Explosion Hazard Information

Flash Point Method: TCC

Flash Point Text: >200F,>93C

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures: NONE SPECIFIED BY MANUFACTURER.

Unusual Fire/Explosion Hazard: NONE.

Control Measures

Respiratory Protection: NONE SPECIFIED BY MANUFACTURER.

Vent

ilation: DOES NOT APPLY.

Protective Gloves: RUBBER OR PLASTIC GLOVES.

Eye Protection: SAFETY GLASSES OR GOGGLES.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: WASH AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health: NONE.

=====
Physical/Chemical Properties
=====

HCC: V7

B.P. Tex

t: >300F,>149C

Decomp Text: UNKNOWN

Vapor Pres: <5 MMHG

Spec Gravity: 1.14 @ 80F

Solubility in Water: SLIGHT

Appearance and Odor: WHITE PASTE. MILD ODOR.

Percent Volatiles by Volume: 8.6

Corrosion Rate: UNKNOWN

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: NONE.

Hazardous Decomposition Products: IRR

ITATING ORGANIC VAPORS.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Transportation Information
=====

Responsible Party Cage: 7K128

Trans ID NO: 112499

Product ID: P

ST PIPE SEALANT WITH TEFLON(R) 567 THREAD

MSDS Prepared Date: 07/18/1996

Review Date: 11/21/1996

MFN: 1

Net Unit Weight: 2.1 OZ

AF MMAC Code: NR

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: TU

Container QTY: 0

Type Of Container: TUBE

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
HAZCOM Label
=====

Product ID: PST PIPE SEALANT WITH TEFLON(R) 567 THREAD

Cage: 7K128

Company Name: LOCTITE CORP

Street: 705 N MT RD

City: NEWINGTON CT

Zipcode: 06111

Health Emergency Phone: 203-278-1280

Date Of Label Review: 11/21/1996

Status Code

: C
Label Date: 11/21/1996
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Health Hazard: None
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None

Hazard And Precautions: MODERATE EYE IRRITANT. STORE BELOW 100F. AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM EYES. NONE. IN CASE OF SPILL: SOAK UP IN AN INERT ADSORBENT. STORE IN A PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL. FIRST AID: INGESTION-DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION. INHALATION-DOES NOT APPLY. SKIN-WASH WITH WATER. EYE-FLUSH AT LEAST 15 MINUTES WITH WATER. OBTAIN MEDICAL ATTENTION.

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.