

VICTOR AUTOMOTIVE PRODUCTS INC -- BATTERY WASHERS -- 5330-01-217-1854

=====  
Product Identification  
=====

Product ID: BATTERY WASHERS

MSDS Date: 09/25/1989

FSC: 5330

NIIN: 01-217-1854

MSDS Number: CCJBQ

=== Responsible Party ===

Company Name: VICTOR AUTOMOTIVE PRODUCTS INC

Address: 3512 N. KOSTNER

City: CHICAGO

State: IL

ZIP: 60641

Country: US

Info Phone Num: 312-298-8870

Emergency Phone Num: 517-463-1164

CAG

E: 0YE50

=== Contractor Identification ===

Company Name: BALKAMP INC

Address: 2601 S HOLT ROAD

Box: City: INDIANAPOLIS

State: IN

ZIP: 46241

Country: US

Phone: 317-244-7241

CAGE: 70842

Company Name: NAPA, A DIVISION OF LINCOLN AUTOMOTIVE

Address: ONE LINCOLN WAY

Box: City: ST. LOUIS

State: MO

ZIP: 63120-1578

Country: US

Phone: 414-255-5520

CAGE: 050Q3

Company Name: VICTOR AUTOMOTIVE PRODUCTS INC

Address: 501 S WOLF RD

Box: City: DES PLAINES

State: IL

ZIP: 60016

Country: US

Phone: 800-423-4201

CAGE: 0YE50

=====  
Com

position/Information on Ingredients =====

Ingred Name:DISTILLATES, HYDRODESULFURIZED MIDDLE; (MINERAL SEAL OIL)

CAS:64742-80-9

RTECS #:JN9202000

Other REC Limits:NONE RECOMMENDED

Ingred Name:PARAFFINS

Fraction by Wt: 57.0%

Other REC Limits:NONE RECOMMENDED

Ingred Name:OLEFINS

Fraction by Wt: 1.4%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:AROMATICS

Fraction by Wt: 15.6%

Other REC Limits:NONE RECOMMENDED

Ingred Name:NAPHTHE

NES

Fraction by Wt: 26.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHAL:HEADACHE & STUPOR. SKIN:IRRIT.

EYES:BLURRING, WATERING & IRRIT. INGEST:NAUSEA, VOMITING. DO NOT  
INDUCE VOM

ITING. GET MED ATTN.

Explanation of Carcinogenicity:CARCINOGENICITY:NONE.

Effects of Overexposure:HEADACHE, STUPOR, SKIN IRRIT, BLURRING OF EYES,  
WATERING, IRRIT. NAUSEA, VOMITING.

Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:INHAL:MOVE TO VAPOR-FREE AREA. SKIN:WASH W/SOAP/WATER.

EYES:FLUSH W/COPIOUS AMTS OF WATER. INGEST:GET MED ATTN. DO NOT  
INDUCE VOMIT.

===== Fire Fighting Measure

S =====

Flash Point Method:COC

Flash Point:265F,129C

Autoignition Temp:Autoignition Temp Text:NP

Lower Limits:0.7

Upper Limits:5.0

Extinguishing Media:COW, FOG, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:AVOID USE OF WATER.

Unusual Fire/Explosion Hazard:WILL REACT W/STRONG OXIDZING AGENTS.

===== Accidental Release Measures =====

Spill Release Procedures:NO SPILLAGE OR RELEASING WILL OCCUR AS THE CHEMICAL IS PART OF THE WASHER.

Neutralizing Agent:

NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HIGH TEMPERATURES OR OPEN FLAME.

Other Precautions:PRODUCT IS NOT BIODEGRADABLE & SHOULD NEVER BE DISPOSED OF IN A DRAIN GOING TO SEWER. IT DOES CONTAIN AN OIL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED.

Ventilation:LOC EXHAU:UNLIKELY BUT SHOULD BE USED IF AN EXTREMELY LARGE

AMOUNT OF THE WASTERS ARE PRESENT IN UNPAKAGED STATE.

Work Hygienic Practices:WASH HANDS IF SKIN CONTACT HAS BEEN MADE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:470F,243C

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NP

Vapor Pres: