MET-L-CHEK COMPANY -- FP-97A(M) PENETRANT -- 6850-01-306-1383

Product ID:FP-97A(M) PENETRANT MSDS Date:01/01/1997 FSC:6850 NIIN:01-306-1383 **MSDS Number: CCJFG** === Responsible Party === Company Name: MET-L-CHEK COMPANY Address:1639 EUCLID ST **City:SANTA MONICA** State:CA ZIP:90404-3770 Country:US Info Phone Num:310-450-1111 Emergency Phone Num:310-450-1111 Chemtrec I nd/Phone:(800)424-9300 CAGE:98733 === Contractor Identification === Company Name:MET-L-CHEK COMPANY Address:1639 EUCLID ST Box:00000 **City:SANTA MONICA** State:CA ZIP:90404 Country:US Phone:310-450-1111/FAX 310452-4046 Contract Num:SP0450-99-M-C174 CAGE:98733 Company Name:MET-L-CHEK COMPANY Address:1639 EUCLID ST Box:00000 **City:SANTA MONICA** State:CA ZIP:90404 Country:US Phone:310-450-1111/FAX 310452-4046 Contract Num:SP0450-99-M-C922 CAGE:98733 Company Name:MET-L-CHEK COMPANY Address:1639 EUCLID ST

Box:00000 **City:SANTA MONICA** State:CA ZIP:90404 Country:US Phone:310-450-1111/FAX 310452-4046 Contract Num:SP0450-99-M-NA71 CAGE:98733 Company Name:MET-L-CHEK COMPANY Address:1639 EUCLID ST Box:00000 **City:SANTA MONICA** State:CA ZIP:90404 Country:US Phone:310-450-1111/FAX 310452-4046 Contract Num:SP0450-99-M-NE19 CAGE:98733 Company Name:MET-L-CHEK COMPANY Address:1639 EUCLID ST Box:00000 **City:SANTA MONICA** State:CA ZIP:90404 Country:US Phone:310-450-1111/FAX 310452-4046 Contract Num:SP0450-99-M-NF3 4 CAGE:98733 Ingred Name: PETROLEUM HYDROCARBON, SEVERELY HYDROTREATED MIDDLE DISTILLATE

CAS:64742-46-7 RTECS #:JN9379645 Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Heal th Hazards Acute and Chronic:EYE CONTACT - PRESUMED NON-IRRITATING. SKIN CONTACT - SLIGHTLY IRRITATING. INHALATION - VAPORS OR OIL MIST MAY CAUSE MILD IRRITATION OF UPPER RESPIRATORY TRACT. INGESTION - MAY RESULT IN VOMITING. AS PIRATION MUST BE AVOIDED. Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.

Effects of Overexposure:SKIN CONTACT - SLIGHTLY IRRITATING. INGESTION - MAY RESULT IN VOMITING.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN AND RESPIRATOR Y

DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

First Aid:EYES: FLUSH WITH WATER. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR.PROVIDE OXYGEN IF BREATHING DIFFICULT. INGESTION: DO NOT INDUCE VOMITING. GET MEDI CAL ATTENTION.

Flash Point Method:COC Flash Point:=98.9C, 210.F Extingui shing Media:USE WATER FOG, FOAM, DRY CHEMICAL OR CARBON DIOXIDE (CO2). DO NOT USE DIRECT STREAM OF WATER. Fire Fighting Procedures:MATERIAL WILL NOT BURN UNLESS PREHEATED. DO NOT ENTER CONFINED FIRE-SPACE WITHOUT FULL BUNKER GEAR, INCLUDING A POSITIVE PRESSURE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures:SOAK UP WITH AN ABSORBENT SUCH AS CLAY, S AND

OR OTHER SUITABLE MATERIAL. DISPOSE OF IN ACCORDANCE WITH FEDERAL AND STATE REGULATIONS FOR OIL RESIDUE. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: KEEP AWAY FROM HEAT, OPEN FLAMES AND OXIDIZING MATERIALS. AVOID CONTACT WITH SKIN AND EYES. Other Precautions: NONE SPECIFIED BY MANUFACTURER.

======= Exposure Controls/Personal Protection ==========

Respiratory P

rotection: IF EXPOSURE EXCEEDS TLV, USE NIOSH APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE. Ventilation: LOCAL EXHAUST/GENERAL MECHANICAL VENTILATION: TO MAINTAIN TLV. SPECIAL/OTHER: NONE. Protective Gloves: CHEMICAL RESISTANT TO MININIZE SKIN CONTACT. Eye Protection: NO SPECIAL PROTECTION REQUIRED. Other Protective Equipment: AS REQUIRED TO MINIMIZE SKIN CONTACT. Work Hygienic Practices: MINIMIZE SKIN CONTACT. WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET. Suppl emental Safety and Health NONE SPECIFIED BY MANUFACTURER. HCC:V6 Boiling Pt:>204.4C, 400.F Melt/Freeze Pt:=-59.4C, -75.F Spec Gravity:0.86 (ABOUT) Solubility in Water: INSOLUBLE Appearance and Odor:YELLOW-GREEN LIQUID, SLIGHT HYDROCARBON ODOR Stability Indicator/Materials to Avoid:YES **OXIDIZING MATERIALS.** Stability Condition to Avoid:HEAT, OPEN FLAMES, AND O **XIDIZING** MATERIALS. Hazardous Decomposition Products: CAN PRODUCE CARBON MONOXIDE AND OTHER UNIDENTIFIED ORGANIC COMPOUNDS. Conditions to Avoid Polymerization: HEAT, OPEN FLAMES, AND OXIDIZING MATERIALS. Toxicological Information:NONE SPECIFIED BY MANUFACTURER. Ecological:NONE SPECIFIED BY MANUFACTURER.

======= Disposal Consideration

Waste Disposal Methods:PLACE IN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL REGULATIONS.

Transport Information:NONE SPECIFIED BY MANUFACTURER.

SARA Title III Information: THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND CO MMUNITY RIGHT-TO-KNOW ACT OF 1986 AND 40 CFR 372: NONE.

Federal Regulatory Information: NONE SPECIFIED BY MANUFACTURER.

State Regulatory Information:CALIFORNIA PROPOSITION 65 NOTICE:

DETECTABLE AMOUNTS OF SOME CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM MAY BE FOUND IN VARIOUS PRODUCTS YOU PURCH ASE FROM MET-L-CHEK, IN THEIR VAPORS OR MAY RESULT FROM THEIR USE. READ AND FOLLOW LABEL DIRECTIONS & INFORMATION GIVEN ON MA

TERIAL SAFETY DATA SHEETS,

AND USE CARE WHEN HANDLING OR USING ALL NON-DESTRUCTIVE TEST CHEMICAL PRODUCTS. FOR FURTHER INFORMATION, CONTACT THE MET-L-CHEK COMPANY, 1 639 EUCLID STREET, SANTA MONICA, CA.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.