

FUJISAWA USA, INC (LYPHOMED, INC) -- CEFAZOLIN SODIUM -- 6505-01-361-5939

=====  
Product Identification  
=====

Product ID:CEFAZOLIN SODIUM

MSDS Date:01/01/1994

FSC:6505

NIIN:01-361-5939

MSDS Number: CCJGF

=== Responsible Party ===

Company Name:FUJISAWA USA, INC (LYPHOMED, INC)

Address:3 PARKWAY NORTH

City:DEERFIELD

State:IL

ZIP:60015-2548

Country:US

Info Phone Num:708-317-8800 (MEDICAL 317-8202)

Emergency Phone Num:708-317-8800, 800-727-7003

Preparer's Name:CHRISTINA J. BARRINGTON

CAGE:39832

=== Contractor Identification ===

Company Name:FUJISAWA USA, INC

Address:3 PKY N

Box:City:DEERFIELD

State:IL

ZIP:60015-2548

Country:US

Phone:847-317-1256

CAGE:39832

=====  
Composition/Information on Ingredients  
=====

Ingred Name:CEFAZOLIN SODIUM

CAS:25953-19-9

Fraction by Wt: 100.0%

Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

=====

LD50 LC50 Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:THIS PRODUCT IS INTENDED FOR

THERAPEUTIC USE ONLY WHEN PRESCRIBED BY A PHYSICIAN. POTENTIAL ADVERSE REACTIONS FROM PRESCRIBED DOSES & OVERDOSES ARE DESCRIBED IN THE PACKAGE INSERT. OCCUPATIONAL EXPOSURE HAS NOT BEEN FULLY INVESTIGATED.

Explanation of Carcinogenicity:MFR GAV

THE ABOVE LISTINGS ON THE MSDS

BUT NO OTHER COMMENTS ABOUT CARCINOGENICITY WERE RECORDED.

Effects of Overexposure:THIS PRODUCT IS INTENDED FOR THERAPEUTIC USE

ONLY WHEN PRESCRIBED BY A PHYSICIAN. POTENTIAL ADVERSE REACTIONS FROM PRESCRIBED DOSES & OVERDOSES ARE DESCRIBED IN THE PACKAGE INSERT. OCCUPATIONAL EXPOSURE HAS NOT BEEN FULLY INVESTIGATED.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN AND RESPIRATORY CONDITIONS.

===== First Aid Measures

=====

First Aid:IF ANY IRRITATION PERSISTS OR SEVERE, GET MEDICAL ATTENTION.

EYE:FLUSH W/WATER FOR 15 MIN. SKIN:WASH W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LAUNDRY BEFORE REUSE. INHALED:REMOVE TO FRESH AIR. AID OR RESTORE BREATHING AS NEEDED. INGESTED:FLUSH MOUTH OUT W/WATER IMMEDIATELY. SEEK MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:COMBUST. POWDER

Autoignition Temp:Aut

ignition Temp Text:NE

Lower Limits:NE

Upper Limits:NE

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE OR FOAM AS APPROPRIATE

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:WHEN HEATED TO DECOMPOSITION IT EMITS TOXIC FUMES. TOXIC FUMES OF NOX & SOX.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT. USE ABS



=====

Stability Indicator/Materials to Avoid: YES  
MFR GAVE NO INFORMATION OF MSDS.  
Stability Condition to Avoid: PROTECT FROM FREEZING. FACTURER.  
Hazardous Decomposition Products: TOXIC FUMES OF NOX AND SOX.  
Conditions to Avoid Polymerization: WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF I/A/W FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information  
is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.