View NSN Online: https://aerobasegroup.com/nsn/8030-00-081-2336

CHEMENCE, INC. -- ANAEROBIC COMPOUNDS SEALING LOCKING & RETAINING MIL-S-22473E -- 8030-00-081-2336

Product ID:ANAEROBIC COMPOUNDS SEALING LOCKING & RETAINING MIL-S-22473E

MSDS Date:02/26/1996

FSC:8030

NIIN:00-081-2336 MSDS Number: CCJPL

=== Responsible Party === Company Name: CHEMENCE, INC.

Address:6425 INDUSTRIAL WAY 9 MCFARLAND IND PARK

City:ALPHARETTA

State:GA

ZIP:30201 Country:US

Info Phone Num:404-664-6624/FAX 664-6620

Emergency Phone Num:404-664-6624

Preparer's Name: JAY TATE

CAGE:JO969

=== Contractor Identification === Company Name: CHEMENCE INC Address: 6425 INDUSTRIAL WAY

City:ALPHARETTA

State:GA ZIP:30201 Country:US

Phone: 404-664-6624

CAGE:0ZDS4

Company Name: CHEMENCE, INC.

Address:6425 INDUSTRIAL WAY 9 MCFARLAND IND PARK

Box:City:ALPHARETTA

State:GA ZIP:30201 Country:US

Phone: 404-664-6624/FAX 664-6620

CAGE:JO969

====== Composition/Inform

ation on Ingredients =======

Ingred Name: POLYGLYCOL DIMETHACRYLATE

CAS:25852-47-5 Fraction by Wt: 78.0%

Other REC Limits: NONE RECOMMENDED

Ingred Name: CUMENE HYDROPEROXIDE (SARA 313) (CERCLA)

CAS:80-15-9

RTECS #:MX2450000 Fraction by Wt: 3.0%

Other REC Limits: NONE RECOMMENDED

EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name: SACCHARIN (SARA 313) (CERCLA)

CAS:81-07-2

RTECS #:DE4200000 Fraction by Wt: 3.0%

Other REC Limits: NONE RECOMMENDED

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred N

ame:N,N-DIALKYLTOLUIDINE

CAS:613-48-9

Fraction by Wt: 1.0%

Other REC Limits: NONE RECOMMENDED

Ingred Name: VOC = 132G/L

RTECS #:9999999VO Fraction by Wt: NA

Other REC Limits: NONE RECOMMENDED

OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

Ingred Name: BISPHENOL A FUMARATE

CAS:39382-25-7 Fraction by Wt: 15.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:NONE ACGIH TLV:NONE

=========== Hazards Identification ===============

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Repor

ts of Carcinogenicity:NTP:NO TARC:NO OSHA:NO Health Hazards Acute and Chronic:PROLONGED SKIN CONTACT MAY RESULT IN DERMATITIS IN SENSITIVE PEOPLE. WILL IRRITATE EYES ON CONTACT.
======================================
First Aid:SKIN: WASH W/SOAP & WATER. EYES: FLUSH W/PLENTY OF WATER. INGESTION: DO NOT INDUCE VOMITING. CONTACT DR.
======================================
Flash Point Method:COC Flash Point:>212F,>100C Autoign
tion Temp:Autoignition Temp Text:NA Lower Limits:NA
Upper Limits:NA Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER Fire Fighting Procedures:USE SCBA.
Unusual Fire/Explosion Hazard:IRRITATING ORGANIC VAPORS.
========= Accidental Release Measures ============
Spill Release Procedures:SOAK UP W/INERT ABSORBENT.
======================================
Handling and Storage Precautions:STORE IN A COOL DRY PLACE & OUT OF DIRECT SUNLIGHT. Ot
ner Precautions:KEEP AWAY FROM CHILDREN.
====== Exposure Controls/Personal Protection =========
Respiratory Protection:NONE NEEDED FOR NORMAL USE. Ventilation:MECHANICAL VENTILATION NOT NORMALLY REQUIRED. ENSURE ADEQUATE ROOM VENTILATION FOR COMFORTABLE WORKING CONDITIONS. Protective Gloves:POLYETHYLENE OR RUBBER GLOVES Eye Protection:SAFETY GLASSES Other Protective Equipment:BARRIER CREAMS RECOMMENDED
Supplemental Safety and Health NK
======================================

operties =========
Boiling Pt:B.P. Text:>400F,>204C Melt/Freeze Pt:M.P/F.P Text:NA Decomp Temp:Decomp Text:NA Vapor Pres:0.01 Vapor Density:1.01 Spec Gravity:1.1 pH:NA Viscosity:100-250 CPS Evaporation Rate & Reference:VERY LOW Solubility in Water:INSOLUBLE Appearance and Odor:RED, MILD ORGANIC ODOR. Percent Volatiles by Volume:12.0 Corrosion Rate:NONE
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES AVOID CONTAMINATI ON. Stability Condition to Avoid:TEMPERATURES IN EXCESS OF 150F. Hazardous Decomposition Products:NONE
======= Disposal Considerations ===========
Waste Disposal Methods:LANDFILL OR INCINERATE IN ACCORDANCE W/EPA & LOCAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, wa rrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.