View NSN Online: https://aerobasegroup.com/nsn/6850-00-177-5094

Product ID:VISILOX V-724 MSDS Date:10/26/1996 FSC:6850 NIIN:00-177-5094 MSDS Number: CCJQV === Responsible Party === Company Name: RHONE-POULENC INC Address:125 BLACK HORSE LN Box:125 **City:MONMOUTH JUNCTION** State:NJ ZIP:08852 Country:US Info Phone Num:201-821-3586 Emergency Phone Num:201-821-3586 CAGE:0A5D1 = == Contractor Identification === Company Name:NORTH AMERICAN CARBON INC. Address: ELK RUN AVE Box:436 City:PUNXSUTAWNEY State:PA ZIP:15767 Country:US Phone:814-938-7450 CAGE:41629 Company Name: RHONE-POULENC INC Address:125 BLACK HORSE LN Box:125 **City: MONMOUTH JUNCTION** State:NJ ZIP:08852 Country:US Phone:201-821-3586 CAGE:0A5D1 Company Name: THE SMITH GROUP INC. Address:811 E. CAYUGA STREET Box:City:PHILADELPHIA State:PA ZIP:19124-3893 Country:US Phone:215-743-8200 CAGE:2B613

====== Compos

ition/Information on Ingredients ===========

Ingred Name:POLY (DIMETHYLSILOXANE);DIMETHYLPOLYSILOXANE FLUID CAS:63148-62-9 RTECS #:JJ6484500 Fraction by Wt: 90-95% Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICA, AMORPHOUS TREATED CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: 5-10% Other REC Limits:NONE RECOMMENDED OSHA PEL:6 MG/M3 ACGIH TLV:10 MG/M3

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of En try: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYE: SLIGHTLY IRRIT. MAY CAUSE REDNESS, IRRIT.SKIN:NON-IRRIT.LOW ACUTE DERM TOXICITY.INHAL:NOT LIKELY.INGEST:LOW ACUTE ORAL TOXICITY.UNDER CERTAIN CONDITIONS PRODUCT MAY GENERATE FORMALDEHYDE AS BYPRODUC T OF OXIDATIVE THERM DECOMPO.FORMALDEHYDE LISTED AS POTENTIAL HUMAN CARC BY IARC/OSHA/ACGIH. Explanation of Carcinogenicity:PER MSDS:PRODUCT DOESNT C **ONTAIN ANY** INGRED DESIGNIATED BY IARC/NTP/ACGIH/OSHA AS PROBABLE OR SUSPECTED HUMAN CARCINOGENS Effects of Overexposure:SLIGHT EYE IRRIT, REDNESS. Medical Cond Aggravated by Exposure:NO SPECIFIC INFORMATION FOUND.

First Aid:EYE:IMMED ABSORB EXCESS W/CLEAN ABSORBENT CLOTH/COTTON.HOLD EYELIDS OPN,FLUSH W/STEADY GENTLY STREAM OF H2O FOR @LEAST 15MINS.IRRIT DVLPS/PERSIST/VISUAL CHANGES OCCUR SEEK MED ATTN.SKIN: IMMED WIPE EXC ESS MATL OFF W/DRY CLOTH.WASH W/PLENTY OF SOAP/H2O.IRRIT DVLPS/PERSIST SEEK MED ATTN.INHAL:NOT EXPECTED ROUTE OF EXPO.RESP IRRIT/DISTRESS OCCURS REMOVE TO FRESH AIR.CONTINUES SEEK MED ATTN.INGEST(SUP)

Flash Point Method:COC Flash Point:500F.260C Autoignition Temp:Autoignition Temp Text:NP Lower Limits:NO DATA Upper Limits:NO DATA Extinguishing Media: DRY CHEMICAL, FOAM, CARBON DIOXIDE. **Fire Fighting** Procedures: FIREFIGHTERS SHOULD WEAR NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE CLOTH.COOL CONTAINERS EXPOSED TO FRIE W/WATER. Unusual Fire/Explosion Hazard: PRODUCT WILL BURN UNDER FIRE CONDITIONS. FLAMMABILITY CLASS: WILL BURN. Spill Release Procedures: WEAR APPROP PROT GEAR FOR SITUATION.SEE PERSONAL PROT INFO.CAUT: SPILL MATL MAY MAKE FLOOR SLIPPERY.DONT LEAVE TRACES OF PROD ON FLOORS/LADDERS/ETC-SLIPPING HAZ.ABSORB W/INERT ABSORBENT.SCRAPEUP/PLACE IN APPPR CLSD CNTNR.CLEANUP RESIDUE W/APPRO(NEUTR)

Neutralizing Agent:SPILL:SOLVT(PAINT THINNER,MINERAL SPIRITS)PROVIDED THERES GOOD VENTI/NO IGN SOUR

Handling and Storage Precautions:MIN/MAX STORAGE TEMPS: