View NSN Online: https://aerobasegroup.com/nsn/8010-01-380-2362

NILES CHEMICAL PAINT CO -- N-6487B GREEN PRIMER: PART B -- 8010-01-380-2362

Product ID:N-6487B GREEN PRIMER: PART B

MSDS Date:01/10/1996

FSC:8010

NIIN:01-380-2362

Kit Part:Y

MSDS Number: CCKMC === Responsible Party ===

Company Name: NILES CHEMICAL PAINT CO

Address:225 FORT STREET

Box:307 City:NILES State:MI ZIP:49120 Country:US

Info Phone Num:616-683-3377

Emergen

cy Phone Num:219-236-5856

Preparer's Name: MIKE LICHATOWICH

CAGE:02388

=== Contractor Identification ===

Company Name: NILES CHEMICAL PAINT

Address:225 FORT STREET

Box:307 City:NILES State:MI ZIP:49120 Country:US

Phone:616-683-3377/219-236-5856

CAGE:02388

======= Composition/Information on Ingredients ========

Ingred Name: EPOXY RESIN

CAS:25068-38-6 RTECS #:KC2100000 Fraction by Wt: 43.0%

Other REC Limits: NONE RECOMMENDED

Ingred Name:TALC CAS:14807-96-6 RTECS #:MW2700000

Fraction by

Wt: 24.0%

Other REC Limits: NONE RECOMMENDED

Ingred Name:PROPRIETARY INGREDIENTS (MFR STATES UNIDENTIFIED

INGREDIENTS NOT CONSIDERED HAZARDOUS UNDER FEDERAL HAZARD COMM

REGS)

Fraction by Wt: BALANCE

Other REC Limits: NONE RECOMMENDED

Ingred Name:#100 SOLVENT (VP = 4.4 @ 20C)

CAS:64742-95-6 Fraction by Wt: 17.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:NOT EST. ACGIH TLV:50 PPM

Ingred Name:POLYAMIDE

Fraction by Wt: 1.0%

Other REC Limits: NONE RECOMMENDED

Ingred Name: VOC = 2.08 LBS/GL

RTECS #:9999999VO

Other REC Limits: NONE RECOMMENDED

OSHA PEL:NOT EST.

Ingred Name: ALUMINUM SILICATE

CAS:1332-58-7

RTECS #:GF1670500 Fraction by Wt: 13.0%

Other REC Limits: NONE RECOMMENDED

========= Hazards Identification ===========

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE:SEVERE

IRRIT, LACRIMATION, REDNESS, BLURRED VISION. SKIN: REDNESS & IRRIT, DEFATTING LEAD

ING TO DERMATITIS. INHAL:NASAL & RESPIRATORY IRRIT.

CNS DEPRESSION (DIZZY,DROWSY,WEAK,FATIGUE,CONFUSION) NAUSEA, HEADACHE, VERTIGO, UNCONSCIOUSNESS, ASPHYXIATION. INGEST:GI IRRIT, ABDOMINAL PAIN, NAUSEA, VOMITTING, DIARREA.

Effects of Overexposure: DUST MAY CAUSE PNUEMOCONIOSIS & PLEURAL THICKENING. TARGET ORGANS: LUNGS.

Medical Cond Aggravated by Exposure: NONE KNOWN

First Aid:INHAL: MOVE TO FRESH AIR IMMED. IF

RESP. GET MED AID ASAP. SKIN: IMMED FLUSH W/PLENTY WATER. IF MAT'L PENETRATES CLOTH, IMMED REMOVE CONTAM CLOTHING & FLUSH SKIN W/WATER.GET MED AID. EYE: IMMED FLUSH W/WATER AT LEAST 15 MIN, LIFTING LIDS. GET MED AID IMMED. INGEST: DRINK 1-2 GLASSES OF WATER, DONT INDUCE VOMIT. CALL DR/POISON CONTROL IMMED. TREAT SYMPTOMATICALLY. Flash Point Method:TCC Flash Point:113F,45C Α utoignition Temp: Autoignition Temp Text: NE Lower Limits: 1.0 Upper Limits:0.0 Extinguishing Media: DRY CHEMICAL, FOAM, CO2 Fire Fighting Procedures: WEAR SCBA W/FULL FACEPIECE (POSITIVE PRESSURE MODE) & FULL PROTECT CLOTH. USE WATER TO COOL CLOSED CNTNR TO PREVENT PRESSURE BLDUP/AUTO IGNIT/EXPLOSION W/HEAT. Unusual Fire/Explosion Hazard: KEEP CNTNR CLSD. VAPOR HEAVY, TRAVEL ON GRND TO IGNIT.KEEP FROM HEAT/IGNIT.CLSD CNTNR EXPLODE W/HEAT.APPLIC TO HOT SRFCS REQ SPCL CAUTN.DECOMP PRODUCT -HEALTH HZD. ======== Accidental Release Measures ============ Spill Release Procedures: ELIMINATE IGNIT SOURCES. MINIMIZE BREATHING VAPOR/AVOID SKIN CONTACT.ABSORB W/INERT MAT'L (CLAY, SOIL, COMMERCL ABSORBNT) . SMALL: SHOVEL RECLAIMED LIQ/ABSORBENT INTO RECOVERY/SALVAGE DRUMS. LARGE: DIKE .RECLAIM INTO RECOVERY/SALVAGE DRUMS ORTANK TRUCK. ============= Handling and Storage ========================== **TEMPERATURE** AREAS OR NEAR FIRE OR OPEN FLAME. KEEP CONTAINERS CLOSED WHEN NOT IN USE. AVOID ROUGH HANDLING. Other Precautions: CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN

Handling and Storage Precautions: AVOID STORAGE IN HIGH

BREATH STOPPED, GIVE ARTIF

EMPTY. DO NOT WELD OR FLAME CUT ON EMPTY DRUMS. SHOCK FROM DROPPING MAY SPLIT CONTAINERS.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: WEAR APPROPRIATE (TYPE TC-23C-75) FITTED HALF-MASK OR FULL FACEPIECE RESPIRATOR DURING/AFTER APPLICATION **UNLESS AIR**

MONITORING DEMONSTRATES VAPOR LEVELS BELOW APPLICABLE LIMITS. FOLLOW RESPIRATOR MANU FACTURER'S DIRECTIONS FOR USE. Ventilation: KEEP CONCEN