

ECOLAB INC., INSTITUTIONAL PRODUCTS DIVISION -- BEHOLD (AEROSOL) -- 7930-01-380-8437

=====
Product Identification
=====

Product ID:BEHOLD (AEROSOL)

MSDS Date:03/20/1995

FSC:7930

NIIN:01-380-8437

MSDS Number: CCKNT

=== Responsible Party ===

Company Name:ECOLAB INC., INSTITUTIONAL PRODUCTS DIVISION

Address:370 WABASHA STREET

City:ST. PAUL

State:MN

ZIP:55102-1307

Country:US

Info Phone Num:800-352-53

26

Emergency Phone Num:800-328-0026/NOT IN US 612-292-4064

CAGE:DO852

=== Contractor Identification ===

Company Name:ECOLAB INC., INSTITUTIONAL PRODUCTS DIVISION

Address:370 WABASHA STREET

City:ST. PAUL

State:MN

ZIP:55102-1307

Country:US

Phone:612-293-2233

CAGE:DO852

Company Name:ECOLAB PROFESSIONAL PRODUCTS DIVISION OF ECOLAB INC.

Address:ECOLAB CENTER

Box:City:ST PAUL

State:MN

ZIP:55102

Country:US

Phone:800-352-5326

CAGE:85884

=====
Composition/Information on Ingredients
=====

==

Ingred Name:HEAVY NAPHTHA
CAS:64742-48-9
Fraction by Wt: 15-25%
Other REC Limits:NONE RECOMMENDED

Ingred Name:ALKANES, C-3 C-4
CAS:68475-59-2
Fraction by Wt: 20.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1800 MG/M3
ACGIH TLV:ASPHYXIAN

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:DIRECT OR EXCESSIVE INHALATION MAY BE

HARMFUL. MAY CAUSE BREATHING DIFFICULTIES, DIZZINESS, HEADACHE,
UNCONSCIOUSNESS.

=====
===== First Aid Measures =====

First Aid:INHALATION: MOVE IMMEDIATELY TO FRESH AIR. IF BREATHING
DIFFICULT GIVE OXYGEN. IF IRRITATION OR DISCOMFORT PERSISTS CALL A
DR.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:75.0F,23.9C
Extinguishing Media:CO2, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:WATER MAY B
E INEFFECTIVE, MAY BE USED TO KEEP
FIRE-EXPOSED CONTAINERS COOL.
Unusual Fire/Explosion Hazard:CONTENTS UNDER PRESSURE. FLAMMABLE. TO
REDUCE FLAMMABILITY SHAKE WELL BEFORE USING. LEVEL 2 AEROSOL NFPA
30B-90.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. VENTILATE. AVOID
BREATHING VAPORS. REMOVE W/INERT ABSORBENT.

=====
===== Handling and Storage =====

Handling and Storage

Precautions:DO NOT SPRAY NEAR FIRE OR OPEN FLAME.

DON'T STORE ABOVE 120F. EXPOSURE TO SUNLIGHT/OTHER HEAT MAY CAUSE BURSTING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AVOID DIRECT INHALATION OF PRODUCT SPRAY/VAPORS.

Supplemental Safety and Health

PROPELLANT FLASH POINT = -150F

===== Physical/Chemical Properties =====

pH:NA

Solubility in Water:PARTIAL

Appearance and Odor:AEROSOL; CONCENTRATE: MILKY WHITE LIQ

UID, FRAGRANT

ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NK

Stability Condition to Avoid:DON'T SPRAY NEAR FIRE/OPEN FLAME. EXPOSURE TO SUNLIGHT OR OTHER HEAT MAY CAUSE BURSTING.

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT PUNCTURE OR INCINERATE CONTAINER. WRAP EMPTY CONTAINER IN NEWSPAPER. PUT IN TRASH.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.