View NSN Online: https://aerobasegroup.com/nsn/7930-01-418-1523

Product ID:SANI-T-10 MSDS Date:07/13/1993 FSC:7930 NIIN:01-418-1523 MSDS Number: CCLGD === Responsible Party === Company Name: SPARTAN CHEMICAL CO INC Address:110 N WESTWOOD AVE City:TOLEDO State:OH ZIP:43607-3340 Country:US Info Phone Num:419-531-5551 Emergency Phone Num:419-531-5551 Preparer's Name: THOMAS J. MITCHELL CAGE:23212 === Contractor Identification === Company Name: SPARTAN CHEMICAL CO INC. IPG INDUSTRIAL PRODUCTS GROUP Address:110 N WESTWOOD AVE Box:City:TOLEDO State:OH ZIP:43607 Country:US Phone:800-537-8990/419-531-5551 CAGE:23212

Ingred Name:N-ALKYL DIMETHYLBENZYL AMMONIUM CHLORIDE CAS:68391-01-5 Fraction by Wt: 5.0% Other REC Limits:NONE RECOMMENDED

Ingred Name:ALKYL DIMETHYL ETHYL BENZYL AMMONIUM CHLORIDE CAS:6

8956-79-6 Fraction by Wt: 5.0% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 ACUTE ORAL, RATS = >5.5 GM/KG Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:HARMFUL OR FATAL IF SWALLOWED. CONCENTRATED PRODUCT CAUSES SEVERE EYE AND SKIN DAMAGE. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING.

======= First

First Aid:EYE: IMMED FLUSH W/H20 >15 MIN. REMOVE CONTACT LENSES. CALL DR. SKIN: IMMED FLUSH W/H20 15 MIN. REMOVE/WASH CONTAM CLOTHES BEFORE REUSE. INGEST: DRINK MILK, EGG WHITES, GELATIN SOLUTION. IF NOT AVAILA BLE, DRINK LG AMTS H20, AVOID ALCOHOL. CALL DR. DR. NOTE: PROBABLY MUCOSAL DAMAGE MAY CONTRAINDICATE USE OF GASTRIC LAVAGE. MEASURES AGAINST CIRCULATORY SHOCK/RESP DEPRESSION/CONVULSION MAY BE NEEDED.

Flash Point Method:TCC Flash Point:NONE Lower Limits:NA Upper Limits:NA Extinguishing Media:NA Fire Fighting Procedures:NA

Spill Release Procedures: SMALL QUANTITIES MAY BE FLUSHED INTO SANITARY SEWER SYSTEM. LARGER QUANTITIES SHOULD BE CONTAINED.

Handling and Storage Precautions: KEEP FROM FREEZING. Other Prec

autions:NONE

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE REQUIRED. Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT FOR MOST CONDITIONS. LOCAL EXHAUST MAY BE NECESSARY FOR SOME OPERATIONS. Protective Gloves:RUBBER OR PLASTIC. Eye Protection:GOGGLES OR FACE SHIELD. Other Protective Equipment:NONE Supplemental Safety and Health NK

Boiling Pt:B.P. Text:210F,99C V apor Pres:17MMGH@75F Spec Gravity:0.992 pH:7-8 Evaporation Rate & amp; Reference: