View NSN Online: https://aerobasegroup.com/nsn/6850-00-294-0860

RHONE-POULENIC -- VISILOX V-711 -- 6850-00-294-0860

Product ID:VISILOX V-711 MSDS Date:10/26/1996

FSC:6850

NIIN:00-294-0860

MSDS Number: CCLQY === Responsible Party ===

Company Name: RHONE-POULENIC

Address: NORTH AMERICAN CHEMICALS ZONE

Box:7500

City:CRANBURY

State:NJ

ZIP:08512-7500

Country:US

Info Phone Num:800-334-7577/609-860-4000

Emergency Phone Num:800-334-75 77/800-424-9300(CHEMTREC)

CAGE:LO218

=== Contractor Identification ===
Company Name:RHONE-POULENIC

Address: NORTH AMERICAN CHEMICALS ZONE

Box:7500

City:CRANBURY

State:NJ

ZIP:08512-7500 Country:US

Phone:800-334-7577/609-860-4000

CAGE:LO218

Company Name: THE SMITH GROUP INC.

Address:811 E. CAYUGA STREET

Box:City:PHILADELPHIA

State:PA

ZIP:19124-3893 Country:US

Phone:215-743-8200

CAGE:2B613

====== Composition/Information on Ingredients ========

Ingred Name:POLY (DIMETHYLSILOXANE)

CAS:6

3148-62-9

RTECS #:JJ6484500 Fraction by Wt: 90 - 95%

Other REC Limits: NONE RECOMMENDED

Ingred Name: SILICA, AMORPHOUS (FUMED)

CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: 5 - 10%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:6 MG/M3 ACGIH TLV:10 MG/M3

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute

and Chronic:TARGET ORGANS:EYES. ACUTE-

EYES:SLIGHTLY IRRITATING. SKIN:NON-IRRITATING. INHALE:NOT LIKELY.

ORAL:LOW ACUTE ORAL TOXICITY. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SLIGHT EYE IRRITATION, DISCOMFORT, TEARING, REDNESS

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:W

ASH WITH SOAP & WATER. ORAL:IF CONSCIOUS, DRINK 1-2 GLASSES OF WATE R. GET MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DO NOT LEAVE VICTIM UNATTENDED. TREAT SYMPTOMATICALLY.

Flash Point Method:COC Flash Point:>500F,>260C

Extinguishing Media: CARBON DIOXIDE, SAND, FOAM/DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures: DO NOT ENTER A

