

PETROLEUM PACKERS INC -- PREMIUM HYD ANTIWEAR 46

=====  
MSDS Safety Information  
=====

FSC: 9150  
NIIN: 00-993-6621  
MSDS Date: 06/02/1992  
MSDS Num: CCLVH  
Product ID: PREMIUM HYD ANTIWEAR 46  
MFN: 01  
Responsible Party  
Cage: 7A776  
Name: PETROLEUM PACKERS INC  
Address: 1601 MCCLOSKEY BLVD  
City: TAMPA FL 33605  
Info Phone Number: 813-248-1988  
Emergency Phone Number: 813-248-1988/800-424-9300(CHEMTREC)  
Preparer's Name: UNKNOWN  
Proprietary Ind: Y  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 7A776  
Name: AMALIE OIL COMPANY  
Address: 1601 MCCLOSKEY BLVD, HOOKERS POINT  
City: TAMPA FL 33605-6710  
Phone: 813-248-1988 / 800-368-1264

=====  
Item Description Information  
=====

Item Manager: S9G  
Item Name: LUBRICATING OIL,GENERAL PURPOSE  
Unit of Issue: DR  
Quantitative Expression: 00000000055GL  
UI Container Qty: 0  
Type of Container: STEEL 18/18

=====  
Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----  
=====

=====  
Health Hazards

Data

LD50 LC50 Mixture: LD50 (ORAL, RAT) IS >5000 MG/KG.

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: TARGET ORGANS:EYES, SKIN, RESPIRATORY & GI TRACTS.

ACUTE- LUBRICATING OILS ARE GENERALLY CONSIDERED TO BE OF A LOW ORDER OF ACUTE TOXICITY TO HUMANS. INHALATION OF OIL MIST MAY CAUSE PULMONARY IRRITATION, DIZZINESS & NAUSEA. MAY CAUSE E

YE IRRITATION & SKIN DERMATITIS.

MAY BE HARMFUL IF SWALLOWED. CHRONIC- UNKNOWN.

Explanation Of Carcinogenicity: MAY INDUCE CANCER IN ANIMALS UNDER LABORATORY CONDITIONS. MAY CAUSE SKIN CANCER IN MAN WITH PROLONGED & REPEATED CONTACT

Signs And Symptoms Of Overexposure: IRRITATION, NAUSEA, HEADACHE, DIZZINESS, DROWSINESS, VOMITING

Medical Cond Aggravated By Exposure: INDIVIDUALS WITH PRE-EXISTING SKIN DISORDERS MAY BE MORE SUCCEPTIBLE TO THE EFFECTS FROM EXPOSURE TO THIS PRODU

CT.

First Aid: GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WIPE OFF EXCESS. WASH SKIN WITH SOAP & WAT ER. ORAL:DO NOT INDUCE VOMITING. IN GENERAL, NO TREATMENT IS NECESSARY UNLESS LARGE QUANTITIES OF PRODUCT ARE INGESTED. HOWEVER, GET MEDICAL ADVICE.

Handling and Disposal

Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT. PROVIDE ADEQUATE VENTILATION. REMOVE SPILL WITH INERT ABORBENT SUCH AS SAND, CLAY, EARTH. TRANSFER TO PROPER CONTAINERS FOR DISPOSAL. PREVENT RUN-OFF TO ENTER SEWERS OR WATE RWAYS. REPORT SPILLS AS REQUIRED TO AUTHORITIES.

Neutralizing Agent: NOT RELEVANT

Waste Disposal Methods: DISPOSE OF WASTE IN COMPLIANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS. RCRA EMERGENCY NUMBER: 800-424-9346. DO NOT CONT

AMINATE ANY LAKES, STREAMS, PONDS OR UNDERGROUND WATER SUPPLY. INCINERATION IS RECOMMENDED.

Handling And Storage Precautions: STORE AWAY FROM HIGH HEAT & STRONG OXIDANTS. KEEP CONTAINERS CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN.

Other Precautions: DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. AVOID BREATHING OIL MIST. DISCARD LUBRICANT-SOAKED SHOES. REMOVE LUBRICANT-SOAKED CLOTHING AND LAUNDRER BEFORE RE-USE.

=====  
=====

#### Fire and Explosion Hazard Information

=====

Flash Point Method: COC

Flash Point Text: 401F,205C MIN.

Lower Limits: UNKNOWN

Upper Limits: UNKNOWN

Extinguishing Media: WATER FOG, FOAM, DRY CHEMICAL/CARBON DIOXIDE. DON'T USE DIRECT STREAM OF WATER. PRODUCT WILL FLOAT AND CAN BE REIGNITED.

Fire Fighting Procedures: DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT PROPER PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: CONTAINER MAY RUPTURE.

=====

#### Control Measures

=====

Respiratory Protection: NONE NORMALLY NEEDED. IF WORKING IN CONFINED AREAS, IF EXCESSIVE MISTING IS EXPECTED OR IF EXPOSURE MAY OR DOES EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS, WEAR NIOSH-APPROVED ORGANIC VAPOR AND MIST RESPIRATOR (REFER TO 29 CFR 1910.134)

Ventilation: U

USE ADEQUATE VENTILATION TO KEEP OIL MISTS OF THIS MATERIAL BELOW APPLICABLE STANDARD(S).

Protective Gloves: NITRILE/NEOPRENE FOR REPEATED CONTACT

Eye Protection: SAFETY GLASSES, FACE SHIELD RECOMMENDED

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

=====

#### Physical/Chemical Properti

es

=====  
HCC: V6  
NRC/State LIC No: NOT RELEVANT  
B.P. Text: UNKNOWN  
M.P/F.P Text: UNKNOWN  
Decomp Text: UNKNOWN  
Vapor Pres: UNKNOWN  
Vapor Density: UNKNOWN  
Spec Gravity: 0.8756  
Viscosity: UNKNOWN  
Evaporation Rate & Reference: UNKNOWN  
Solubility in Water: NEGLIGIBLE  
Appearance and Odor: LIGHT COLORED OIL- SLIGHT ODOR  
Corrosion Rate: UNKNOWN  
=====

Reactivity Data

=====  
=====  
Stability Indicator: YES  
Stability Condition To Avoid: EXCESSIVE HEAT  
Materials To Avoid: STRONG OXIDIZING AGENTS  
Hazardous Decomposition Products: MAY PRODUCE SMOKE, CARBON MONOXIDE, CARBON DIOXIDE.  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: NOT RELEVANT  
=====

Toxicological Information

=====  
Ecological Information

=====  
MSDS Transport Information

=====  
Regulatory Information

=====  
Other Information  
=====  
=====

=====  
Transportation Information  
=====

Responsible Party Cage: 7A776  
Trans ID NO: 97155  
Product ID: PREMIUM HYD ANTIWEAR 46  
MSDS Prepared Date: 06/02/1992  
Review Date: 01/08/1997  
MFN: 1  
Radioactivity: NOT RELEVANT  
Net Unit Weight: 401.0 LBS  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: DR  
Container QTY: 0  
Type Of Container: STEEL 18/18  
Additional Data: NOT REGULATED FOR TRANSPORTATION, PER MSDS.

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IMO Information  
=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail AFI Information  
=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
HAZCOM Label  
=====

=====

Product ID: PREMIUM HYD ANTIWEAR 46

Cage: 7A776

Company Name: AMALIE OIL COMPANY

Street: 1601 MCCLOSKEY BLVD, HOOKERS POINT

City: TAMPA FL

Zipcode: 33605-6710

Health Emergency Phone: 813-248-1988/800-424-9300(CHEMTREC)

Date Of Label Review: 01/08/1997

Status Code: C

Label Date: 01/08/1997

Year Procured: 1997

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated

for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian e

mployee of the

United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.