

MIL-COMM PRODUCTS CO, INC -- TW-25B HIGH TECH LUBRICANT -- 9150-01-439-0858

=====
Product Identification
=====

Product ID:TW-25B HIGH TECH LUBRICANT

MSDS Date:03/01/1994

FSC:9150

NIIN:01-439-0858

MSDS Number: CCMFG

=== Responsible Party ===

Company Name:MIL-COMM PRODUCTS CO, INC

Box:43278

City:UPPER MONTCLAIR

State:NJ

ZIP:07043

Country:US

Info Phone Num:201-744-5191

Emergency Phone Num:201-744-51

91

CAGE:0BAN7

=== Contractor Identification ===

Company Name:MIL-COMM PRODUCTS COMPANY, INC

Address:2 CARLTON AVE

Box:City:EAST RUTHERFORD

State:NJ

ZIP:07073

Country:US

Phone:201-935-8561

CAGE:0BAN7

=====
Composition/Information on Ingredients
=====

Ingred Name:PER MSDS:NO INGREDIENTS CONSIDERED HAZARDOUS. (NO INGREDIENTS LISTED BY MSDS).

RTECS #:9999999ZZ

Fraction by Wt: NA

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

=

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NONE KNOWN. INHAL ROUTE-UNLIKELY UNLESS MATERIAL IS IN SPRAY FORM.

Explanation of Carcinogenicity:PER MSDS:CHEM LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN:NTP/IARC/OSHA:NO.

Effects of Overexposure:NONE KNOWN.

Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
First Aid Measures
=====
res

First Aid:IF ANY QUANTITY IS INGESTED CONTACT PHYSICIAN. DO NOT INDUCE VOMITING. DRINK PLENTY OF WATER.

=====
Fire Fighting Measures
=====

Flash Point Method:COC

Flash Point:475F,246C

Autoignition Temp:Autoignition Temp Text:NA

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:CO2, DRY CHEMICALS.

Fire Fighting Procedures:USE AIR PACK.

Unusual Fire/Explosion Hazard:INHALATION OF THERMAL DECOMPOSITION PRODUCTS OF FLUOROCAR

BONS MUST BE AVOIDED FOR THE SAME REASONS THAT APPLY TO ALL COMBUSTIBLE MATERIALS.

=====
Accidental Release Measures
=====

Spill Release Procedures:SALVAGE UNCONTAMINATED MATERIAL.OTHERWISE DISPOSE OF AS WASTE OIL (GREASE). DO NOT INCINERATE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:PROTECT FROM SPATTERING.WEAR GLOVES OR WASH WITH DETERGETN AF

TER EXPOSURE.

Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENT.

Ventilation:IF SPRAYING MECHANICAL (GENERAL) RECOMMENDED.

Protective Gloves:RUBBER RECOMMENDED.

Eye Protection:GOGGLES ADVISABLE (NOT REQUIRED)

Other Protective Equipment:AVOID INGESTION. WASH SKIN OR CLOTHING WITH
DETERGENT.

Work Hygienic Practices:KEEP AREA CLEAN.WASH HANDS BEFORE EATING.

Supplemental Safety and Health

=====

= Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NP

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:1.48

pH:NP

Viscosity:NP

Evaporation Rate & Reference:NP

Solubility in Water:LONG TERM-NEGLIGIBLE

Appearance and Odor:OFF WHITE, SWEET ODOR.

Percent Volatiles by Volume:NP

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG A

CIDS, BASES, & OXIDIZING AGENTS.

Stability Condition to Avoid:SUSTAINED TEMEPRATURES OVER 600F.

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY PRODUCE HF
&/OR PHOSPHORUS OXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:REMOVE TO APPORVED LUBRICANT RECOVERY PROCEDURE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The Unit

ed States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.