

ECOLINK INC -- ELECTRON AEROSOL -- 6850-01-371-8048

===== Product Identification =====

Product ID:ELECTRON AEROSOL

MSDS Date:06/11/1996

FSC:6850

NIIN:01-371-8048

MSDS Number: CCMKV

=== Responsible Party ===

Company Name:ECOLINK INC

Address:1481 ROCK MOUNTAIN BLVD

City:STONE MOUNTAIN

State:GA

ZIP:30083

Country:US

Info Phone Num:800-886-8240 OR 770-621-8240

Emergency Phone Num:800-877-3339/800-535-5053

CAGE:0WU71

=== Contractor Identification ===

Company Name:ECOLINK INC

Address:1481 ROCK MOUNTAIN BLVD

Box:City:STONE MOUNTAIN

State:GA

ZIP:30083-1505

Country:US

Phone:800-886-8240/770-621-8240

CAGE:0WU71

Company Name:SENTRY CHEMICAL CO INC

Address:1481 ROCK MOUNTAIN BLVD

Box:748

City:STONE MOUNTAIN

State:GA

ZIP:30086

Country:US

Phone:770-934-4242

CAGE:8S927

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM HYDROCARBON

CAS:64475-85-0

RTECS #:PY82400

00

Fraction by Wt: >60%

Other REC Limits:NONE RECOMMENDED

Ingred Name:HIGHLY REFINED ALIPHATIC HYDROCARBONS NOT CONSIDERED HAZ OR RESTRICTED BY EPA RCRA.

Other REC Limits:NONE RECOMMENDED

Ingred Name:TERPENES WHICH ARE NOT CONSIDERED HAZ OR RESTRICTED BY RCRA.

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcin

ogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGEST:CAN CAUSE GI

IRRIT,NAU,VOMIT.INHAL:ASPIRATION INTO LUNGS MAY CAUSE

INJURY.EXCESSIVE INHAL OF VAP MAY CAUSE DIZZ/HEAD.PRODUCT HAS LOW

VAP PRESSURE & NOT EXPECTED TO PRESENT INHAL HAZ @AMB TEMP C

ONDITIONS.CAUTION SHOULD BE TAKEN TO PREVENT AEROSOLIZATION/MISTING

W/O TAKING SPECIFIC PRECAUTIONS.(SUPPLEMENTAL)

Explanation of Carcinogenicity:PER MSDS:NTP/IARC/OSHA:NONE.

Effects of Overexposure:GI IRRIT,NA

U,VOMIT. ASPIRATION INTO LUNGS MAY

CAUSE INJURY.DIZZ/HEADACHES. SLIGHT EYE IRRIT. SKIN IRRIT, DRYING,

FLAKING.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INGEST:DON'T INDUCE VOMIT.PRODUCT CONTAINS HYDROCARBON.CALL

PHYSICIAN.INHAL:REMOVE TO FRESH AIR.BREATHING DIFF GIVE OXY.CALL

PHYSICIAN.EYE:IRRIGATE IMMED W/WATER FOR @LEAST 15MINS.CALL

PHYSICIAN.SKIN: WASH OFF IN FLOWING

WATER OR SHOWER USING

SOAP/WATER.REMOVE CONTAMIN CLOTHING.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:FLAMMABLE AEROSL

Autoignition Temp:Autoignition Temp Text:NP

Lower Limits:0.7

Upper Limits:6.0

Extinguishing Media:REGULAR FOAM, C02, DRY CHEMICALS.

Fire Fighting Procedures:FIGHT AS HYDROCARBON FIRE. WEAR SELF-CONTAINED

NIOSH APPROVED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:AEROSOL CAN WILL BURST IF EXPOSED TO HE

AT
OF FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:SM:REMOVE ALL IGN SOURCES.ABSORB ON ABSORBENT
AMTL.LG:REMOVE ALL IGN SOURCES.PERSONS OT WEAR PPE SHOULD BE
EXCLUDED FROM AREA.DIKE TO PREVENT SPREADING.BEGIN PUMPING INTO
STORAGE/RECYCLING TK/DR.PREVE NT RUNOFFS TO SEWER/STREAMS/BODIES OF
WAER.(SUPPL)

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AS LEVEL 3 AEROSOL(NFPA
30B).STORE AWAY FROM IGNITION SOURCES & AVOID BREATHING VAPORS.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED UNDER CONDITIONS OF NORMAL USE.IF
VAPOR MIST IS GENERATED, USE NIOSH CERTIFIED ORGANIC VAPO
RESPIRATOR WITH DUST/MIST FILTER.

Ventilation:LOCAL EXHAUST/HOOD OR FAN MAY BE USED.SET TO MAINTAIN BELOW
TLV

MECHANICAL/NONE REQUIRED.

Protective Gloves:NITRILE GLOVES RECOMMENDED.

Eye Protection:SAFETY GLASSES ARE RECOMMENDED.

Other Protective Equipment:NONE REQUIRED.

Work Hygienic Practices:WASH CONTAMIN CLOTHING BEFORE REUSE.USE
W/ADEQUATE VENTILATION.WASH HANDS AFTER USE.

Supplemental Safety and Health

HEALTH HAZ:EYE:EXPO TO HIGH VAP CONC MAY CAUSE SLIGHT

IRRIT.SKIN:PROL/REP EXPO MAY CAUSE IRRIT.REP LONGTERM CONTACT MAY
CAUSE EXCESSIVE DRYING/FLAKING OF SKIN. SPILL:IF OCCURS NOTIFY

PROPER AUTHORITIE S.

===== Physical/Chemical Properties =====

HCC:V3

Boiling Pt:B.P. Text:320F,160C

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NP

Vapor Pres: